

**2000**

**Calendar Year**

**HIGHWAY LOCATION REFERENCE**

**ALL INTERSECTIONS**

**Data as of December 31,2000**

**ALLEGANY**

**COUNTY**

**SHA DISTRICT #6**

**A**

---



ROUTE ALERT LIST

ALLEGANY COUNTY

Note: Entire county re-inventoried in 2000. Check all routes for mileage change.

**MARYLAND STATE HIGHWAY ADMINISTRATION**  
**HIGHWAY INFORMATION SERVICES DIVISION**  
**STATE MAINTAINED HIGHWAYS ON THE NATIONAL HIGHWAY SYSTEM**  
**AS OF DECEMBER 31, 2000**

**ALLEGANY COUNTY**

ROUTE		BEGIN MILEPOINT	BEGIN DESCRIPTION			END MILEPOINT	END DESCRIPTION		
MD	53	0.19	IS	68	NATIONAL FREEWAY	3.33	US	220	MCMULLEN HWY
IS	68	0.00			GARRETT CO/L	40.27			WASHINGTON CO/L
US	220	0.00			BEGIN STRUCTURE IN WEST VIRGINIA	14.03	MD	53	WINCHESTER RD
US	220	23.58	IS	68	NATIONAL FREEWAY	27.35			PENNSYLVANIA ST/L

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 35  
INVENTORY DIRECTION...NORTH  
NAME: ELLERSLIE RD

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	URB-OTHER PRIN ART	UNDIVIDED	NONE	0.00 MD 36	MT SAVAGE RD	2	24I	6,250
				0.03 MD 831C	KREIGBAUM RD	2	22I	
				0.07	SPEED LIMIT 25 MPH			
				0.22	SPEED LIMIT 35 MPH			
				0.50	SPEED LIMIT 50 MPH			
				0.60	TEDDY BEAR LA			
				0.76 CO 656	TWIN OAKS ST			
				0.83	LOWERY LA			
				0.84 OP 144	NO NAME			
				0.95	JASON LA			
				1.64	SPEED LIMIT 30 MPH			
				1.78 CO 736	BLOOM ST			
				1.87 CO 434	HOPKINS ST			3,950
				1.89 OP 454	SHORT ST			
				1.99 CO 435	FIREFIGHTER PL			
				2.01	TRAM RD			
				2.07 CO 432	VETERANS ROW			
				2.16 CO 427	HIGH PINE CT			
				2.20	STRUC #1068 WILLS CREEK			
				2.22 OP 148	RED OAK WAY			
				2.23 CO 428	SCHELLSBURG RD			
				2.24 CO 425	HUMMINGBIRD ST			
				2.24 OP 300	HUMMINGBIRD ST			
				2.27 OP 147	WOODPECKER LA			
				2.29 CO 423	MASON DIXON VIEW			
				2.37	PENNSYLVANIA ST/L			

\*\*\*\*\*

ROUTE NUMBER.....MD 36  
INVENTORY DIRECTION...NORTH  
NAME: GEORGES CREEK RD

SECONDARY U	RUR-MINOR ARTERIAL	UNDIVIDED	NONE	0.00	WEST VIRGINIA ST/L	2	30J	5,275
				0.02	STRUC #1023 POTOMAC RIVER			
		DIVIDED		0.06 MD 135	CHURCH ST	2	24I	
				0.06	SPEED LIMIT 30 MPH			
				0.08	SPUR TO MD 135			
		UNDIVIDED		0.09	SPUR FR MD 135	2	48I	
				0.13 MU 111	VICTORY POST DR	2	28I	
				0.15	SPUR FR VICTORY DR			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 36 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: E MAIN ST

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY U	RUR-MINOR ARTERIAL	UNDIVIDED	NONE	7.98 MU 290	UNION ST	2	24I	6,675
				7.99 MU 60	CHURCH ST	2	40I	
				7.99 MU8080	ALLEY 8			
				8.03 MD 657	DOUGLAS AVE	2	30I	8,248
				8.03 MU8080	ALLEY 8			
				8.06 MU9010	STAR ALLEY			
NAME: GEORGES CREEK RD				8.08	STRUC #1166 KOONTZ RUN			
NAME: E MAIN ST				8.10 MU 272	SCOTCH HILL RD #2			
				8.25 MU8070	ALLEY 7			
				8.29 CO 56	BRIDGE ST	2	24I	
				8.32 MU 200	PARK AVE	2	30I	
				8.49 MU 70	D ST	2	20I	
R				8.53 MU 280	ST PETERS PL			
NAME: GEORGES CREEK RD				8.53				
				8.53	OUT CORP LMTS LONACONING			
				8.55	STRUC #1014 GEORGES CREEK			
				8.60 CO 57	WATER STATION RUN RD			
				8.60 CO 58	ROCKVILLE ST			
				8.61	SPEED LIMIT 35 MPH			
				8.76		2	25I	
				8.99 OP 469	CLICKS CROSSING RD			
				9.00	R/R #CSX 832 551 F	2	20I	
				9.02 CO 58	ROCKVILLE ST			
				9.23	ATR STATION #0001			
				9.24	STRUC #1013 GEORGES CREEK			
				9.30 CO 66	BRODIE RD			
				9.55 CO 692	OLD CONEY CEMETERY RD			
				9.55 CO 66	BRODIE RD			
				10.03	STRUC #1012 GEORGES CREEK			
				10.13 CO 75	QUINN ST			
				10.17 CO 76	MINERS AVE			
				10.30 CO 77	BUSKIRK HOLLOW RD			
				10.33	STRUC #1011 ELK LICK RUN	2	24I	
				10.64 CO 771	LONACONING ST			
NAME: MAIN ST				10.76	SPEED LIMIT 25 MPH			
U				10.78	IN CORP LMTS MIDLAND			
				10.95 MU 10	BIG LA			
				10.95 MU 140	UNION ST			
				11.01 MU 105	O'MARA'S AVE			
				11.06 MU 50	CHURCH ST			
				11.06	STRUC #1127 NEFF RUN			
R				11.32	SPEED LIMIT 40 MPH			
NAME: GEORGES CREEK RD				11.32				

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 36 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: GEORGES CREEK RD

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	RUR-MINOR ARTERIAL	UNDIVIDED	NONE	11.32	OUT CORP LMTS MIDLAND	2	24I	8,248
				11.48 CO 80	PARADISE ST			7,275
				11.53	SPEED LIMIT 50 MPH			
				11.57	STRUC #1054 NEFF RUN			
				11.88 CO 86	OCEAN HILL RD			8,475
				12.00 CO 87	SPIKER LA			
				12.51 CO 108	PERRYS LA			
				13.63	MOUNTAIN VIEW (ENT TO LANDFILL)			
				14.09	SPUR TO MD 55			
	URB-OTHER PRIN ART			14.14 CO 681	CABIN RUN RD			7,075
				14.14 MD 55	VALE SUMMIT RD			
		DIVIDED		14.63		4	48I	
				14.82	X-OVER			
				14.92 RP 6806	RAMP 6 FR IS 68 TO MD 36			
				14.92 RP 6804	RAMP 4 FR MD 36 TO IS 68			
				14.98 RP 6805	RAMP 5 FR MD 36 TO RAMP 4			
				14.98 RP 6803	RAMP 3 FR RAMP 6 TO MD 36			
				15.05 IS 68	NATIONAL FREEWAY			8,375
				15.05	STRUC #1116			
				15.05	EXIT #34			
				15.11 RP 6807	RAMP 7 FR RAMP 2 TO MD 36			
				15.11 RP 6801	RAMP 1 FR MD 36 TO RAMP 8			
				15.18 RP 6808	RAMP 8 FR MD 36 TO IS 68			
				15.18 RP 6802	RAMP 2 FR IS 68 TO MD 36			
				15.29 CO 121	HOFFMAN HOLLOW RD			
				15.29 CO 846	CHERRY LA			
		UNDIVIDED		15.48		2	24I	
				15.81 MU 277	HAMPTON DR			
				15.95	SPEED LIMIT 40 MPH			
				15.98	SCENIC PARK ENT			
				16.09 MU 535	VILLAGE PKWY			
				16.09 MU 355	BISHOP MURPHY DR			
U				16.14	IN CORP LMTS FROSTBURG			
		DIVIDED		16.15				
R				16.27	OUT CORP LMTS FROSTBURG	3	36I	
				16.44 MD 743	OLD NATIONAL PIKE			
				16.46		4	48I	
				16.49 CO 147	BEALL HIGH SCHOOL RD			
				16.53 US 40AL	NATIONAL PIKE/MAIN ST (AHEAD)			
U	URB-MINOR ARTERIAL	UNDIVIDED		17.60 MU 560	S WATER ST (BACK)	2	22I	1,475
NAME: N WATER ST				17.60				
				17.60 US 40AL	MAIN ST			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 36 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: N WATER ST

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY U	URB-MINOR ARTERIAL	UNDIVIDED	NONE	17.63 MU 800	1ST ST	2	22I	1,475
				17.65 MU 570	N WATER ST			
				17.65				
				17.68 MU 490	STANDISH ST			
				17.80 OP 55	BEALLS LA			
				17.91 MU 570	N WATER ST			
				17.95 MU 222	DEPOT ST			
				17.95	OUT CORP LMTS FROSTBURG			
				18.00	SPEED LIMIT 30 MPH			
				18.18 OP 26	TENNANT LA			
				18.39	R/R #CSX 832 260 R			
				18.41 CO 179	BORDEN RD			
				18.60 CO 181	BORDEN YARD RD			
				18.60	CRAIG LA			
				18.75 CO 180	FROST MINES RD			
				18.94	CRAIG LA			
				19.18 CO 178	NEW HOPE RD			
				19.20 CO 182	SUGAR ROW RD			
				19.31 CO 183	GREEN ROW RD			
				19.41 CO 184	BROKEN HEART MINE RD			
				19.55	SPEED LIMIT 40 MPH			
				19.87 OP 29	NO NAME			
				20.03	STRUC #1069 JENNINGS RUN			
				20.17	SPEED LIMIT 35 MPH			
				20.36 MD 638	PARKERSBURG RD			2,075
				20.42	STRUC #1009 JENNINGS RUN			
				20.68 CO 185	SLABTOWN RD			2,875
				21.41 CO 193	BRUCE HOUSE RD			
				21.73	SPEED LIMIT 25 MPH			
				21.75		2	20I	
				21.93 CO 194	JEALOUS ROW			
				22.01	PERIWINKLE RD			
				22.09 CO 197	NEW SCHOOL RD			
				22.12	R/R #CSX 832 258 P			
				22.16 CO 207	NEW ROW			
				22.18 CO 190	IRON RAIL ST			
				22.23	STRUC #1008 JENNINGS RUN			
				22.24 CO 208	OLD ROW RD			
				22.36 CO 200	COBBLESTONE RD			
				22.46 CO 214	STATIONMASTER ROW	2	22I	
				22.47	CLIFFSIDE DR (PVT)			
				22.51	STRUC #1007 JENNINGS RUN			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 36 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: MT SAVAGE RD

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	URB-MINOR ARTERIAL	UNDIVIDED	NONE	22.56	WHISTLE PIG LA	2	22I	2,875
				22.67	SPEED LIMIT 30 MPH			
				22.75	SPUR TO IRON RAIL ST			
				22.76	CO 190 IRON RAIL ST			
				22.96	STRUC #1006 JENNINGS RUN			
				23.27	OP 38 STONEY HOLLOW RD			
				23.74	CO 215 WOODCOCK HOLLOW RD			
				23.80	SPEED LIMIT 40 MPH			
				23.92		2	24I	
				24.26	STRUC #1080 PEDESTRIAN WALKWAY			
				24.30	STRUC #1078 NORTH BRANCH			
				24.34	MD 47 BARRELVILLE RD			4,275
				24.43	SPEED LIMIT 50 MPH			
				24.76	MD 36B NO NAME			
				25.16	MD 831D PORTER TOWN RD			
				25.51	MD 831D PORTER TOWN RD			
				25.97	OP 347 NO NAME			
				26.44	CO 407 RICHFIELD AVE			
				26.64	MD 831C KREIGBAUM RD			4,575
				26.64	CO 408 PROENTY RD			
	URB-OTHER PRIN ART			27.34	MD 35 ELLERSLIE RD			8,775
				27.46	STRUC #1004 JENNINGS RUN			
				27.51	MD 831C KREIGBAUM RD			
				27.51	CO 658 CASH VALLEY RD			
				27.72	CO 420 ROCK CUT RD			
				28.40	MD 36C HOMEWOOD ST			
				29.05	MD 831A DAKOTA AVE			10,875
				29.20	CO 769 LIONZ LA			
				29.21	SPEED LIMIT 30 MPH			
		DIVIDED		29.34		3	48I	
				29.40	STRUC #1001 BRADDOCK RUN			
				29.40	SPUR TO US 40 AL			
				29.41		2	48I	
				29.43	US 40AL NATIONAL HWY			

ROUTE NUMBER.....MD 36B  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

SECONDARY R	URB-LOCAL	UNDIVIDED	NONE	0.00	MD 36 MT SAVAGE RD	2	22I	
-------------	-----------	-----------	------	------	--------------------	---	-----	--

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 36B CONTINUED  
INVENTORY DIRECTION...NORTH  
NAME: NO NAME

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	URB-LOCAL	UNDIVIDED	NONE	0.01	GATE	2	22I	
				0.03	ROAD END			

ROUTE NUMBER.....MD 36C  
INVENTORY DIRECTION...NORTH  
NAME: HOMEWOOD ST

SECONDARY R	URB-LOCAL	UNDIVIDED	NONE	0.00	MD 36 MT SAVAGE RD	2	26I	
				0.03	MD 831B OLD MOUNT SAVAGE RD			
				0.03	CO 421 HOMEWOOD ST (AHEAD)			

ROUTE NUMBER.....US 40  
INVENTORY DIRECTION...EAST  
NAME: NATIONAL FREEWAY

	0.00	GARRETT CO/L
	0.00	SEE IS 68
	40.27	SEE IS 68
	40.27	WASHINGTON CO/L

ROUTE NUMBER.....US 40AB  
INVENTORY DIRECTION...NORTH  
NAME: NO NAME

SECONDARY R	RUR-LOCAL	UNDIVIDED	NONE	0.00	MD 144 ALI GHAN RD	2	26I	
				0.03		2	30I	
				0.04	ROAD END			

ROUTE NUMBER.....US 40AF  
INVENTORY DIRECTION...NORTH  
NAME: NO NAME

SECONDARY R	RUR-LOCAL	UNDIVIDED	NONE	0.00	MD 144AE NO NAME	2	22H	
				0.02	MD 144 OLD NATIONAL PIKE			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 40AL  
INVENTORY DIRECTION....EAST  
NAME: NATIONAL HWY

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	RUR-MAJOR COLLECTOR	UNDIVIDED	NONE	0.00	GARRETT CO/L	2	24I	2,350
				0.02	CO 174 KEMP DR			
				0.23	SPEED LIMIT 40 MPH			
	URB-MINOR ARTERIAL			0.42	CO 175 CATHERINE ST			
				0.70	OP 233 TISDALE ST			
				0.73	SPEED LIMIT 25 MPH			
				0.76	IN CORP LMTS FROSTBURG			
				0.76				
				0.80	MU 470 SHAW ST			
				0.83	MU 590 WENKS LA			
				0.87	MU 150 C ST			
				0.95	MU 242 FEDERAL ST #2			
				0.96	MU 40 ARMSTRONG ST	2	22I	
				1.05	MU8230 ALLEY #23			
				1.08	MU8560 ALLEY #56			
				1.10	MU8220 ALLEY #22			
				1.15	MU 280 HIGH ST			
				1.16	MU8210 ALLEY #21			
				1.22	MU 325 LEMMERT ST			
				1.23	MU7020 ALLEY B			
				1.30	MU 200 CHESTNUT ST			
				1.35	MU8550 ALLEY #55			
				1.36	MU 100 BEALLS LA			
				1.45		2	20I	
				1.48	MD 36 N WATER ST			7,150
				1.48	MU 560 S WATER ST			
				1.53	MU 140 BROADWAY	2	22I	
				1.53	MU8240 ALLEY #24			
				1.62	MU 520 UHL ST			
				1.68	MU 350 MAPLE ST			
				1.69	MU 222 DEPOT ST	2	46I	
				1.72	MU 180 CENTER ST			
				1.75	MU8190 ALLEY #19			
				1.79	MU 60 BAPTIST ST			
				1.80	MU 120 BOWERY ST	2	24I	
				1.84	MU8080 ALLEY #8			
				1.87	MU8090 ALLEY #9			
				1.91	MU8100 ALLEY #10			
				1.92	MU 320 LEE ST			
				1.95	MU 260 GRANT ST			
				1.95	MD 936 GRANT ST			
				2.03	MU 410 MT VERNON ST			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 40AL CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: MAIN ST

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY U	URB-MINOR ARTERIAL	UNDIVIDED	NONE	2.07 MU 160	CEMETERY RD	2	24I	7,150
				2.23 MU 70	BARNARD ST			
				2.24 MU 475	SLEEMAN ST			
				2.32 MU 530	VICTORIA LA			
				2.40 MU8120	ALLEY #12			
				2.41 MU 75	BEALL HIGH SCHOOL RD	2	36I	
				2.46 MU 310	JENKINS ST			
				2.49	MD 36 (SB/L)			
	R URB-OTHER PRIN ART			2.55 MD 36	GEORGES CREEK RD	3	36I	11,725
NAME: NATIONAL PIKE				2.55				
				2.55	OUT CORP LMTS FROSTBURG			
				2.73	SPEED LIMIT 45 MPH			
		CTL		3.10		2	24I	
				3.19 OP 467	ECKHART SCHOOL RD			
				3.27 CO 700	PORTER RD			
		UNDIVIDED		3.33		2	28I	
				3.41 MD 638	PARKERSBURG RD			
				3.58	CASINO DR			
				3.64	STRUC #1024 PORTER RUN			
				3.68 MD 743	OLD NATIONAL PIKE			
				3.71 CO 140	PINEY MT RD			
				3.77	SPEED LIMIT 50 MPH			
				3.97		4	40I	
		DIVIDED		4.04		4	52I	
				4.17	SPUR TO CO 139			
				4.20	STRUC #1025 BRADDOCK RUN			
				4.21	SPUR TO MD 55			
				4.22 MD 55	VALE SUMMIT RD			13,292
				4.23	SPUR FR MD 55			
				4.37	SPUR TO CLARYSVILLE RD			
				4.40		4	48I	
		UNDIVIDED		4.54		3	44I	
				4.83		2	24I	
				4.85	ATR STATION #0026			
				5.59		3	36I	
				5.93		2	24I	
				5.96 CO 279	RED HILL RD			
				6.27	SPEED LIMIT 40 MPH			
		DIVIDED		6.34		3	39I	
		CTL		6.43	ENT LAVALE PLAZA	4	52I	
				6.59	SPUR TO MD 53			
				6.62 MD 53	WINCHESTER RD			13,500

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 40AL CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: NATIONAL PIKE

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	URB-OTHER PRIN ART	CTL	NONE	6.64	SPUR FR MD 53	4	52I	13,500
				6.70	STRUC #1026 BRADDOCK RUN			
		DIVIDED		6.85	X-OVER			
				6.96	RP 6801 RAMP 1 FR US 40 AL TO IS 68			
				6.97	RP 6806 RAMP 6 FR US 40 AL TO RAMP 1			
				6.97	RP 6803 RAMP 3 FR RAMP 2 TO US 40 AL			
				6.99	RP 6802 RAMP 2 FR IS 68 TO US 40 AL			
		CTL		7.02				
NAME: NATIONAL HWY				7.46	MD 658 VOCKE RD			
				7.46	OP 136 CUPLER DR			
		DIVIDED		7.59	CO 335 HELMAN DR	2	40I	
				7.61	CO 721 ASBURY AVE			
				7.66	CO 722 BANE ST			
		UNDIVIDED		7.76	OP 113 LOCUST ST	2	36I	
				7.79	CO 337 WARFIELD PL			
				7.91	CO 338 PARKSIDE BLVD			
				7.95	CO 344 WEST ST			
				7.97	CO 341 LAVALE BLVD			
				8.04	CO 343 LAVALE CT			
				8.07	CO 346 EAST ST			
				8.13	CO 347 ROSELAWN AVE			
				8.14	CO 348 HAROLD ST			
				8.19	OP 117 S WOODLAWN AVE			
				8.28	CO 350 OAKLAWN AVE			
				8.37	CO 351 HOLLY AVE			
				8.47	CO 352 GRANT DR			
				8.51	CO 361 MARY CT			
				8.70	CO 725 N LAVALE ST			
				8.70	CO 358 S LAVALE ST			
				8.89	CO 356 N WOODLAWN AVE			
				8.89	CO 724 FAYETTE ST			
				8.97	CO 354 LONG DR			
				9.06	CO 843 OLD CASH VALLEY RD	2	42I	12,650
				9.06	CO 756 BRIDGE ST			
				9.17	CO 370 BRADDOCK ST			
				9.20	STRUC #1027 BRADDOCK RUN			
				9.22	CO 382 MILL ST			
				9.37	CO 383 C ST	2	28I	
				9.47	CO 388 KELSO DR			
				9.52	CO 389 KLOSTERMAN AVE			
				9.59	CO 676 LANE AVE			
				9.61	CO 393 MILLER AVE			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 40AL CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: NATIONAL HWY

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	URB-OTHER PRIN ART	UNDIVIDED	NONE	9.77	OP 287 MCHENRY ST	2	28I	12,650
				10.03	CO 396 PARK AVE			
				10.18	SPEED LIMIT 30 MPH			
				10.48	MD 831A OLD MT SAVAGE RD			
		DIVIDED		10.49		4	48I	
				10.61	SPUR FR MD 36			
				10.63	R/R #CSX 832 237 W			
		UNDIVIDED		10.64	MD 36 MT SAVAGE RD	2	28I	
				10.67	CO 402 LOCUST GROVE RD			
				10.77		2	26I	
				11.48	STRUC #1028 WILLS CREEK			
				11.50		2	28I	
MUNICIPAL U				11.53	IN CORP LMTS CUMBERLAND			
NAME: MECHANIC ST				11.53				
				11.53	END STATE MAINTENANCE			
				11.53	BEGIN MUNICIPAL MAINTENANCE			
NAME: HENDERSON AVE				11.78	MU2370 N MECHANIC ST			
				11.80	SPUR FR MECHANIC ST-MU 2370	2	28J	
				11.93	R/R #CSX 145 054 H			
				11.96	MU1390 FRANKLIN ST			
				11.96	STRUC #AC002			
				11.97		2	28I	
				11.99	MU6072 ALLEY #7			
				12.02	MU6100 ALLEY #10			
				12.02	SPEED LIMIT 25 MPH			
				12.05	MU6130 ALLEY #13			
				12.07	MU2720 PEAR ST			
				12.15	MU2880 PULASKI ST			
				12.19	MU3630 VALLEY ST			
				12.22	MU6260 ALLEY #26			
				12.24	MU6250 ALLEY #25			
				12.34	MU2435 MILTON PL			
				12.40	MU1930 KNOX ST			
				12.42	SPUR FR MECHANIC ST-MU 2370			
				12.50	MU 350 BOND ST			
				12.62	MU2820 POLK ST			
				12.66	MU 271 BEDFORD ST #3			
				12.68	MU 270 BEDFORD ST			
				12.68	MU1412 FREDERICK ST			
				12.68	STRUC #AC001			
				12.69	MU1411 FREDERICK ST #2			
				12.70	MU 910 DAVIDSON ST			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 40AL CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: HENDERSON AVE

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
MUNICIPAL U	URB-OTHER PRIN ART	UNDIVIDED	NONE	12.71	MU6690 ALLEY #69	2	28I	12,650
				12.73	MU 690 CHARLES ST			
				12.75	MU6700 ALLEY #70			
				12.79	MU1430 FULTON ST			
				12.80	MU6720 ALLEY #72			
		DIVIDED		12.83	MU1510 GLENN ST	4	56I	
NAME: FRONT ST				12.83				
				12.83	US 40 AL (WB/L) HENDERSON AVE			
				12.84	SPUR FR US 40 AL W/B-HENDERSON AVE			
				12.85	MU6730 ALLEY #73			
				12.89	SPUR TO BALTIMORE ST #2			
NAME: BALTIMORE AVE				12.90	MU 252 BALTIMORE ST #2	4	58I	
				12.90				
				12.91	MU2690 PARK ST			
		UNDIVIDED		12.95	US 40 AL (WB/L) HENDERSON AVE	2	30I	
				12.95	SPUR TO US 40 AL W/B-HENDERSON AVE			
				13.00	MU6710 ALLEY #71			
				13.03	MU 940 DECATUR ST	2	28I	
				13.07	MU 290 BELLEVUE ST			
				13.16	MU1530 GOETHE ST			
				13.40	MU3770 WEBER ST			
				13.43	MU3980 YALE ST			
				13.44	MU2280 MARION ST			
SECONDARY				13.51	MU3270 SHADES LA			
				13.51	END MUNICIPAL MAINTENANCE			
				13.51	BEGIN STATE MAINTENANCE			
		DIVIDED		13.55		4	64I	
				13.56	RP 6808 RAMP 8 FR US 40 AL TO IS 68			
				13.56	RP 6802 RAMP 2 FR IS 68 TO US 40 AL			
				13.58	RP 6807 RAMP 7 FR RAMP 2 TO US 40 AL			
				13.58	RP 6801 RAMP 1 FR US 40 AL TO RAMP 8			
				13.62	IS 68 NATIONAL FREEWAY			
				13.62	STRUC #1093			
				13.62	EXIT #44			
				13.62	MD 639 WILLOWBROOK RD (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 40SC  
INVENTORY DIRECTION....EAST  
NAME: NATIONAL PIKE

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	RUR-MINOR COLLECTOR	UNDIVIDED	NONE	0.00	CO 567 FIFTEEN MILE CREEK RD (BACK)	2	22I	400
				0.06	RP 6806 RAMP 6 FR IS 68 TO US 40 SC			
				0.07	RP 6805 RAMP 5 FR US 40 SC TO IS 68			
				0.18	IS 68 NATIONAL FREEWAY			
				0.18	STRUC #1133			
				0.18	EXIT #62			
				0.23	RP 6808 RAMP 8 FR US 40 SC TO IS 68			
				0.23	RP 6802 RAMP 2 FR IS 68 TO US 40 SC			
				0.27	MD 144 OLD NATIONAL PIKE			
				0.29	CO 565 BIG RIDGE RD			
				0.37	STRUC #1036 FIFTEEN MILE CREEK			
				0.70	CO 563 FIFTEEN MILE CREEK RD NORTH			
				1.22		3	33I	
				1.50		2	30I	
				1.62		2	22H	
				1.76	CO 570 M V SMITH RD			
				1.80	CO 575 GREEN RIDGE RD			
				1.89	SPEED LIMIT 50 MPH			
				2.61	CO 745 MOUNTAIN RD			
				3.60	CO 580 WEST SHIPLEY RD	2	22I	
				4.27	CO 579 TOWER RD			
				5.15	CO 589 OLD ADAMS RD			
				5.26	SPUR TO E SHIPLEY RD			
	RUR-MAJOR COLLECTOR			5.36	CO 581 EAST SHIPLEY RD			
	RUR-LOCAL			5.77	CO 660 ORLEANS RD			
				5.86	CO 584 N ORLEANS RD			
				5.86	CO 747 STONE RD			
				6.34	STRUC #1037 SNIB HOLLOW RUN			
				6.92		2	24I	
				7.23	CO 595 MANN RD			
				7.26	IS 68 NATIONAL FREEWAY			
				7.26	STRUC #1129			
				7.32	CO 591 TURKEY FARM RD			
				7.65	CO 596 PRICE RD			
				8.00	STRUC #1039 SNIB HOLLOW RUN			
				8.20	MD 144AL NO NAME			
				8.56	STRUC #1040 SNIB HOLLOW RUN			
				8.61	CO 599 DIVIDE RIDGE RD			
				8.78	MD 948Y HIGH GERMANY RD			
				8.97	CO 751 SWAIN RD			
				9.14	SPEED LIMIT 40 MPH			
				9.33		2	22I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 40SC CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: NATIONAL PIKE

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	RUR-LOCAL	UNDIVIDED	NONE	9.49	BEG BR	2	22I	400
				9.50	STRUC #1064 SIDELING HILL CREEK			
				9.50	WASHINGTON CO/L			

\*\*\*\*\*

ROUTE NUMBER.....MD 47  
INVENTORY DIRECTION...NORTH  
NAME: BARRELVILLE RD

SECONDARY R	RUR-MAJOR COLLECTOR	UNDIVIDED	NONE	0.00	MD 36 MT SAVAGE RD	2	26I	2,400
				0.04	MD 831F NO NAME	2	20I	
				0.10	SPEED LIMIT 30 MPH			
				0.23	STRUC #1043 NORTH BRANCH			
				0.42	REED RD (PVT)			
				0.44	OLD MINE RD (PVT)			
				0.67	OP 39 PRINCE ALBERT ST			
				0.77	SPEED LIMIT 35 MPH			
				0.93	STRUC #1042 NORTH BRANCH			
				1.61	STRUC #1070 NORTH BRANCH			
				1.70	PENNSYLVANIA ST/L			

\*\*\*\*\*

ROUTE NUMBER.....MD 49  
INVENTORY DIRECTION...EAST  
NAME: BRADDOCK RD

SECONDARY R	URB-COLLECTOR	UNDIVIDED	NONE	0.00	MD 658 VOCKE RD	2	24I	7,325
				0.00	RP 6802 RAMP 2 FR RAMP 7 TO MD 658			
				0.03	SPUR FR MD 658			
				0.05	SPEED LIMIT 30 MPH			
				0.14	CO 332 GLENVIEW TERR			
				0.19	OP 102 GLENVIEW DR			
				0.20	CO 332 GLENVIEW TERR			
				0.22	SPUR TO GLENVIEW DR			
				0.27	GEMMA DR (PVT)			
				0.35	OP 103 LOCUST ST			
				0.42	OP 104 MACY RD			
				0.44	SPEED LIMIT 40 MPH			
				1.02	CO 333 SUNSET DR			
				1.02	MU 410 BRADDOCK RD (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 51  
INVENTORY DIRECTION....EAST  
NAME: INDUSTRIAL BLVD

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY U	URB-OTHER PRIN ART	DIVIDED	NONE	0.00	MU2370 S MECHANIC ST (BACK)	4	48I	25,125
				0.00	RP 6804 RAMP 4 FR MD 51 TO IS 68			
				0.00	MU1780 HOWARD ST			
				0.00	EXIT #43B			
				0.04	X-OVER			
				0.05	MU3935 WINSTON ST			
				0.06	SPUR FR WINSTON ST			
				0.08	MD 51A NO NAME	5	58I	
				0.14	SPUR FR WINEOW ST			
				0.16	MU3910 WINEOW ST			
				0.24	SPUR TO WINEOW ST #2			
				0.33	SPEED LIMIT 45 MPH			
				0.43	BEG BR			
				0.44	MU3912 WINEOW ST #2			
				0.48	R/R #CSX 144 682 K			
				0.48	STRUC #1092			
				0.52	END BR			
				0.61	SPUR FR LAMONT ST			
				0.62	MU1975 LAMONT ST			
				0.63	SPUR TO LAMONT ST			
				0.71	MU3540 THOMAS ST			
				0.81	MU1310 W FIRST ST			
				0.90	MU3210 W SECOND ST	6	68I	
				0.96	SPEED LIMIT 30 MPH			
				0.99	MU3530 W THIRD ST			
				1.13	MU 661 CEDAR ST			
				1.14		6	80I	
				1.18	MU3410 SPRINGDALE ST			
				1.24	MU3690 VIRGINIA AVE			
				1.27	MU3990 YORK PL			
				1.28	MU3580 TROY ST	4	44I	
				1.33	MU7400 ALLEY #140			
				1.33	MU3680 CSX DR			
				1.35	MU 100 ARCH ST			
				1.36	MU7390 ALLEY #139			
				1.38	MU1550 GRAND AVE			
				1.38	MU 930 DAY ST			
				1.43	MU7380 ALLEY #138			
				1.46	MU2920 RACE ST	4	48I	
				1.49	MU3260 SEYMOUR ST			
				1.52	MU7370 ALLEY #137			
				1.54	MU2760 PENNSYLVANIA AVE			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 51 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: INDUSTRIAL BLVD

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY U	URB-OTHER PRIN ART	DIVIDED	NONE	1.57 MU7360	ALLEY #136	4	48I	25,125
				1.60 MU3370	SOUTH ST	4	58I	
				1.63	SPUR TO SOUTH ST			
				1.65 MU1760	HOMER ST			
				1.69 MU3790	WEMPE DR			
				1.79 MU3650	VANCOUVER ST	4	48I	
				1.85	SPEED LIMIT 45 MPH			
				1.89 MU 320	BLACKISTON AVE			
				2.33 MU3830	WHITE OAKS AVE			
				2.54 MU2630	OLDTOWN RD			13,025
NAME: OLDTOWN RD				2.54				
R				2.60	OUT CORP LMTS CUMBERLAND			
				2.61	SPEED LIMIT 55 MPH			
				2.73	BEG BR			
				2.74	STRUC #1044 EVITTS CREEK			
				2.76	END BR			
				2.86 MD 51B	MESSICK RD			11,525
				2.86 MD 51D	EVITTS CREEK DR			
				3.11		3	48I	
				3.25		3	38I	
				3.46 MD 51E	UHL HWY			
		UNDIVIDED		3.75		2	24I	
				4.31 MD 51F	BLUE VALLEY RD			
				4.95	SPUR TO MEXICO FARMS RD			
				4.97 CO 512	MEXICO FARMS RD			
				4.99	SPUR FR MEXICO FARMS RD			
				5.61	SPUR TO PITTSBURGH PLATE GLASS RD			
	RUR-MINOR ARTERIAL			5.63 CO 518	PITTSBURGH PLATE GLASS RD			4,000
				5.63 MD 51E	UHL HWY			
				5.65	SPUR FR PITTSBURGH PLATE GLASS RD			
				5.74	SPEED LIMIT 50 MPH			
				5.89		2	22I	
				6.16 CO 488	MOORES HOLLOW RD			3,100
				6.84	WHEELER RD			
				6.86		2	24I	
				7.45 CO 521	COLLIER RUN RD			
				7.68	KIRK HALL RD			
				8.20		2	22I	
				8.28	HETRICK RD			
				8.41 CO 493	BRICE HOLLOW RD			
				8.57 CO 522	OLD OLDTOWN RD			
				9.00	BROOKSIDE DR			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 51 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: OLDTOWN RD

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	RUR-MINOR ARTERIAL	UNDIVIDED	NONE	9.15	RUTH LA	2	22I	3,100
				9.20	LANDIS DR			
				9.73	CO 525 BUCKLEY RD			
				9.89	DENNIS RD			
				9.89	RESTON RD			
				10.19	RUTTY RD			
				10.44	CO 522 OLD OLDTOWN RD			
				11.23	MAPLE CREST LA (PVT)			
				11.35	DAVIS HOLLOW RD (PVT)			
				11.48	STRUC #01166X0 MILL RUN			
				11.50	CO 495 CRESAP MILL RD			
				11.61	CO 540 EAST WILSON RD			
				12.46	BELLE VISTA (PVT)			
				12.57	ABE LA			
				12.87	SIERRA LA (PVT)			
				13.07	DOGWOOD LA (PVT)			
				13.36	VERNON EST DR (PVT)			
				13.59	CO 540 EAST WILSON RD			
				13.59	CO 743 OPESSA ST			
				14.11	OP 447 KEYSER LA			
	RUR-MAJOR COLLECTOR			14.31	CO 775 OLDTOWN CEMETERY RD			
				14.35	SPUR FR OLDTOWN CEMETERY RD			
				14.72	CO 530 BEAR HILL RD			
				15.05	CO 548 WAGNER RD			3,000
				15.21	CO 551 HELENA DR			
				15.80	CO 551 HELENA DR			
				15.94	CO 531 LOWER TOWN CREEK RD			
				16.80	OP 448 TETER HILL RD			
				17.42	CO 552 PACK HORSE RD			
				17.90	STRUC #1046 SAWPIT RUN			
				19.31	BEG BR			
				19.33	STRUC #1047 TOWN CREEK			
				19.35	END BR			
				19.40	CO 553 SOUTH END ROD & GUN CLUB RD			
				19.71	CO 539 GREEN RIDGE RD			
				20.01	CO 556 DAILEY RD			
				21.09	CO 777 KERNS CEMETERY RD			
				21.67	CO 665 GORMAN RD			
				21.69	CO 555 GORMAN RD			
				21.90	CO 607 PURSLANE RD			
				22.71	CO 834 KIEFER RD			
				22.98	CO 616 THOMAS RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 51 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: OLDTOWN RD

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	RUR-MAJOR COLLECTOR	UNDIVIDED	NONE	23.48	WALNUT WOODS WAY (PVT)	2	22I	3,000
				23.95 CO 614	SORRELL RD			
				23.96 CO 615	SULPHUR SPG RD			
				24.07 CO 610	MALCOLM RD			1,700
				24.89	STRUC #1048 C&O CANAL			
				24.93 OP 198	NO NAME			
				25.28	SPEED LIMIT 35 MPH			
				25.44	BEG BR			
				25.48	STRUC #1049 POTOMAC RIVER			
				25.53	WEST VIRGINIA ST/L			

\*\*\*\*\*

ROUTE NUMBER.....MD 51A  
INVENTORY DIRECTION....NORTH  
NAME: S CENTRE ST

SECONDARY U	URB-MINOR ARTERIAL	UNDIVIDED	NONE	0.00 MD 51	INDUSTRIAL BLVD	3	34I	3,675
				0.04 MU3935	WINSTON ST			
				0.04 MU 680	S CENTRE ST (AHEAD)			

\*\*\*\*\*

ROUTE NUMBER.....MD 51B  
INVENTORY DIRECTION....NORTH  
NAME: MESSICK RD

SECONDARY R	RUR-MAJOR COLLECTOR	UNDIVIDED	NONE	0.00 MD 51D	EVITTS CREEK DR (BACK)	2	22I	2,099
				0.00 MD 51	OLDTOWN RD			
				0.03 CO 486	MESSICK RD (AHEAD)			

\*\*\*\*\*

ROUTE NUMBER.....MD 51C  
INVENTORY DIRECTION....SOUTH  
NAME: STARLITE DR

SECONDARY R	RUR-LOCAL	UNDIVIDED	NONE	0.00 CO 486	MESSICK RD	2	24I	
				0.13 CO 511	LIMESTONE RD			
				0.27	ROAD END			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 51D  
INVENTORY DIRECTION....SOUTH  
NAME: EVITTS CREEK DR

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	URB-LOCAL	UNDIVIDED	NONE	0.00 MD 51B		MESSICK RD (BACK)	2	22I	
				0.00 MD 51		OLDTOWN RD			
				0.18		CUL DE SAC			

\*\*\*\*\*

ROUTE NUMBER.....MD 51E  
INVENTORY DIRECTION....SOUTH  
NAME: UHL HWY

SECONDARY R	URB-COLLECTOR	UNDIVIDED	NONE	0.00 MD 51		OLDTOWN RD	2	24I	1,750
				0.08			2	22I	
				0.14 OP 182		RUPPENKAMP RD			
				0.30		SPEED LIMIT 30 MPH			
				0.43		SPEED LIMIT 40 MPH			
				0.53 OP 183		MCDONALD RD			
				0.60 OP 184		IRONS MOUNTAIN RD			
				0.63 CO 647		SUNSHINE DR			
				0.83 CO 629		WING RIDGE DR			
				0.85 OP 188		GOLDENS AVE			
				0.94 CO 819		BLUE VALLEY RD			
				1.04		WILSON LA			
				1.16		YOUNG DR	2	24I	
				1.25		SPRING LA	2	22I	
				1.47		FORT CUMBERLAND DR			
				1.60		PINE TREE LA			
				2.16			2	24I	
				2.18		GRADY DR			
				2.24 MD 51		OLDTOWN RD			
				2.24 CO 518		PITTSBURGH PLATE GLASS RD (AHEAD)			

\*\*\*\*\*

ROUTE NUMBER.....MD 51F  
INVENTORY DIRECTION....NORTH  
NAME: BLUE VALLEY RD

SECONDARY R	URB-LOCAL	UNDIVIDED	NONE	0.23 CO 819		BLUE VALLEY RD	2	24I	
				0.33 MD 51		OLDTOWN RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 53  
INVENTORY DIRECTION....SOUTH  
NAME: WINCHESTER RD

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	URB-OTHER PRIN ART	DIVIDED	NONE	0.00	US 40AL NATIONAL PIKE	4	52I	15,725
				0.02	SPUR TO US 40AL			
				0.02	SPUR FR US 40AL			
				0.07	MD 949A NO NAME			
				0.09	SPEED LIMIT 40 MPH			
				0.19	IS 68 NATIONAL FREEWAY			
				0.19	STRUC #1117			
				0.19	EXIT #39			
				0.24	RP 6805 RAMP 5 FR MD 53 TO RAMP 4			
				0.27	RP 6804 RAMP 4 FR MD 53 TO IS 68			
				0.29	CO 330 OLD MC DONALD RD			
				0.41	CO 326 RICHARD WAY			
PRIMARY				0.46	ENT TO SHOPPING CENTER			
				0.63	MD 658 VOCKE RD	4	48I	15,750
				0.63	ENT TO SHOPPING CENTER			
				0.74	TRESTLE BRIDGE RD (PVT)			
				0.78	ENT TO SHOPPING MALL			
				0.92	ENT TO SHOPPING MALL			
		UNDIVIDED		0.99	SPEALMAN RD (PVT)	2	50I	
				1.09		2	24I	
				1.10	OP 77 STONE POINT RD			
				1.31	OP 79 OAKLEAF DR			
				1.60	CO 627 FRITZ DR			
				1.72	OP 435 QUARRY RIDGE RD			
				1.73	CO 626 TRESCHER HEIGHTS DR			
				2.01	MD 951 VINE ST			
				2.18	MD 951 VINE ST			14,000
				2.18	OP 444 MRI RD			
				2.25	SPUR TO BLUE JAY DR			
				2.27	OP 424 BLUE JAY DR			
				2.50	STRUC #1051 WARRIOR RUN			
				2.78	SPEED LIMIT 30 MPH			
				2.99	CO 276 CRADDOCK RD			
				3.01	STRUC #1052 WARRIOR RUN	2	26I	
				3.03	OP 73 WINTERS LA			
				3.10	CO 275 FIR TREE LA			
				3.12	MD 636 WARRIOR DR	2	28I	
				3.24	CO 270 BRANT RD	1	28I	
				3.33	US 220 MCMULLEN HWY			
				3.33	CO 239 WINCHESTER RD (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 55  
INVENTORY DIRECTION...EAST  
NAME: VALE SUMMIT RD

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	RUR-MAJOR COLLECTOR	UNDIVIDED	NONE	0.00 CO 681	CABIN RUN RD (BACK)	2	24I	2,600
				0.00 MD 36	GEORGES CREEK RD			
				0.03	SPUR FR MD 36			
				0.09 CO 107	BURNING MINES RD			
				0.28 CO 109	POMPEY SMASH RD			
				0.36 CO 114	CAINS CIR			
				0.37	SPEED LIMIT 45 MPH			
				0.44 CO 114	CAINS CIR			
				0.57 CO 109	POMPEY SMASH RD			
				0.84 CO 117	OLD LOARTOWN RD			
				0.96	SPEED LIMIT 50 MPH			
				0.99 CO 115	LOARTOWN RD			
				1.09 CO 118	MONTEL RD			
				1.74 CO 831	HARWOOD DR			
				2.02	STRUC #1053 BRADDOCK RUN			
				2.02 CO 119	SUMMIT RD			
	URB-MINOR ARTERIAL			2.28 IS 68	NATIONAL FREEWAY			
				2.28	STRUC #1115			
				2.48 CO 139	CLARYSVILLE RD			2,750
				2.52	SPUR TO US 40AL			
				2.52	SPUR FR US 40AL			
				2.53 US 40AL	NATIONAL PIKE			

\*\*\*\*\*

ROUTE NUMBER.....IS 68  
INVENTORY DIRECTION...EAST  
NAME: NATIONAL FREEWAY

PRIMARY R	RUR-INTERSTATE	DIVIDED	FULL	0.00	GARRETT CO/L	5	60I	16,180
				0.15	SPEED LIMIT 65 MPH			
				0.65	X-OVER			
				0.68	INTERSTATE MILE MARKER 32.0			
				1.23 RP 6808	RAMP 8 FR MD 736 TO IS 68			
				1.27 RP 6806	RAMP 6 FR IS 68 TO CO 94			
	URB-INTERSTATE			1.54 CO 94	MIDLOTHIAN RD			19,875
				1.54 MD 736	MIDLOTHIAN RD			
				1.54	STRUC #1114			
				1.54	EXIT #33			
				1.68	INTERSTATE MILE MARKER 33.0			
				1.73 RP 6802	RAMP 2 FR IS 68 TO MD 736			
				1.77 RP 6804	RAMP 4 FR CO 94 TO IS 68			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 68 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: NATIONAL FREEWAY

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT	
PRIMARY	R	URB-INTERSTATE	DIVIDED FULL	2.20	STRUC #1118 GEORGES CREEK	4	48I	19,875	
				2.37	MD 936 GEORGES CREEK RD				
				2.37	STRUC #1113				
				2.53					
				2.71	INTERSTATE MILE MARKER 34.0				
				2.98	RP 6808 RAMP 8 FR MD 36 TO IS 68				
				3.02	RP 6806 RAMP 6 FR IS 68 TO MD 36				
				3.23	MD 36 GEORGES CREEK RD				25,575
				3.23	STRUC #1116				
				3.23	EXIT #34				
3.54	RP 6804 RAMP 4 FR MD 36 TO IS 68								
3.57	RP 6802 RAMP 2 FR IS 68 TO MD 36								
3.71									
3.72									
4.67									
4.76	MD 55	VALE SUMMIT RD							
4.76		STRUC #1115							
5.68		INTERSTATE MILE MARKER 37.0							
6.68		INTERSTATE MILE MARKER 38.0							
7.31		VARIABLE MESSAGE SIGN #601 (EB/L)							
URB-INTERSTATE	R	URB-INTERSTATE	DIVIDED FULL	7.42	MD 53 WINCHESTER RD	4	48I	30,075	
				7.42	STRUC #1117				
				7.42	EXIT #39				
				7.46	RP 6801 RAMP 1 FR US 40 AL TO IS 68				
				7.70	INTERSTATE MILE MARKER 39.0				
				7.72	RP 6804 RAMP 4 FR MD 53 TO IS 68				
				7.74	RP 6802 RAMP 2 FR IS 68 TO US 40 AL				
				8.00	RP 6806 RAMP 6 FR IS 68 TO MD 658				
				8.06	RP 6807 RAMP 7 FR IS 68 TO MD 658				
				8.06	SPEED LIMIT 55 MPH				
8.15	MD 658	VOCKE RD	38,675						
8.15		STRUC #1106							
8.15		EXIT #40							
8.32	RP 6804	RAMP 4 FR MD 658 TO IS 68		5	60I				
8.70		INTERSTATE MILE MARKER 40.0							
U	R	URB-INTERSTATE	DIVIDED FULL	9.23	IN CORP LMTS CUMBERLAND	6	74I		
				9.27	ACCESS RD				
R	R	URB-INTERSTATE	DIVIDED FULL	9.42		5	60I		
				9.62	OUT CORP LMTS CUMBERLAND				
				9.76	RP 6802				RAMP 2 FR IS 68 TO BRADDOCK RD
				9.76					EXIT #41
9.76		INTERSTATE MILE MARKER 41.0							

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 68 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: NATIONAL FREEWAY

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	STATE	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
PRIMARY	R	URB-INTERSTATE	DIVIDED	FULL	9.88	VARIABLE MESSAGE SIGN #602 (EB/L)	5	60I	38,675
	U				10.00	IN CORP LMITS CUMBERLAND			
					10.14	RP 6806 RAMP 6 FR IS 68 TO US 220			
					10.40	RP 6808 RAMP 8 FR GREENE ST TO IS 68			
					10.48	SPEED LIMIT 50 MPH			
					10.54	US 220 MCMULLEN HWY			48,375
					10.54	MU1570 GREENE ST			
					10.54	STRUC #1105			
					10.54	EXIT #42			
					10.64	MU1315 FLETCHER DR			
					10.64	STRUC #1104			
					10.69	INTERSTATE MILE MARKER 42.0			
					10.81	RP 6802 RAMP 2 FR IS 68 TO GREENE ST			
					10.83	RP 6804 RAMP 4 FR US 200 TO IS 68			
					11.08	MU2710 PATERSON AVE			
					11.08	STRUC #1103			
					11.11	SPEED LIMIT 40 MPH			
					11.39	R/R #CSX 144 695 L			
					11.43	MU1880 KELLY BLVD			
					11.43	STRUC #1102			
					11.53	RP 6801 RAMP 1 FR LEE ST TO IS 68			
					11.55	RP 6804 RAMP 4 FR KELLY RD TO IS 68			
					11.65	RP 6803 RAMP 3 FR IS 68 TO JOHNSON ST			
					11.66	RP 6802 RAMP 2 FR IS 68 TO BEALL ST			
					11.69		6	84I	
					11.71	RP 6805 RAMP 5 FR JOHNSON ST TO IS 68			
					11.72	INTERSTATE MILE MARKER 43.0			
					11.75		6	72I	
					11.79	BEGIN STRUCTURE			
					11.81	MU1851 JOHNSON ST			
					11.81	STRUC #1096			
					11.81	EXIT #43A			
					11.90	MU 435 BRIDGE ST			
					11.97	STRUC OV WILLIS CREEK	4	54I	
					11.99	R/R #CSX 832 214 P			
					12.04	RP 6808 RAMP 8 FR HARRISON ST TO IS 68			
					12.05	RP 6807 RAMP 7 FR IS 68 TO HOWARD ST			
					12.08	RP 6806 RAMP 6 FR IS 68 TO WINSTON ST			
					12.10	MU2370 S MECHANIC ST			38,875
					12.10	EXIT #43B			
					12.12	RP 6805 RAMP 5 FR IS 68 TO MU 2915			
					12.12	EXIT #43C			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 68 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: NATIONAL FREEWAY

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
PRIMARY	U URB-INTERSTATE	DIVIDED	FULL	12.16	RP 6807 RAMP 7 FR IS 68 TO HOWARD ST	4	54I	38,875
				12.22	MU 680 CENTRE ST			
				12.27	MU2915 QUEEN CITY DR			
				12.30	RP 6802 RAMP 2 FR IS 68 TO HARRISON ST	4	48J	
				12.30	RP 6804 RAMP 4 FR MD 51 TO IS 68			
				12.38	MU2690 PARK ST			
				12.41	MU6880 ALLEY #88			
				12.43	RP 6808 RAMP 8 FR MU 2322 TO IS 68			
				12.43	RP 6806 RAMP 6 FR IS 68 TO MU 2320			
				12.43	END STRUCTURE			
				12.44	EXIT #43D			27,275
				12.46	RP 6804 RAMP 4 FR MU 2320 TO IS 68	5	60I	
				12.51	RP 6802 RAMP 2 FR IS 68 TO MU 2322			
				12.58	SPEED LIMIT 55 MPH			
				12.71	INTERSTATE MILE MARKER 44.0			
				12.84	MU2280 MARION ST			
				12.84	STRUC #1095			
				12.87	STRUC #1094 PEDESTRIAN WALKWAY			
				12.88	RP 6806 RAMP 6 FR IS 68 TO MD 639			
				12.88	RP 6808 RAMP 8 FR US 40 AL TO IS 68			
				12.89		4	48I	
				13.07	MD 639 WILLOWBROOK RD			29,975
				13.07	US 40AL BALTIMORE AVE			
				13.07	STRUC #1093			
				13.07	EXIT #44			
				13.23	RP 6802 RAMP 2 FR IS 68 TO US 40 AL			
				13.30	RP 6804 RAMP 4 FR MD 639 TO IS 68			
R				13.65	OUT CORP LMTS CUMBERLAND			
				13.71	INTERSTATE MILE MARKER 45.0			
				13.79	RP 6808 RAMP 8 FR MD 952 TO IS 68			
				13.93	RP 6807 RAMP 7 FR IS 68 TO MD 952			
				13.93	RP 6806 RAMP 6 FR IS 68 TO MD 952			
				13.96	RP 6804 RAMP 4 FR MD 952 TO IS 68			
				13.99	MD 952 HILLCREST DR			25,131
				13.99	STRUC #1081			
				13.99	EXIT #45			
				14.14	ATR STATION #0070			
				14.15	VARIABLE MESSAGE SIGN #603 (WB/L)			
				14.45	RP 6807 RAMP 7 FR MD 144 TO IS 68			
				14.64	RP 6804 RAMP 4 FR IS 68 TO MD 144			
	RUR-INTERSTATE			14.69	MD 144 CHRISTIE RD			18,575
				14.69	STRUC #1099			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 68 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: NATIONAL FREEWAY

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	STATE	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
PRIMARY	R	RUR-INTERSTATE	DIVIDED	FULL	14.69	EXIT #46	4	48I	18,575
					14.76	STRUC #1005 BR OF EVITTS CREEK			
					14.77	INTERSTATE MILE MARKER 46.0			
					14.90	RP 6803 RAMP 3 FR IS 68 TO MD 144			
					14.90	STRUC #1030 EVITTS CREEK			
					14.97	RP 6808 RAMP 8 FR US 220 TO IS 68			
					15.21	SPEED LIMIT 65 MPH			
					15.26	US 220 NO NAME			
					15.26	STRUC #1168			
					15.28	RP 6801 RAMP 1 FR MD 144 TO IS 68			
					15.39	MD 144 ALI GHAN RD/NATIONAL PIKE			17,375
					15.39	STRUC #1157			
					15.39	EXIT #47			
					15.76	RP 6805 RAMP 5 FR MD 144 TO IS 68			
					15.76	RP 6807 RAMP 7 FR IS 68 TO MD 144			
					15.81	INTERSTATE MILE MARKER 47.0			
					15.82		5	60I	
					15.93	MD 948AF JEFFRIES RD			
					15.93	STRUC #1155			
					16.73	BEGIN STRUCTURE			
					16.79	STRUC #1154 LICK RUN			
					16.82	MD 144 NATIONAL PIKE			
					16.83	INTERSTATE MILE MARKER 48.0			
					16.89	END STRUCTURE			
					17.29		4	48I	
					17.56	STRUC #1152 ELK LICK RUN			
					17.69		5	60I	
					17.79	INTERSTATE MILE MARKER 49.0			
					18.18	MD 948AE ROCKY GAP RD			
					18.18	STRUC #1151			
					18.79	INTERSTATE MILE MARKER 50.0			
					19.09	RP 6806 RAMP 6 FR IS 68 TO MD 948 AD			
					19.14	RP 6808 RAMP 8 FR MD 948 AD TO IS 68			
					19.48	MD 948AD PLEASANT VALLEY RD			18,575
					19.48	STRUC #1150			
					19.48	EXIT #50			
					19.68	RP 6802 RAMP 2 FR IS 68 TO MD 948 AD			
					19.69	RP 6804 RAMP 4 FR MD 948 AD TO IS 68			
					19.79	INTERSTATE MILE MARKER 51.0			
					20.41	RP 6807 RAMP 7 FR MD 948 C TO IS 68			
					20.72	MD 144 NATIONAL PIKE			
					20.72	STRUC #1147			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 68 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: NATIONAL FREEWAY

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	STATE	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
PRIMARY	R	RUR-INTERSTATE	DIVIDED	FULL	20.72	EXIT #52	5	60I	18,575
					20.77	INTERSTATE MILE MARKER 52.0			
					20.81		4	48I	
					21.02	RP 6805 RAMP 5 FR IS 68 TO MD 144			
					21.10		5	60I	
					21.18	MD 144 NATIONAL PIKE			16,175
					21.18	STRUC #1146			
					21.81	INTERSTATE MILE MARKER 53.0			
					22.10	CO 502 STREET RD			
					22.10	STRUC #1145			
					22.81	INTERSTATE MILE MARKER 54.0			
					23.65	STRUC #1160 W TRIBUT. OF FLINSTONE			
					23.81	INTERSTATE MILE MARKER 55.0			
					23.81	X-OVER			
					24.14		4	48I	
					24.17	RP 6807 RAMP 7 FR MD 948 AM TO IS 68			17,263
					24.17	RP 6806 RAMP 6 FR IS 68 TO MD 144			
					24.17	EXIT #56			
					24.41	RP 6805 RAMP 5 FR IS 68 TO MD 948 AM			
					24.57	RP 6804 RAMP 4 FR MD 144 TO IS 68			
					24.58	BEGIN STRUCTURE			
					24.60	MD 948AO BLACK VALLEY RD			
					24.60	STRUC #1077			
					24.64	FLINSTONE CREEK			
					24.65	END STRUCTURE			
					24.81	INTERSTATE MILE MARKER 56.0			
					25.59	CO 507 DRY RIDGE RD			
					25.59	STRUC #1140			
					25.75	INTERSTATE MILE MARKER 57.0			
					25.83	STRUC #1141 TOWN CREEK			
					26.00		5	60I	
					26.34	X-OVER			
					26.82	INTERSTATE MILE MARKER 58.0			
					26.91	POLISH MOUNTAIN SERVICE RD			
					26.91	STRUC #1143			
					27.81	INTERSTATE MILE MARKER 59.0			
					27.94	CO 558 OLD CUMBERLAND RD			
					27.94	STRUC #1144			
					28.53	X-OVER			
					28.77	INTERSTATE MILE MARKER 60.0			
					29.00		4	48I	
					29.16	ATR STATION #0033			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 68 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: NATIONAL FREEWAY

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	STATE	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
PRIMARY	R	RUR-INTERSTATE	DIVIDED	FULL	29.77	INTERSTATE MILE MARKER 61.0	4	48I	17,263
					30.55	MD 144 OLD NATIONAL PIKE			
					30.55	STRUC #1138			
					30.67	STRUC #1089 LITTLE PINE LICK HOLLOW			
					30.77	INTERSTATE MILE MARKER 62.0			
					30.84	RP 6806 RAMP 6 FR IS 68 TO US 40 SC			
					30.90	RP 6808 RAMP 8 FR US 40 SC TO IS 68			
					31.12	RP 6805 RAMP 5 FR US 40 SC TO IS 68			
					31.14	US 40SC NATIONAL PIKE			15,275
					31.14	STRUC #1133			
					31.14	EXIT #62			
					31.22	STRUC #1087 FIFTEEN MILE CREEK			
					31.37	RP 6802 RAMP 2 FR IS 68 TO US 40 SC			
					31.77	INTERSTATE MILE MARKER 63.0			
					32.01	RP 6808 RAMP 8 FR MD 948 AL TO IS 68			
					32.17	RP 6806 RAMP 6 FR IS 68 TO MD 948 AL			
					32.33	RP 6807 RAMP 7 FR IS 68 TO MD 948 AL			
					32.41	MD 948AL MV SMITH RD			16,175
					32.41	STRUC #1130			
					32.41	EXIT #64			
					32.67	RP 6804 RAMP 4 FR MD 948 AL TO IS 68			
					32.77	INTERSTATE MILE MARKER 64.0			
					33.49	CO 573 CAT POINT RD			
					33.49	CO 745 MOUNTAIN RD			
					33.49	STRUC #1101			
					33.73	INTERSTATE MILE MARKER 65.0	4	60I	
					34.09		5	60I	
					34.78	INTERSTATE MILE MARKER 66.0			
					35.78	INTERSTATE MILE MARKER 67.0			
					36.70	RP 6806 RAMP 6 FR IS 68 TO ORLEANS RD			
					36.78	INTERSTATE MILE MARKER 68.0			
					36.83	RP 6808 RAMP 8 FR ORLEANS RD TO IS 68			
					36.94	CO 660 ORLEANS RD			16,275
					36.94	STRUC #1100			
					36.94	EXIT #68			
					37.09	RP 6804 RAMP 4 FR ORLEANS RD TO IS 68			
					37.17	RP 6802 RAMP 2 FR IS 68 TO ORLEANS RD			
					37.75	INTERSTATE MILE MARKER 69.0			
					38.18	STRUC #1050 SNIB HOLLOW RUN			
					38.27		4	48I	
					38.40	US 40SC NATIONAL PIKE			
					38.40	STRUC #1129			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 68 CONTINUED  
INVENTORY DIRECTION...EAST  
NAME: NATIONAL FREEWAY

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	STATE	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
PRIMARY	R	RUR-INTERSTATE	DIVIDED	FULL	38.71	STRUC #1038 SNIB HOLLOW RUN	4	48I	16,275
					38.73	X-OVER			
					38.78	INTERSTATE MILE MARKER 70.0			
					39.02	STRUC #1039 SNIB HOLLOW RUN			
					39.53	RP 6808 RAMP 8 FR MD 948 Y TO IS 68			
					39.63	STRUC #1040 SNIB HOLLOW RUN			
					39.66	RP 6806 RAMP 6 FR IS 68 TO MD 948 Y			
					39.75	INTERSTATE MILE MARKER 71.0			
					39.86	MD 948Y HIGH GERMANY RD			21,275
					39.86	STRUC #1128			
					39.86	EXIT #72			
					40.17	RP 6804 RAMP 4 FR MD 948 Y TO IS 68			
					40.17	RP 6802 RAMP 2 FR IS 68 TO MD 948 Y			
					40.27	STRUC #21147 SIDELING HILL CREEK			
					40.27	WASHINGTON CO/L			

\*\*\*\*\*

ROUTE NUMBER.....MD 135  
INVENTORY DIRECTION...EAST  
NAME: PRATT ST

SECONDARY	U	RUR-MINOR ARTERIAL	UNDIVIDED	NONE	0.00	GARRETT CO/L	2	20I	4,500
					0.00	SPEED LIMIT 30 MPH			
					0.06	MD 135D NO NAME			8,325
					0.32		2	27I	
					0.55		2	20I	
					0.74	MU 100 RAILROAD ST			
					0.74	SPEED LIMIT 25 MPH			
					0.77	MU 30 GRANT ST	2	28I	
					0.89	MU 10 CROMWELL ST			
					0.95	MU 52 LEE ST #2			
					1.02		2	40I	
					1.08	MU 80 POTOMAC AVE			
	R				1.19	OUT CORP LMITS LUKE	2	24I	
	U				1.51	IN CORP LMITS WESTERNPORT			
NAME:	CHURCH ST				1.51				
					1.63	SPEED LIMIT 25 MPH			
			DIVIDED		1.65				
					1.79	SPUR FR MD 36			
					1.81	MD 36 GEORGES CREEK RD			10,425
					1.84	STRUC #1082 GEORGES CREEK			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 135 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: CHURCH ST

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY U	RUR-MINOR ARTERIAL	DIVIDED	NONE	1.84	SPUR TO MD 36	2	24I	10,425
				1.87 MU8060	ALLEY #6			
				1.88	R/R #CSX 832 524 J	2	26I	
				1.88 MD 937	MAIN ST			
				1.88 MU 300	MARYLAND AVE			
				1.89	SPUR TO MD 937			
		UNDIVIDED		1.91		2	55I	
				1.98		2	30I	
				2.04 MU9012	1ST ST			
				2.04 MU 420	RIVER ROAD DR			
				2.12		2	24I	
				2.26 MU 420	RIVER ROAD DR			
				2.39	SPEED LIMIT 35 MPH			
				2.42		2	26I	
				2.43	OUT CORP LMTS WESTERNPORT			
				2.43				
				2.58		2	24I	
				2.81	SPEED LIMIT 50 MPH			
				6.23 OP 74	RED MAPLE RD SW			
				6.29 OP 75	NO NAME			
				6.58	SPEED LIMIT 30 MPH			
				6.65	SPUR TO MD 135-A			
	RUR-LOCAL			6.67 MD 135A	NO NAME			11,150
				6.91 CO 226	DORCHESTER AVE			
				7.02 MD 135B	NO NAME			
				7.09 US 220	MCMULLEN HWY			
				7.09	STRUC #1060			
				7.13 CO 710	GOLDEN CROSS ST			
				7.13 CO 219	QUEENS POINT RD (AHEAD)			

\*\*\*\*\*

ROUTE NUMBER.....MD 135A  
INVENTORY DIRECTION...NORTH  
NAME: NO NAME

SECONDARY R	RUR-MINOR ARTERIAL	DIVIDED	NONE	0.00 MD 135	MCCOOLE WESTERNPORT RD	2	36I	2,299
				0.02	SPUR TO MD 135			
		UNDIVIDED		0.04		2	24I	
				0.09 CO 227	MC COOLE DR			
				0.10	SPEED LIMIT 40 MPH			
				0.23 US 220	MCMULLEN HWY			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 135A CONTINUED  
INVENTORY DIRECTION...NORTH  
NAME: NO NAME

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	RUR-MINOR ARTERIAL	UNDIVIDED	NONE	0.23	STRUC #1059	2	24I	2,299
				0.49 CO 228	BURKE HILL RD			
				0.74		2	30I	
				0.76	SPUR TO US 220			
				0.78 US 220	MCMULLEN HWY			
				0.78 CO 229	RED ROCK LA (AHEAD)			

\*\*\*\*\*

ROUTE NUMBER.....MD 135B  
INVENTORY DIRECTION...NORTH  
NAME: NO NAME

SECONDARY R	RUR-LOCAL	UNDIVIDED	NONE	0.00 MD 135	MCCOOLE WESTERNPORT RD	2	27I	1,899
				0.06 CO 225	CHESAPEAKE AVE	2	26I	
				0.11 US 220	MCMULLEN HWY			
				0.11 CO 278	CHESAPEAKE AVE (AHEAD)			

\*\*\*\*\*

ROUTE NUMBER.....MD 135D  
INVENTORY DIRECTION...EAST  
NAME: NO NAME

SECONDARY U	RUR-LOCAL	UNDIVIDED	NONE	0.00 MD 135	PRATT ST	2	32I	99
				0.02	STRUC #1134 POTOMAC RIVER			
				0.02	WEST VIRGINIA ST/L			

\*\*\*\*\*

ROUTE NUMBER.....MD 144  
INVENTORY DIRECTION...EAST  
NAME: NAVES CROSSROAD

SECONDARY R	URB-MINOR ARTERIAL	UNDIVIDED	NONE	0.00 MD 807	BEDFORD RD	2	46I	10,925
				0.07		2	24I	
				0.13 CO 437	SHADES LA			
				0.13 CO 757	MORNINGSIDE DR			
				0.15	SPEED LIMIT 40 MPH			
				0.26	LINDER LA			
				0.28 CO 782	HIGHLAND ESTATES DR			
				0.38 RP 6806	RAMP 6 FR MD 144 TO RAMP 7			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 144 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: NAVES CROSSROAD

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	URB-MINOR ARTERIAL	UNDIVIDED	NONE	0.46	RP 6807 RAMP 7 FR MD 144 TO IS 68	2	24I	10,925
				0.47	RP 6804 RAMP 4 FR IS 68 TO MD 144			
				0.50	CO 453 EASTMAN RD			
				0.57	MD 807A NAVES CROSSROAD			
NAME: CHRISTIE RD				0.57				
				0.66	IS 68 NATIONAL FREEWAY			
				0.66	STRUC #1099			
				0.66	EXIT #46			
	RUR-MINOR COLLECTOR			0.69	CO 469 CHRISTIE RD			
NAME: ALI GHAN RD				0.69				
				0.74	SPEED LIMIT 40 MPH			
				0.75		2	20I	
				0.83	US 40AB NO NAME	2	24I	
				0.85	STRUC #1190X EVITTS CREEK			
				0.91	STRUC #1091 EVITTS CREEK			
				0.97	SPUR FR RAMP 3 FR IS 68 TO MD 144			
				0.99	RP 6803 RAMP 3 FR IS 68 TO MD 144			
		DIVIDED		1.10		2	20I	
				1.24	SPUR FR US 220			
				1.26	US 220 NO NAME			
				1.33	TURINO LA (PVT)			
				1.37	RP 6804 RAMP 4 FR MD 144 TO RAMP 5			
				1.39	RP 6805 RAMP 5 FR MD 144 TO IS 68			
				1.40				
				1.42	IS 68 NATIONAL FREEWAY	2	24J	1,050
NAME: NATIONAL PIKE				1.42				
				1.42	STRUC #1157			
				1.42	EXIT #47			
				1.44		2	24I	
				1.48	SPUR FR RAMP 1			
				1.50	RP 6807 RAMP 7 FR IS 68 TO MD 144			
				1.50	RP 6801 RAMP 1 FR MD 144 TO IS 68			
				1.62	RP 6802 RAMP 2 FR RAMP 5 TO MD 144	4	48I	
				1.62	SPUR TO RAMP 1			
				1.82	CO 472 JEFFRIES RD			
				1.96	SPEED LIMIT 50 MPH			
				2.05	CO 475 GRABENSTEIN RD			
				2.24	X-OVER			
				2.29	WENTLING DR (PVT)			
				2.41	CO 456 OLD MOUNT PLEASANT RD			
				2.54	OP 348 NO NAME			
				2.70	X-OVER			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 144 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: NATIONAL PIKE

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	RUR-MINOR COLLECTOR	DIVIDED	NONE	2.88 IS 68	NATIONAL FREEWAY	4	48I	1,050
				2.88	STRUC #1154			
				2.88	EXIT #52			
				2.95	X-OVER			
				3.21 CO 480	OLD JOHNSON RD			
				3.27	X-OVER TO BALTO PIKE V.F.D.	2	24I	
				3.50	STRUC #1086 ELK LICK CREEK			
				3.51 CO 482	HINKLE RD			
		UNDIVIDED		3.55				
				4.30 MD 948AE	ROCKY GAP RD			
				4.46	STRUC #1148 OVER ELK LICK RUN			
				5.59 MD 948AD	PLEASANT VALLEY RD			
				5.91 CO 498	BREAKNECK RD			
				6.86 IS 68	NATIONAL FREEWAY			
				6.86	STRUC #1147			
				6.97 MD 948C	NO NAME			
				7.34 IS 68	NATIONAL FREEWAY			
				7.34	STRUC #1146			
				7.47 RP 6805	RAMP 5 FR IS 68 TO MD 144			
				7.48		3	36I	
				7.83	ENT TO SCENIC OVERLOOK			
				7.91	ENT TO SCENIC OVERLOOK			
				8.55 CO 502	STREET RD			
				8.68		2	24I	
				9.14 MD 948M	W WILSON RD			
				9.36	STRUC #1161 TRIB OF FLINTSTONE CR			
				9.71 OP 180	JIMS LA			
				10.01	STRUC #1163 TRIB OF FLINTSTONE CR			
				10.03 CO 509	ROOT RD			
				10.17	SPEED LIMIT 35 MPH			
				10.68	SPEED LIMIT 25 MPH	2	22I	
	RUR-MAJOR COLLECTOR			10.77 RP 6806	RAMP 6 FR IS 68 TO MD 144			
				10.77 RP 6804	RAMP 4 FR MD 144 TO IS 68			
				10.77	EXIT #56			
	RUR-LOCAL			10.97 MD 948AO	BLACK VALLEY RD			
NAME: OLD NATIONAL PIKE				10.97				
				10.97 CO 848	MURLEYS BRANCH RD			
				11.03	STRUC #1033 FLINTSTONE CREEK			
				11.47		2	24I	
				11.56 CO 742	TOWN CREEK RD			
				11.87 US 40AF	NO NAME			
				11.97 CO 507	DRY RIDGE RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 144 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: OLD NATIONAL PIKE

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	RUR-LOCAL	UNDIVIDED	NONE	11.98	SPEED LIMIT 50 MPH	2	24I	1,050
				12.24	STRUC #1034 TOWN CREEK			
				12.31		3	36I	
				13.29	POLISH MOUNTAIN SERVICE RD (PVT)			
				13.52		2	24I	
				13.72	MD 144AE NO NAME			
				13.76		2	22I	
				14.01	CO 761 JOHN STEWART RD			
				14.28	CO 558 OLD CUMBERLAND RD			
				14.33	SPEED LIMIT 40 MPH			
				15.58	STRUC #1033X0 PRATT HOLLOW			
				15.59	CO 557 KOONTZ RD			
				15.89	CO 497 OLD WILLIAMS RD			
				16.26	STRUC #1032X0 PRATT HOLLOW			
				16.66	STRUC #1139 PRATT HOLLOW			
				16.94	IS 68 NATIONAL FREEWAY			
				16.94	STRUC #1138			
				17.00	CO 566 FRANK DAVIS RD			
				17.04	STRUC #1131 PINE LICK HOLLOW			
				17.55	US 40SC OLD NATIONAL PIKE			

\*\*\*\*\*

ROUTE NUMBER.....MD 144AE  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

SECONDARY R	RUR-LOCAL	UNDIVIDED	NONE	0.00	CO 742 TOWN CREEK RD	2	22H	299
				0.32	US 40AF NO NAME			
				0.70	STRUC #1035 TOWN CREEK			
				1.54		3	34H	
				1.79		2	22H	
				2.18	CO 535 TROUTMAN RD			
				2.51		2	21I	
				2.53	MD 144 OLD NATIONAL PIKE			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 144AL  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	RUR-LOCAL	UNDIVIDED	NONE	0.00	ROAD END	2	20I	99
				0.08	US 40SC NATIONAL PIKE			

\*\*\*\*\*

ROUTE NUMBER.....US 220  
INVENTORY DIRECTION....NORTH  
NAME: MCMULLEN HWY

PRIMARY R	RUR-OTHER PRIN ART	UNDIVIDED	NONE	0.00	BEGIN STRUCTURE IN WEST VIRGINIA	2	28I	9,125
				0.28	SPEED LIMIT 30 MPH			
				0.29	STRUC #1060 POTOMAC RIVER			
				0.29	WEST VIRGINIA ST/L			
				0.38	R/R #CSX 832 521 N			
				0.41	MD 135 MCCOOLE WESTERNPORT RD			
				0.43	END STRUCTURE IN MARYLAND			
		DIVIDED		0.47	CO 278 CHESAPEAKE AVE	2	24I	8,350
				0.47	MD 135B NO NAME			
		UNDIVIDED		0.60		3	36I	
				0.63	SPEED LIMIT 40 MPH			
				0.64	CO 226 DORCHESTER AVE			
				0.90	MD 135A NO NAME			
				0.90	STRUC #1059			
				1.08		2	48I	
				1.21	CO 228 BURKE HILL RD	3	36I	
		DIVIDED		1.35	MD 135A NO NAME	3	40I	
				1.35	CO 229 RED ROCK LA			
				1.40	SPUR FR MD 135-A			
		UNDIVIDED		1.43		3	36I	
				1.45	SPEED LIMIT 50 MPH			
				1.64	WARM BREEZE LA			
				1.66	CO 232 21ST BRIDGE RD			
				1.72		2	24I	
				1.73	STRUC #1167 OVER N POTOMAC RIVER			
				1.76	CO 229 RED ROCK LA			
				1.88	OP 358 NO NAME			
				2.12	OP 358 NO NAME			
				2.40	OP 42 CIR HILL RD			
				2.44	OP 42 CIR HILL RD			
				2.53	OP 43 PLACID LA			
				3.18	MD 830A NO NAME			
				3.70	CO 233 DAWSON CEMETERY RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 220 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: MCMULLEN HWY

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
PRIMARY	R	RUR-OTHER PRIN ART	UNDIVIDED	NONE	3.71	PVT RD	24I	8,350
					3.92	COPPERHEAD RD		
					4.39	STRUC #1062 DEEP HOLLOW CREEK		
					4.64	STRUC #1076 TOMS HOLLOW CREEK		
			OP	44	4.81 TOMS HOLLOW RD			
					4.92		36I	
			OP	45	5.17 VAN PELT DR			
					5.17	VAN PELT MEMORIAL PARK		
			OP	115	5.29 CARMAN DR			
			OP	46	5.90 MIDDLE RIDGE RD			
					5.98		24I	
			CO	779	6.15 WAXLER CEMETERY RD			
					6.42	DOUGLAS DR		
					6.60	STRUC #1075 MILL RUN		
					6.73	SPRING HAVEN RD		
					7.61	STRUC #1074 MILL RUN		
					7.87	STRUC #1009X0 MILL RUN		
			CO	234	8.01 FORT HILL RD			
			MD	830B	8.51 NO NAME			
					8.64	STRUC #1058 MILL RUN		
			OP	425	8.86 COLLINS DR			
			OP	48	8.92 LILAC CT			
			OP	426	8.92 HANSEL DR			
			CO	811	9.07 CONDA WAY			11,225
			CO	235	9.07 RAWLINGS LA			
			CO	655	9.20 CHURCH ST			
			OP	427	9.28 SUN VALLEY DR			
			CO	638	9.38 LLEWELLYN AVE			
			CO	236	9.40 RAWLINGS HEIGHTS DR			
			OP	428	9.52 MILLER AVE			
			OP	54	9.53 MAPLE LA			
			OP	429	9.56 MEADOW DR			
			OP	354	9.76 SKIPTON LA			
			OP	353	10.06 SUMMER FIELD LA			
			OP	430	10.06 MERRIL LA			
			OP	431	10.30 DAVIS LA			
					10.31	MOUNTAIN RIDGE RD		
			OP	56	10.36 BIERS LA			
			OP	58	10.44 HAWK ST			
			OP	432	10.57 EMILY ST			
			OP	433	10.57 WIL-MAR LA			
					11.20	LONGHILL DR		

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 220 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: MCMULLEN HWY

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT						
PRIMARY	RUR-OTHER PRIN ART	UNDIVIDED	NONE	11.32	CLEMENT ARMSTRONG RD	2	24I	11,225						
				11.42	STAIR WAY									
				11.56	POTOMAC VIEW DR									
				11.70	DIVIDED	3	36I							
				11.75	SPUR TO MD 956									
				11.78	URB-OTHER PRIN ART	MD 956	NO NAME		12,525					
				11.81						MD 956	SPUR FR MD 956			
				11.89	UNDIVIDED						2	24I		
				12.01									OAK CREST LA	
				12.06									SPEED LIMIT 40 MPH	
				12.22									OP 458	JARED RD
				12.26									CO 237	NINERS LA
				12.28										REPHANN LA
				12.30									OP 376	TIN SHOP RD
	12.36	CO 238	PINTO RD											
	12.54	CO 713	BARTON BLVD											
	12.75	CO 264	ROBERTSON LA											
	12.85	CO 262	STONE FIELD LA											
	12.93	CO 266	OLD LAKE DR											
	13.03	OP 65	LAURA LA											
	13.14	CO 267	LOUISE DR											
	13.17	CO 268	CEDARWOOD DR											
	13.67	CO 820	WYOMING AVE											
	13.69	CO 269	LONE OAK LN											
	13.78		SPEED LIMIT 30 MPH											
	13.88	CO 241	LEE ST											
	13.96	CO 271	BELL ST											
	SECONDARY				14.03	MD 53	13,125							
14.03					CO 239	WINCHESTER RD								
14.13					CO 245	MAIN ST								
14.16						2	32I							
14.21					CO 248	POTOMAC ST								
14.26					CO 246	HOWARD ST	2	36I						
14.30					CO 249	WOOD ST								
14.33					MD 636	WARRIOR DR	2	32I						
14.38					CO 250	OAKWOOD ST								
14.41						2	24I							
14.45	CO 253	DARROWS LA												
14.49		STRUC #1057 WARRIOR RUN												
14.50	CO 256	PIONEER ST												
14.57		SPEED LIMIT 40 MPH												
	CTL	15.12	CO 825	TODD DR										

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 220 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: MCMULLEN HWY

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	URB-OTHER PRIN ART	CTL UNDIVED	NONE	15.39	ENT TO MD CORRECTIONAL FACILITY	2	24I	13,125
				15.45				
				15.66		2	29I	
				15.70	LINK DR (PVT RD)			
				15.74	OP 86 FALL AVE	2	30I	
				15.81	OP 351 NORWOOD AVE			
				15.88	CO 288 ORCHID ST			
				15.93	CO 289 PRIMROSE ST			
				15.96	CO 285 IRIS AVE			
				16.06		2	24I	
				16.11	CO 284 MULBERRY AVE			
				16.13	CO 293 MOSS AVE	2	30I	
				16.14	SPUR FR CO 293 MOSS AVE			
				16.21	CO 300 JADE ST			
				16.24	CO 320 ZENNIA AVE			
				16.33	CO 298 EAGLE AVE	2	24I	
				16.45	CO 317 DIVISION ST			
				16.60	CO 316 WILLOW AVE			
				16.68	OP 267 BUNTING ST			
				16.89	CO 315 PECAN AVE	2	30I	
				16.97	CO 314 ELM AVE			
				17.00	CO 295 LONG AVE			
				17.02		2	24I	
				17.04	CO 312 DOGWOOD AVE			
				17.14	CO 310 HICKORY AVE			
				17.15	CO 283 APRIL AVE			
				17.19	CO 862 N CRESAP ST	2	30I	
				17.33	CO 307 ROBINETTE AVE			
				17.39	CO 306 ASPEN AVE			
				17.45	CO 305 ASH AVE			
				17.53	CO 321 APOLLO AVE			
				17.56	CO 304 MILNOR AVE			14,500
				18.01	CO 863 UPPER POTOMAC INDUSTRIAL PARK ST			
				18.15		2	24I	
MUNICIPAL U				18.37	IN CORP LMTS CUMBERLAND	2	33I	
				18.37	END STATE MAINTENANCE			
				18.37	BEGIN MUNICIPAL MAINTENANCE			
				18.38	SPEED LIMIT 35 MPH			
				18.48		3	43I	
		DIVIDED		18.61		3	40I	
				18.70	RP 6806 RAMP 6 FR IS 68 TO US 220			
				18.72	RP 6803 RAMP 3 FR RAMP 6 TO US 220	3	63J	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 220 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: MCMULLEN HWY

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
MUNICIPAL U	URB-OTHER PRIN ART	DIVIDED	NONE	18.72	RP 6804 RAMP 4 FR US 200 TO IS 68	3	63J	14,500
				18.75		2	63J	
				18.86	END MUNICIPAL MAINTENANCE			
				18.86	BEGIN STATE MAINTENANCE			
				18.86	MU1570 GREENE ST (AHEAD)			
				18.86	EXIT #42			
				18.86	STRUC #1105			
				18.86	NATIONAL FREEWAY (AHEAD)			
PRIMARY R	RUR-OTHER PRIN ART	UNDIVIDED		23.58	IS 68 NATIONAL FREEWAY	2	24I	5,725
NAME: NO NAME				23.58				
				23.58	MD 144 ALI GAHN RD			
				23.60	SPUR TO MD 144			
				23.62	IS 68 NATIONAL FREEWAY			
				23.62	STRUC #1168			
				23.86	SPEED LIMIT 55 MPH			
				23.93	RP 6808 RAMP 8 FR US 220 TO IS 68			
				24.29	STRUC #1169 EVITTS CREEK			
	URB-OTHER PRIN ART			24.44	CO 454 MASON RD			
				24.44	STRUC #1170			
				24.50		3	36I	
				24.85		4	48I	
				25.07		2	24I	
				25.21	CO 455 BEALLS MILL RD			
				25.21	STRUC #1171			
				25.48		3	36I	
				26.22		2	24I	
		DIVIDED		26.38				
				26.71	SPUR TO SMOUSES MILL RD			
				26.71	SPUR FR MD 807			
				26.72	MD 807 BEDFORD RD			
				26.72	MD 807E SMOUSES MILL RD			
				26.73	SPUR FR CO 737 SMOUSES MILL RD			
				26.73	SPUR TO MD 807			
		UNDIVIDED		26.99				
				27.18	SPUR TO PINE RIDGE RD			
				27.20	CO 459 PINE RIDGE RD			
				27.28	MD 807C NO NAME			
				27.35	PENNSYLVANIA ST/L			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 636  
INVENTORY DIRECTION....EAST  
NAME: WARRIOR DR

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	URB-LOCAL	UNDIVIDED	NONE	0.00 MD 53	WINCHESTER RD	2	24I	1,899
				0.02	STRUC #1072 WARRIOR RUN			
				0.27	STRUC #1061 WARRIOR RUN			
				0.28 US 220	MCMULLEN HWY			

\*\*\*\*\*

ROUTE NUMBER.....MD 638  
INVENTORY DIRECTION....NORTH  
NAME: PARKERSBURG RD

SECONDARY R	URB-COLLECTOR	UNDIVIDED	NONE	0.00 MD 743	OLD NATIONAL PIKE	2	18I	2,250
				0.06	SPEED LIMIT 30 MPH			
				0.07		2	22I	
				0.21 US 40AL	NATIONAL PIKE			
				0.30 CO 142	HANSON LA			
				0.31 CO 143	HOLSINGER RD			
				0.38		2	18I	
				0.41 CO 144	WATKINS RD			
				0.42 CO 700	PORTER RD			1,550
				0.62		2	20I	
				0.69	PROPOSED			
				0.84	HENRY RUSSELL LA			
				0.94	DUCK HILL DR			
				1.15 CO 145	PORTER CEMETERY RD			
				1.87	HARDEN FARM RD			
				1.91	SNOWBIRD LA			
				1.92	BEG BR			
				1.93	R/R #CSX 832 246 V			
				1.94	END BR			
				2.06 OP 31	BROADWATER RD			
				2.21	FEMI LA			
				2.25 OP 30	NAZZERANO LA			
				2.32 OP 32	BLACKBERRY LA			
				2.32	BLACKBERRY LA (PVT)			
				2.34 MD 36	MT SAVAGE RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 639  
INVENTORY DIRECTION....EAST  
NAME: WILLOWBROOK RD

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY U	URB-MINOR ARTERIAL	DIVIDED	NONE	0.00 US 40AL	BALTIMORE AVE (BACK)	2	54I	9,350
				0.00 IS 68	NATIONAL FREEWAY			
				0.00	STRUC #1093			
				0.00	EXIT #44			
				0.04 RP 6805	RAMP 5 FR MD 639 TO RAMP 4			
				0.04 RP 6803	RAMP 3 FR RAMP 6 TO MD 639			
				0.06 RP 6804	RAMP 4 FR MD 639 TO IS 68			
				0.06 RP 6806	RAMP 6 FR IS 68 TO MD 639			
		UNDIVIDED		0.08		2	58I	
				0.10	SPEED LIMIT 25 MPH			
				0.15 MU2790	PINE AVE	2	24I	
				0.17 MU1540	GOLDEN LA			
				0.28	SPEED LIMIT 35 MPH			
R	RUR-MAJOR COLLECTOR			0.43	OUT CORP LMTS CUMBERLAND			
				0.46	SPEED LIMIT 45 MPH			
				0.56 MD 639B	COUNTRY CLUB RD			
				0.75	LESLIE LA			
				1.01 MD 639A	NO NAME			
				1.45 CO 440	WILLIAMS RD			

ROUTE NUMBER.....MD 639A  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

SECONDARY R	RUR-LOCAL	UNDIVIDED	NONE	0.00 MD 639	WILLOWBROOK RD	3	40I	
				0.05		2	40I	
				0.11		2	30I	
				0.15 MD 639A	NO NAME			
				0.26 MD 639A	NO NAME			

ROUTE NUMBER.....MD 639B  
INVENTORY DIRECTION....NORTH  
NAME: COUNTRY CLUB RD

SECONDARY R	URB-COLLECTOR	UNDIVIDED	NONE	0.00 MD 639	WILLOWBROOK RD	2	24I	999
				0.06 CO 441	OLD WILLOWBROOK RD			
				0.06 CO 471	COUNTRY CLUB RD (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 657  
INVENTORY DIRECTION....NORTH  
NAME: DOUGLAS AVE

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
MUNICIPAL U	RUR-MAJOR COLLECTOR	UNDIVIDED	NONE	0.00	MU8080	ALLEY #8 (BACK)	2	30I	625
				0.00	MD 36	E MAIN ST			
				0.04		SPEED LIMIT 15 MPH	2	24I	
				0.22	MU 30	OLD BEECHWOOD RD			
SECONDARY R				0.29		END MUNICIPAL MAINTENANCE	2	19I	
NAME: SKIDS HILL RD				0.29					
				0.29		BEGIN STATE MAINTENANCE			
				0.29		OUT CORP LMTS LONACONING			
				0.35			2	15I	
				0.40		SPEED LIMIT 25 MPH			
				0.68			2	18I	
				1.24		COOL MIST LA			
				1.35		BLACKSMITH LA			
				1.82		GARRETT CO/L			

ROUTE NUMBER.....MD 658  
INVENTORY DIRECTION....NORTH  
NAME: VOCKE RD

PRIMARY R	URB-OTHER PRIN ART	DIVIDED	NONE	0.00	MD 53	WINCHESTER RD	5	57I	12,250
				0.02		SPEED LIMIT 40 MPH			
				0.14	CO 324	LINDA WAY			
				0.14	CO 797	COUNTRY CLUB MALL			
				0.24			6	68I	
				0.27	OP 96	WALKER RD			
				0.27		ENT TO SHA DISTRICT #6 OFFICE			
				0.33	OP 97	VOCKE DR			
				0.40	MD 949	W BRADDOCK RD	5	58I	
				0.40	CO 331	CLUB HOUSE RD			
				0.44	RP 6804	RAMP 4 FR MD 658 TO IS 68			
				0.48	RP 6806	RAMP 6 FR IS 68 TO MD 658			
				0.51	RP 6805	RAMP 5 FR MD 658 TO RAMP 4			
				0.51	RP 6803	RAMP 3 FR RAMP 6 TO MD 658			
				0.53			4	48I	
SECONDARY				0.56	IS 68	NATIONAL FREEWAY			
				0.56		STRUC #1106			
				0.56		EXIT #40			
				0.59	RP 6807	RAMP 7 FR IS 68 TO MD 658			
				0.61		SPUR FR MD 49			
				0.63	RP 6802	RAMP 2 FR RAMP 7 TO MD 658			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 658 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: VOCKE RD

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	URB-OTHER PRIN ART	DIVIDED UNDIVIDED	NONE	0.63	MD 49	BRADDOCK RD	4	48I	12,250
				0.66					
				0.67		STRUC #1063 BRADDOCK RUN			
				0.71	OP 111	LAVALE AVE			
				0.72	CO 334	SIMPSON AVE			
				0.79	CO 809	PARK AVE WEST			
				0.84	US 40AL	NATIONAL PIKE/NATIONAL HWY			
				0.84	OP 136	CUPLER DR (AHEAD)			

\*\*\*\*\*

ROUTE NUMBER.....MD 736  
INVENTORY DIRECTION....SOUTH  
NAME: BRADDOCK RD

SECONDARY U	URB-MINOR ARTERIAL	UNDIVIDED	NONE	0.04	OP 436	MIDLOTHIAN RD (BACK)	2	25I	2,225
				0.04	MU 442	PARK AVE #2			
				0.16	MU 130	BOWERY ST EXT	2	24I	
				0.21	SR 36	NO NAME (ENT TO FSU ADMINISTRATION)			
				0.33	MU 133	BRADY ST			
				0.49		STRUC #1173 SAND SPRING RUN			
				0.59	SR 32	UNIVERSITY DR			
				0.62		SPEED LIMIT 40 MPH			
				1.03		SPEED LIMIT 40 MPH			
				1.05	MU 135	BRADDOCK ST	2	36I	
				1.05					
				1.18	RP 6802	RAMP 2 FR IS 68 TO MD 736			
				1.20	RP 6808	RAMP 8 FR MD 736 TO IS 68			
				1.21		OUT CORP LMTS FROSTBURG			
				1.25	RP 6807	RAMP 7 FR RAMP 2 TO MD 736			
				1.25	RP 6801	RAMP 1 FR MD 736 TO RAMP 8			
				1.31	IS 68	NATIONAL FREEWAY			
				1.31		STRUC #1114			
				1.31		EXIT #33			
				1.31	CO 94	MIDLOTHIAN RD (AHEAD)			

NAME: MIDLOTHIAN RD

R

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 743  
INVENTORY DIRECTION....EAST  
NAME: OLD NATIONAL PIKE

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYP*	AADT
SECONDARY R	URB-LOCAL	UNDIVIDED	NONE	0.00	MD 36	GEORGES CREEK RD	2	50I	1,499
				0.05			2	22I	
				0.26	CO 124	LAUREL HILL DR			
				0.31		SPEED LIMIT 25 MPH			
				0.35	CO 700	PORTER RD			
				0.40	CO 121	HOFFMAN HOLLOW RD			
				0.56	CO 137	CEMETERY RD			
				0.69	CO 129	ECKHART MINES ST			
				0.75	CO 137	CEMETERY RD			
	URB-COLLECTOR			0.89	CO 123	WASHINGTON HOLLOW RD			
	URB-LOCAL			0.90	MD 638	PARKERSBURG RD			
				1.00	US 40AL	NATIONAL PIKE			

\*\*\*\*\*

ROUTE NUMBER.....MD 807  
INVENTORY DIRECTION....NORTH  
NAME: BEDFORD RD

SECONDARY R	URB-MINOR ARTERIAL	DIVIDED	NONE	0.00	MU1412	FREDERICK ST (BACK)	3	56J	6,600
				0.00	MU 270	BEDFORD ST (BACK)			
				0.00		OUT CORP LIMITS OF CUMBERLAND			
				0.07		CROSSOVER			
		UNDIVIDED		0.15		MD 807 (SB/L) BELFORD RD	2	22I	
PRIMARY				0.32	MD 144	NAVES CROSS ROAD	2	46I	5,725
				0.41		SPEED LIMIT 40 MPH			
				0.51	CO 802	BIEDERLACK ST	2	22I	
				0.71	CO 446	KNOB RD	2	20I	
				0.87			2	22I	
				0.88		MELODY LA			
				0.91		EVA DR			
				0.96		MY DRIVE			
				0.99		HIMMLER LA			
				1.02	OP 170	VALEN LA			
				1.13	OP 169	COUNTRYSIDE LA			
				1.17	OP 168	LISA DR			
				1.19		MARSDEN LA			
				1.36	OP 167	OLD CHURCH LA			
				1.42	OP 166	THURMEL DR			
				1.48	CO 465	IOKA DR			
				1.55	CO 463	GROWDENVALE DR			
				1.58	CO 462	HANNA DR			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 807 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: BEDFORD RD

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT	
PRIMARY	R	URB-MINOR ARTERIAL	UNDIVID	NONE	1.59	HENRIETTA DR	2	22I	5,725
					1.72	PATMAR DR			
					1.77	TYLER ST			
					1.78	MILPOINT DR			
					1.82	INTERSTATE ST			
					1.83	GOLLIDAY LA			
					1.85	FLEETWOOD DR			
					1.93	LAURA LEE LA			
					1.95	OLD HOMEPLACE RD			
				2.00	OP 164 FRANZ LA				
				2.02	CO 793 JUDY LA				
				2.05	OP 350 CANYON AVE				
				2.06	TINO LA				
				2.09	AZALEA LA				
				2.10	OP 162 MEDERS LA				
				2.11	CRITES DR				
				2.17	HARVESTER LA				
				2.21	CO 455 BEALLS MILL RD				
				2.23	OP 161 FRANTZ HOLLOW RD				
				2.32	OP 160 LE RAE ST				
				2.33	OP 375 COLTON DR				
				2.42	CHELSEA HILL LA				
				2.44	COUNTRY LA				
				2.47	CO 461 ADALINE DR				
				2.54	BRINSFIELD LA				
				2.57	CO 460 ACRE LA				
				2.61	OP 159 SWEITZER LA				
				2.66	STRUC #1056 PEA VINE RUN				
				2.67	CO 447 PEA VINE RUN RD				
				2.88	OP 157 CHIPMONK LA				
				2.98	OP 152 HUGHES ST				
				3.04	AARON DR				
				3.09	SMITH HOLLOW RD				
				3.09	BLUEBIRD LA				
				3.38		2	24I		
				3.41	MD 807B BEDFORD RD				
				3.51	SPUR TO US 220				
				3.51	SPUR FR US 220				
				3.52	US 220 NO NAME				
				3.52	MD 807E SMOUSES MILL RD (AHEAD)				

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 807A  
INVENTORY DIRECTION....EAST  
NAME: NAVES CROSS RD

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	URB-LOCAL	UNDIVIDED	NONE	0.00 MD 144	CHRISTIE RD/NAVES CROSS RD	2	24I	
				0.02	ENT TO PARK & RIDE			
				0.04		2	30I	
				0.10 CO 454	MASON RD			

\*\*\*\*\*

ROUTE NUMBER.....MD 807B  
INVENTORY DIRECTION....NORTH  
NAME: BEDFORD RD

SECONDARY R	URB-LOCAL	UNDIVIDED	NONE	0.00 MD 807	BEDFORD RD	2	22I	
				0.11	SPUR TO SMOUSES MILL RD			
				0.12 CO 876	SMOUSES MILL RD			
				0.14	LINDSAYS WAY			
				0.38	CUL DE SAC			

\*\*\*\*\*

ROUTE NUMBER.....MD 807C  
INVENTORY DIRECTION....SOUTH  
NAME: NO NAME

SECONDARY R	URB-LOCAL	UNDIVIDED	NONE	0.00 US 220	BEDFORD RD	2	20I	
				0.10	CUL DE SAC			

\*\*\*\*\*

ROUTE NUMBER.....MD 807D  
INVENTORY DIRECTION....NORTH  
NAME: PINE RIDGE RD

SECONDARY R	URB-LOCAL	UNDIVIDED	NONE	0.00 US 220	BEDFORD RD	2	24I	
				0.01	SPUR FR US 220			
				0.16 CO 877	GRANET RD			
				0.23 CO 459	PINE RIDGE RD (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 807E  
INVENTORY DIRECTION...NORTH  
NAME: SMOUSES MILL RD

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	URB-LOCAL	UNDIVIDED	NONE	0.81 CO 737	SMOUSES MILL RD (BACK)	2	22I	
				0.81 CO 458	HAZEN RD			
				0.87	SPUR TO US 220			
				0.87	SPUR FR US 220			
				0.88 US 220	NO NAME			
				0.88 MD 807	BEDFORD RD (AHEAD)			

\*\*\*\*\*

ROUTE NUMBER.....MD 830A  
INVENTORY DIRECTION...SOUTH  
NAME: NO NAME

SECONDARY R	RUR-LOCAL	UNDIVIDED	NONE	0.00 US 220	MCMULLEN HWY	2	14E	99
				0.02	ROAD END			

\*\*\*\*\*

ROUTE NUMBER.....MD 830B  
INVENTORY DIRECTION...NORTH  
NAME: NO NAME

SECONDARY R	RUR-LOCAL	UNDIVIDED	NONE	0.00 US 220	MCMULLEN HWY	2	15I	99
				0.01		2	15E	
				0.02		2	14J	
				0.04	ROAD END			

\*\*\*\*\*

ROUTE NUMBER.....MD 831A  
INVENTORY DIRECTION...NORTH  
NAME: OLD MT SAVAGE RD

SECONDARY R	URB-LOCAL	UNDIVIDED	NONE	0.00 US 40AL	NATIONAL HWY	2	24I	599
				0.03		2	20I	
				0.05	SPEED LIMIT 30 MPH			
				0.06	STRUC #1002 BRADDOCK RUN			
				0.07 CO 381	GREENPOINT RD			
				0.17	R/R #CSX 832 238 D			
				0.28 CO 769	LIONZ LA			
				0.34 OP 440	BRADDOUR RD			
				0.46 MD 831I	DAKOTA AVE	2	30I	
NAME: DAKOTA AVE				0.46				

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 831A CONTINUED  
INVENTORY DIRECTION...NORTH  
NAME: DAKOTA AVE

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	URB-LOCAL	UNDIVIDED	NONE	0.46 CO 728	DAKOTA ST	2	30I	599
				0.48 MD 36	MT SAVAGE RD			

\*\*\*\*\*

ROUTE NUMBER.....MD 831B  
INVENTORY DIRECTION...NORTH  
NAME: OLD MOUNT SAVAGE RD

SECONDARY R	URB-LOCAL	UNDIVIDED	NONE	0.00	ROAD END	2	16H	99
				0.03 MD 36C	HOMEWOOD ST	2	22H	
				0.03 CO 421	HOMEWOOD ST			
				0.08 CO 868	IOWA DR	2	16H	
				0.11	ROAD END			

\*\*\*\*\*

ROUTE NUMBER.....MD 831C  
INVENTORY DIRECTION...NORTH  
NAME: KREIGBAUM RD

SECONDARY R	URB-LOCAL	UNDIVIDED	NONE	0.00 CO 408	PROENTY RD (BACK)	2	20I	699
				0.00 MD 36	MT SAVAGE RD			
				0.01 MD 831H	NO NAME			
				0.03	SPEED LIMIT 25 MPH			
				0.12 OP 450	KLINE DR			
				0.43 CO 410	CONCORD DR			
				0.50 CO 411	WHITEHAIR ST			
				0.61 CO 412	DENNY DR			
				0.64 CO 416	SUDER LA			
				0.72 MD 35	ELLERSLIE RD			
				0.78 CO 417	CORRIGAN DR			
				0.83 CO 419	BEACHVIEW DR			
				0.86	STRUC #1003 JENNINGS RUN			
				0.90 MD 36	MT SAVAGE RD			
				0.90 CO 658	CASH VALLEY DR (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 831D  
INVENTORY DIRECTION...NORTH  
NAME: PORTER TOWN RD

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	URB-LOCAL	UNDIVIDED	NONE	0.00	MD 36	MT SAVAGE RD	2	22I	199
				0.08		SPEED LIMIT 35 MPH			
				0.37	MD 36	MT SAVAGE RD			

\*\*\*\*\*

ROUTE NUMBER.....MD 831F  
INVENTORY DIRECTION...EAST  
NAME: NO NAME

SECONDARY R	RUR-LOCAL	UNDIVIDED	NONE	0.00	MD 47	ROAD END	2	22I	99
				0.04		BARRELVILLE RD			

\*\*\*\*\*

ROUTE NUMBER.....MD 831G  
INVENTORY DIRECTION...NORTH  
NAME: CABOOSE RD

SECONDARY R	URB-LOCAL	UNDIVIDED	NONE	0.00	MD 936	ROAD END	2	10I	
				0.12		GEORGES CREEK RD			

\*\*\*\*\*

ROUTE NUMBER.....MD 831H  
INVENTORY DIRECTION...WEST  
NAME: NO NAME

SECONDARY R	URB-LOCAL	UNDIVIDED	NONE	0.00	MD 831C	KREIGBAUM RD	2	20I	
				0.02	OP 451	KLINE DR			
				0.07		ROAD END			

\*\*\*\*\*

ROUTE NUMBER.....MD 831I  
INVENTORY DIRECTION...NORTH  
NAME: DAKOTA AVE

SECONDARY R	URB-LOCAL	UNDIVIDED	NONE	0.00	MD 831A	OLD MT SAVAGE RD/DAKOTA AVE	2	21I	
				0.00	CO 728	DAKOTA ST			
				0.04		ROAD END			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 935  
INVENTORY DIRECTION....NORTH  
NAME: LEGISLATIVE RD

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	RUR-MINOR COLLECTOR	UNDIVIDED	NONE	0.00	CO 14	SUGAR MAPLE RD (BACK)	2	30I	3,599
				0.00	MD 36	GEORGES CREEK RD			
				0.02	CO 13	BERRYS LA			
				0.04	CO 9	REYNOLDS RD	2	20I	
				0.17		SPEED LIMIT 25 MPH			
U				0.28		STRUC #1020 MOORES RUN			
				0.28		IN CORP LMITS BARTON			
				0.30	OP 416	MOWBRAY RD			
				0.32	MU 186	PIEDMONT CT			
				0.39	MU 187	POTOMAC HOLLOW RD			
				0.45	MU 60	C ST	2	28I	
				0.53			2	22I	
				0.54		STRUC #1019 GEORGES CREEK			
				0.57	MU 230	WATER ST			
				0.60	MU 200	N EUTAW ST			
				0.60	MU 201	S EUTAW ST			
				0.64	MU 190	S RAILROAD ST	2	25I	
				0.71	MU 170	MILL ST			
				0.76	MU8010	ALLEY 1			
				0.77	MU 240	RAILROAD ST			
				0.78		R/R #CSX 832 538 S			
				0.79	OP 405	LEGION RD			
				0.79	MU 20	B ST			
				0.81	MU 50	BRADLEY ST			
				0.82	MU 51	BRADLEY ST			
				0.84			2	26I	
				0.85	MU 150	LATROBE ST			
				0.92	MU 30	BARTLETT ST			
				0.95		STRUC #1018 BUTCHER RUN	2	20I	
				1.01	MU9020	B ALLEY			
				1.02	MU 210	WALNUT ST	2	25I	
				1.12	CO 857	TAKOMA DR			
				1.22	MU 185	OAK ST			
				1.25		SPEED LIMIT 40 MPH			
R				1.41		OUT CORP LMITS BARTON			
				1.65	CO 28	LAUREL RUN RD	2	20I	
				1.65	CO 688	WATERSIDE ST			
				1.65	CO 857	TAKOMA DR			
				1.80		STRUC #1017 GEORGES CREEK			
				1.90	CO 37	ROYALE LA			
				1.91	CO 32	MOSCOW ST			
				1.95	CO 38	RAINBOW LA			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 935 CONTINUED  
INVENTORY DIRECTION...NORTH  
NAME: LEGISLATIVE RD

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	RUR-MINOR COLLECTOR	UNDIVIDED	NONE	2.00	CO 39	RED ROSE LA	2	20I	3,599
				2.04	MD 935A	NO NAME			
				2.21		SPEED LIMIT 25 MPH			
				2.30		STRUC #1016 GEORGES CREEK			
				2.50	CO 40	MINE ST			
				2.58	CO 42	NIKEP LA			
				2.76			2	22I	
				2.97			2	40I	
				2.99	MD 36	GEORGES CREEK RD			

\*\*\*\*\*

ROUTE NUMBER.....MD 935A  
INVENTORY DIRECTION...EAST  
NAME: NO NAME

SECONDARY R	RUR-LOCAL	UNDIVIDED	NONE	0.00	MD 935	LEGISLATIVE RD	2	20I	3,299
				0.10	MD 36	GEORGES CREEK RD			

\*\*\*\*\*

ROUTE NUMBER.....MD 936  
INVENTORY DIRECTION...NORTH  
NAME: GEORGES CREEK RD

SECONDARY U	RUR-MAJOR COLLECTOR	UNDIVIDED	NONE	0.00	MU 55	GEORGES CREEK RD (BACK)	2	20I	1,700
				0.00	MU 50	CHURCH ST			
				0.01	MU 150	WILSON RD			
				0.01	MU 120	PARSONAGE RD			
R				0.11		OUT CORP LMITS MIDLAND			
				0.18		SPEED LIMIT 50 MPH			
				0.21			2	22I	
				0.33			2	25I	
				0.57			2	22I	
	RUR-MINOR COLLECTOR			0.97	CO 70	KLONDIKE RD			
				1.03	CO 86	OCEAN HILL RD			
				2.54	CO 681	CABIN RUN RD			
				2.56		SPEED LIMIT 35 MPH			
	URB-COLLECTOR			2.81	CO 74	SHAFT RD			1,950
				2.83	CO 104	SLOAN AVE			
				2.90	CO 105	KERR RD			
				3.20			2	24I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 936 CONTINUED  
INVENTORY DIRECTION...NORTH  
NAME: GEORGES CREEK RD

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	URB-COLLECTOR	UNDIVIDED	NONE	3.32 IS 68	NATIONAL FREEWAY	2	24I	1,950
				3.32	STRUC #1113			
				3.50 MD 831G	CABOOSE RD			
				3.52		2	22I	
				3.78 CO 699	WELSH HILL RD			
				3.78 CO 846	CHERRY LA			
				3.79 OP 151	NO NAME			
				3.99 CO 148	MARTIN RUN RD			
				4.13 CO 152	AVENUE A			
				4.23 OP 25	TROUTMAN LA			
				4.28 CO 149	POWELLS LA			
				4.30	SPEED LIMIT 25 MPH			
				4.33 CO 150	THIRD ST			
				4.39 CO 153	GRAHAM ST			
				4.40 CO 155	WALNUT ST			
				4.48 CO 833	GLENN ST			
NAME: GRANT ST				4.62 MU 270	GREENE ST			
U				4.65	IN CORP LMTS FROSTBURG			
				4.75		2	21I	
				4.81 MU 110	BLAIR ST	2	27I	
				4.85 MU8070	ALLEY #7			
				4.89 MU 370	MCCULLOH ST			
				4.93 MU8010	ALLEY #1			
				4.96 MU 550	WASHINGTON ST			
				5.00 MU 380	MECHANIC ST			
				5.04 US 40AL	MAIN ST			
				5.04 MU 260	GRANT ST (AHEAD)			

\*\*\*\*\*

ROUTE NUMBER.....MD 937  
INVENTORY DIRECTION...NORTH  
NAME: MAIN ST

MUNICIPAL U	RUR-LOCAL	UNDIVIDED	NONE	0.00 MD 135	CHURCH ST	2	28I	1,099
				0.00 MU 300	MARYLAND ST			
				0.00	BEGIN MUNICIPAL MAINTENANCE			
				0.01	SPUR FR MD 135			
				0.02 MU8000	BANK ALLEY			
				0.04	SPEED LIMIT 25 MPH			
				0.08 MU 111	VICTORY POST DR			
				0.20 MU 350	OAKVIEW DR	2	22I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 937 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: MAIN ST

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
MUNICIPAL U	RUR-LOCAL	UNDIVIDED	NONE	0.28		2	20I	1,099
				0.30	MU 360 PHILOS AVE			
				0.36	STRUC #1022 GEORGES CREEK	2	24I	
				0.41	MU 260 LINCOLN DR			
				0.46		2	22I	
				0.50	MU 450 ROSS ST			
				0.50	MU 510 WAVERLY ST			
				0.65	MU 230 KOLBERGES HILL RD	2	20I	
				0.75	MU 230 KOLBERGES HILL RD			
SECONDARY R				1.07	OUT CORP LMTS WESTERNPORT			
				1.07	END MUNICIPAL MAINTENANCE			
				1.07	BEGIN STATE MAINTENANCE			
				1.53	MD 36 GEORGES CREEK RD			

\*\*\*\*\*

ROUTE NUMBER.....MD 939  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

SECONDARY R	RUR-LOCAL	UNDIVIDED	NONE	0.00	MD 36 GEORGES CREEK RD	2	24I	
				0.01	ROAD END			

\*\*\*\*\*

ROUTE NUMBER.....MD 942  
INVENTORY DIRECTION....NORTH  
NAME: BRIDGE ST

SECONDARY U	URB-MINOR ARTERIAL	UNDIVIDED	NONE	0.00	WEST VIRGINIA ST/L	2	28I	999
				0.00	BEG BR			
				0.03	STRUC #1066 POTOMAC RIVER			
				0.06	END BR			
				0.06	MU 435 BRIDGE ST (AHEAD)			

\*\*\*\*\*

ROUTE NUMBER.....MD 948AD  
INVENTORY DIRECTION....NORTH  
NAME: PLEASANT VALLEY RD

SECONDARY R	RUR-MINOR COLLECTOR	UNDIVIDED	NONE	0.00	MD 144 NATIONAL PIKE	2	22I	999
-------------	---------------------	-----------	------	------	----------------------	---	-----	-----

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 948AD CONTINUED  
INVENTORY DIRECTION...NORTH  
NAME: PLEASANT VALLEY RD

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	RUR-MINOR COLLECTOR	UNDIVIDED	NONE	0.03	RP 6804	RAMP 4 FR MD 948 AD TO IS 68	2	22I	999
				0.03	RP 6806	RAMP 6 FR IS 68 TO MD 948 AD			
				0.07	IS 68	NATIONAL FREEWAY			
				0.07		STRUC #1150			
				0.07		EXIT #50			
				0.13			3	36I	
				0.14	RP 6802	RAMP 2 FR IS 68 TO MD 948 AD			
				0.14	RP 6808	RAMP 8 FR MD 948 AD TO IS 68			
				0.20	CO 481	PLEASANT VALLEY RD			
				0.20	SR 28	LAKEVIEW DR (AHEAD)			

\*\*\*\*\*

ROUTE NUMBER.....MD 948AE  
INVENTORY DIRECTION...SOUTH  
NAME: ROCKY GAP RD

SECONDARY R	RUR-LOCAL	UNDIVIDED	NONE	2.42	CO 457	ROCKY GAP RD (BACK)	2	20I	
				2.56	IS 68	NATIONAL FREEWAY			
				2.56		STRUC #1151			
				2.60	MD 144	NATIONAL PIKE			

\*\*\*\*\*

ROUTE NUMBER.....MD 948AF  
INVENTORY DIRECTION...NORTH  
NAME: JEFFRIES RD

SECONDARY R	RUR-LOCAL	UNDIVIDED	NONE	0.62	CO 472	JEFFRIES RD (BACK)	2	22I	204
				0.75	IS 68	NATIONAL FREEWAY			
				0.75		STRUC #1155			
				0.91	CO 472	JEFFRIES RD (AHEAD)			

\*\*\*\*\*

ROUTE NUMBER.....MD 948AL  
INVENTORY DIRECTION...SOUTH  
NAME: MV SMITH RD

SECONDARY R	RUR-MINOR COLLECTOR	UNDIVIDED	NONE	1.53	CO 570	M V SMITH RD (BACK)	2	24I	999
				1.58		SPEED LIMIT 40 MPH			
				1.65	RP 6808	RAMP 8 FR MD 948 AL TO IS 68			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 948AL CONTINUED  
INVENTORY DIRECTION....SOUTH  
NAME: MV SMITH RD

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	RUR-MINOR COLLECTOR	UNDIVIDED	NONE	1.66 RP 6807	RAMP 7 FR IS 68 TO MD 948 AL	2	24I	999
	RUR-LOCAL			1.80 IS 68	NATIONAL FREEWAY			
				1.80	STRUC #1130			
				1.80	EXIT #64			
				1.86 RP 6806	RAMP 6 FR IS 68 TO MD 948 AL			
				1.86 RP 6804	RAMP 4 FR MD 948 AL TO IS 68			
				1.90 SR 33	FORESTY CT	2	20I	
				2.00 SR 10	GREEN RIDGE STATE FOREST	2	34I	
				2.02 CO 570	M V SMITH RD (AHEAD)			

\*\*\*\*\*

ROUTE NUMBER.....MD 948AM  
INVENTORY DIRECTION....WEST  
NAME: FLINTSTONE DR

SECONDARY R	RUR-LOCAL	UNDIVIDED	NONE	0.00 CO 740	BLACK VALLEY RD (BACK)	2	22I	
				0.00 CO 505	FLINTSTONE CREEK RD			
				0.00 MD 948AO	BLACK VALLEY RD			
				0.13	ENT TO PARK & RIDE			
				0.25 RP 6805	RAMP 5 FR IS 68 TO MD 948 AM			
				0.25	EXIT #56			
				0.26 RP 6807	RAMP 7 FR MD 948 AM TO IS 68			
				0.61	ROAD END			

\*\*\*\*\*

ROUTE NUMBER.....MD 948AO  
INVENTORY DIRECTION....SOUTH  
NAME: BLACK VALLEY RD

SECONDARY R	RUR-MINOR COLLECTOR	UNDIVIDED	NONE	0.00 CO 505	FLINTSTONE CREEK RD (BACK)	2	20I	999
				0.00 CO 740	BLACK VALLEY RD			
				0.00 MD 948AM	FLINTSTONE DR			
				0.19 IS 68	NATIONAL FREEWAY	2	24I	
				0.19	STRUC #1077			
				0.31 MD 144	OLD NATIONAL PIKE			
				0.31 CO 848	MURLEYS BRANCH RD (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 948C  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	RUR-LOCAL	UNDIVIDED	NONE	0.00 MD 144	NATIONAL PIKE	2	26I	
				0.02 RP 6807	RAMP 7 FR MD 948 C TO IS 68	2	22I	
				0.15		2	14I	
				0.17		2	12E	
				0.39	ROAD END			

\*\*\*\*\*

ROUTE NUMBER.....MD 948M  
INVENTORY DIRECTION....WEST  
NAME: W WILSON RD

SECONDARY R	RUR-LOCAL	UNDIVIDED	NONE	0.00 MD 144	NATIONAL PIKE	2	22I	99
				0.07		2	22H	
				0.37		2	28H	
				0.44 CO 502	STREET RD			
				0.44 CO 501	WEST WILSON RD (AHEAD)			

\*\*\*\*\*

ROUTE NUMBER.....MD 948Y  
INVENTORY DIRECTION....NORTH  
NAME: HIGH GERMANY RD

SECONDARY R	RUR-LOCAL	UNDIVIDED	NONE	0.00 US 40SC	NATIONAL PIKE	2	24I	
				0.03 RP 6806	RAMP 6 FR IS 68 TO MD 948 Y			
				0.03 RP 6804	RAMP 4 FR MD 948 Y TO IS 68			
				0.07 IS 68	NATIONAL FREEWAY			
				0.07	STRUC #1128			
				0.07	EXIT #72			
				0.11 RP 6802	RAMP 2 FR IS 68 TO MD 948 Y			
				0.29 RP 6808	RAMP 8 FR MD 948 Y TO IS 68			
				0.35 CO 601	EARTH RD			
				0.37	STRUC #W0011 SIDELING HILL CREEK			
				0.37	WASHINGTON CO/L			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 949  
INVENTORY DIRECTION...NORTH  
NAME: W BRADDOCK RD

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	URB-LOCAL	UNDIVIDED	NONE	0.00	CO 331 CLUBHOUSE RD (BACK)	2	24I	99
				0.00	MD 658 VOCKE RD			
				0.05	SPEED LIMIT 30 MPH			
				0.56	ROAD END			

\*\*\*\*\*

ROUTE NUMBER.....MD 949A  
INVENTORY DIRECTION...EAST  
NAME: NO NAME

SECONDARY R	URB-LOCAL	UNDIVIDED	NONE	0.00	MD 53 WINCHESTER RD	2	26I	
				0.12	ROAD END			

\*\*\*\*\*

ROUTE NUMBER.....MD 951  
INVENTORY DIRECTION...NORTH  
NAME: VINE ST

SECONDARY R	URB-LOCAL	UNDIVIDED	NONE	0.00	OP 444 MRI RD (BACK)	2	18I	99
				0.00	MD 53 WINCHESTER RD			
				0.02	OP 85 OLEANDER DR	2	20I	
				0.07	CO 280 FERN ST			
				0.21	OP 84 VINE ST			
				0.23	MD 53 WINCHESTER RD			

\*\*\*\*\*

ROUTE NUMBER.....MD 952  
INVENTORY DIRECTION...NORTH  
NAME: HILLCREST DR

SECONDARY R	URB-LOCAL	UNDIVIDED	NONE	0.00	RP 6807 RAMP 7 FR IS 68 TO MD 952	2	24I	
				0.00	RP 6808 RAMP 8 FR MD 952 TO IS 68			
				0.04	OP 174 NO NAME			
				0.07		2	20I	
				0.12	BEG BR	2	22J	
				0.14	IS 68 NATIONAL FREEWAY			
				0.14	STRUC #1081			
				0.14	EXIT #45			
				0.16	END BR	2	20I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 952 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: HILLCREST DR

COUNTY-ALLEGANY  
SHA DISTRICT.....6  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	URB-LOCAL	UNDIVIDED	NONE	0.17	OP 175 NO NAME	2	20I	
				0.17	MD 952A RANNELLS RD			
				0.22	RP 6804 RAMP 4 FR MD 952 TO IS 68			
				0.22	RP 6806 RAMP 6 FR IS 68 TO MD 952			
				0.31	OP 176 NO NAME (AHEAD)			

\*\*\*\*\*

ROUTE NUMBER.....MD 952A  
INVENTORY DIRECTION....EAST  
NAME: RANNELLS RD

SECONDARY R	URB-LOCAL	UNDIVIDED	NONE	0.00	MD 952 HILLCREST DR	2	20I	
				0.00	OP 175 NO NAME			
				0.08		2	16I	
				0.11		2	20I	
				0.12	AERIE RD			
				0.18		2	10I	
				0.37	ROAD END			

\*\*\*\*\*

ROUTE NUMBER.....MD 956  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

SECONDARY R	RUR-MAJOR COLLECTOR	UNDIVIDED	NONE	0.00	US 220 MCMULLEN HWY	2	30I	7,050
				0.02	SPURS TO & FR US 220	2	24I	
				0.19	SPEED LIMIT 35 MPH			
				0.28	BEG BR			
				0.29	R/R #CSX 144 711 T			
				0.30	R/R #CSX 832 496 H			
				0.30	STRUC #1097			
				0.33	END BR			
				0.43	BEG BR			
				0.48	STRUC #1098 POTOMAC RIVER			
				0.48	WEST VIRGINIA ST/L			
				0.53	END STRUCTURE IN WEST VIRGINIA			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK