

2000

Calendar Year

HIGHWAY LOCATION REFERENCE

ALL INTERSECTIONS

Data as of December 31, 2000


WASHINGTON

COUNTY

SHA DISTRICT #6

W





PENNSYLVANIA

PENNSYLVANIA

ALLEGANY COUNTY

FREDERICK COUNTY

WEST VIRGINIA

HAGERSTOWN

LEGEND

- ==== Multi Lane Divided Highway
Access Fully Controlled
- ==== Multi Lane Divided Highway
- ==== Undivided Highway
- ==== Local Highway

This map is intended for use as a reference only.
 For more detailed maps, please contact:
 Highway Information Services Division,
 Highway Mapping Team at:
 410-545-8747 or
 by email to maps@sha.state.md.us

**WASHINGTON COUNTY
 HIGHWAY LOCATION
 REFERENCE MAP**

2000

PREPARED BY THE
Maryland Department of Transportation
 STATE HIGHWAY ADMINISTRATION
 HIGHWAY INFORMATION SERVICES DIVISION

0 4 MILES

ROUTE ALERT LIST

WASHINGTON COUNTY

Note: Entire county re-inventoried in 2000. Check all routes for mileage change.

MARYLAND STATE HIGHWAY ADMINISTRATION
HIGHWAY INFORMATION SERVICES DIVISION
STATE MAINTAINED HIGHWAYS ON THE NATIONAL HIGHWAY SYSTEM
AS OF DECEMBER 31, 2000

WASHINGTON COUNTY

| ROUTE | BEGIN MILEPOINT | BEGIN DESCRIPTION | END MILEPOINT | END DESCRIPTION |
|--------------|----------------------------|-----------------------------|--------------------------|---------------------------------------|
| IS 68 | 0.00 | ALLEGANY CO/L | 9.04 | IS 70 EISENHOWER MEMORIAL HWY (AHEAD) |
| IS 70 | 0.00 | PENNSYLVANIA ST/L | 38.33 | FREDERICK CO/L |
| IS 81 | 0.00 | WEST VIRGINIA ST/L | 12.08 | PENNSYLVANIA ST/L |
| US 340 | 0.00 | BEGIN STRUCTURE IN VIRGINIA | 2.27 | FREDERICK CO/L |

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 11
INVENTORY DIRECTION....NORTH
NAME: POTOMAC ST

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|--------------------|--------------------|-----------|---------------|-----------|----------------------------------|--------------|---------------------|--------|
| SECONDARY R | URB-MINOR ARTERIAL | UNDIVIDED | NONE | 0.00 | WEST VIRGINIA ST/L | 2 | 30J | 6,750 |
| | | | | 0.00 | BEG BR | | | |
| | | | | 0.13 | SPEED LIMIT 25 MPH | | | |
| | U | | | 0.17 | IN CORP LMTS WILLIAMSPORT | | | |
| | | | | 0.31 | R/R #CSX 832 398 S | | | |
| | | | | 0.31 | STRUC #21001 POTOMAC RIVER | | | |
| MUNICIPAL | | | | 0.33 | END BR | 2 | 30I | |
| | | | | 0.33 | END STATE MAINTENANCE | | | |
| | | | | 0.33 | BEGIN MUNICIPAL MAINTENANCE | | | |
| | | | | 0.34 | SPUR TO COMMERCE ST | | | |
| | | | | 0.35 | MU 60 COMMERCE ST | | | |
| | | | | 0.36 | SPUR FR COMMERCE ST | | | |
| | | | | 0.39 | MU 140 POTOMAC ST | 2 | 50I | |
| | | | | 0.41 | MU8090 ALLEY #9 | | | |
| | | | | 0.47 | MU8100 ALLEY #10 | | | |
| | | | | 0.49 | MU 220 N VERMONT ST | | | |
| | | | | 0.52 | MU8110 ALLEY #11 | | | |
| | | | | 0.60 | MU8120 ALLEY #12 | | | |
| | | | | 0.62 | MD 68 CONOCOCHHEAGUE ST | | | |
| | | | | 0.62 | MD 63 CONOCOCHHEAGUE ST | | | |
| | | | | 0.65 | MU8130 ALLEY #13 | | | |
| | | | | 0.71 | MU8190 ALLEY #19 | | | |
| | | | | 0.72 | MU8145 ALLEY #14 (#2) | | | |
| | | | | 0.75 | MU 20 S ARTIZAN ST | | | 21,050 |
| | | | | 0.75 | MD 63 N ARTIZAN ST | | | |
| | | | | 0.77 | MU8170 ALLEY #17 | 2 | 26I | |
| | | | | 0.78 | MU 135 PARK RD | | | |
| | | | | 0.92 | CO 504 PEACHTREE LA | | | |
| | | | | 1.07 | MU 200 SPRINGFIELD LA | | | |
| | | | | 1.08 | SPEED LIMIT 35 MPH | | | |
| | | | | 1.16 | CO 500 APPLETREE LA | | | |
| | | DIVIDED | | 1.25 | MU 55 N CLIFTON DR | | | |
| | | | | 1.25 | MU 50 PEARTREE LA | | | |
| | | | | 1.33 | MU 138 MILESTONE TERR | 3 | 36I | |
| | | | | 1.41 | | 3 | 37I | |
| SECONDARY R | | | | 1.46 | END MUNICIPAL MAINTENANCE | | | |
| NAME: VIRGINIA AVE | | | | 1.46 | | | | |
| | | | | 1.46 | BEGIN STATE MAINTENANCE | | | |
| | | | | 1.46 | OUT CORP LMTS WILLIAMSPORT | | | |
| | | | | 1.47 | RP 8106 RAMP 6 FR US 11 TO IS 81 | | | |
| | | | | 1.49 | | 4 | 48I | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 11 CONTINUED
INVENTORY DIRECTION....NORTH
NAME: VIRGINIA AVE

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|--------------------|-----------|---------------|-----------|--------------------------------------|--------------|---------------------|--------|
| SECONDARY R | URB-MINOR ARTERIAL | DIVIDED | NONE | 1.51 | RP 8108 RAMP 8 FR IS 81 TO US 11 | 4 | 48I | 21,050 |
| | | | | 1.53 | RP 8107 RAMP 7 FR US 11 TO RAMP 6 | | | |
| | | | | 1.54 | SPEED LIMIT 40 MPH | | | |
| | | | | 1.60 | RP 8105 RAMP 5 FR RAMP 8 TO US 11 | | | |
| | | | | 1.65 | BEG BR | 4 | 54I | |
| | URB-OTHER PRIN ART | | | 1.67 | IS 81 MARYLAND VETERANS MEMORIAL HWY | | | 14,250 |
| | | | | 1.67 | STRUC #21083 | | | |
| | | | | 1.67 | EXIT #2 | | | |
| | | | | 1.71 | END BR | | | |
| | | | | 1.73 | RP 8103 RAMP 3 FR US 11 TO IS 81 | 4 | 48I | |
| | | | | 1.83 | RP 8101 RAMP 1 FR RAMP 4 TO US 11 | | | |
| | | | | 1.86 | RP 8102 RAMP 2 FR US 11 TO IS 81 | | | |
| | | | | 1.89 | RP 8104 RAMP 4 FR IS 81 TO US 11 | | | |
| | | | | 2.00 | CO 681 BROOKMEADE DR | 2 | 36I | |
| | | | | 2.05 | | 2 | 28I | |
| | | | | 2.10 | CO 793 HOFFMAN DR | | | |
| | | | | 2.11 | CO 667 GOVERNOR LANE BLVD | | | |
| | | | | 2.12 | SPUR FR GOVERNOR LANE BLVD | | | |
| | | UNDIVIDED | | 2.14 | | 2 | 24I | |
| | | | | 2.35 | CO 794 TAMMANY LA | | | |
| | | | | 2.35 | CO 495 VAN LEAR DR | | | |
| | | | | 2.39 | CO 493 TAMMANY LA | | | |
| | | | | 2.55 | CO 490 DONELSON DR | | | |
| | | | | 2.65 | CO 710 ARCHER LA | | | |
| | | | | 2.72 | CO 711 WILCOX DR | | | |
| | | | | 2.81 | CO 791 HAMPTON RD | | | |
| | | | | 2.88 | IS 70 EISENHOWER MEMORIAL HWY | | | |
| | | | | 2.88 | STRUC #21112 | | | |
| | | | | 3.20 | CO 487 HICKORY SCHOOL RD | | | |
| | | | | 3.30 | SPEED LIMIT 30 MPH | | | |
| | | | | 3.43 | CO 486 BECKLEY RD | | | |
| | | | | 3.45 | R/R #CR 534 903 M | | | |
| | | | | 3.49 | CO 453 BOWER AVE | | | |
| | | | | 3.57 | CO 454 DECKER AVE | | | |
| | | | | 3.61 | CO 839 MASSEY BLVD | | | |
| | | | | 3.79 | CO 456 COFFMAN AVE | | | |
| | | | | 3.84 | CO 471 NURSERY RD | | | |
| | | | | 3.88 | CO 458 ROESSNER AVE | | | |
| | | | | 3.89 | CO 437 LEXINGTON AVE | | | |
| | | | | 3.98 | CO 443 LINCOLN AVE | | | |
| | | | | 4.06 | CO 859 CEMETERY LA | | | |
| | | | | 4.06 | CO 442 ACME RD | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 11 CONTINUED
INVENTORY DIRECTION....NORTH
NAME: VIRGINIA AVE

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|--------------------|--------------------|-----------|---------------|-------------|-----------------------------|--------------|---------------------|--------|
| SECONDARY R | URB-OTHER PRIN ART | CTL | NONE | 4.25 CO 790 | OAK RIDGE DR | 2 | 24I | 14,250 |
| | | | | 4.25 CO 431 | MARBERN RD | | | |
| | | | | 4.42 CO 666 | HALFWAY BLVD | | | |
| | | | | 4.47 | SPUR TO HALFWAY BLVD | | | |
| | | UNDIVIDED | | 4.49 CO 429 | GLENSIDE AVE | | | |
| | | | | 4.58 CO 420 | GREENBERRY RD | | | |
| | | | | 4.66 | AMBER DR | | | |
| | | | | 4.70 CO 419 | ENGLEWOOD RD | | | |
| | | | | 4.80 CO 418 | LINWOOD AVE | | | |
| | | | | 4.89 CO 417 | HARWOOD RD | | | |
| | | | | 4.99 CO 415 | ELMWOOD RD | | | |
| | | | | 5.09 CO 414 | ARMSTRONG AVE | | | |
| U | | | | 5.17 | IN CORP LMTS HAGERSTOWN | | | |
| | | | | 5.20 MU1520 | MARION ST | | | |
| | | | | 5.29 MU1710 | MOLLER AVE | | | |
| | | | | 5.32 MU7160 | ALLEY #216 | 3 | 38I | |
| | | | | 5.38 MU7170 | ALLEY #217 | | | |
| MUNICIPAL | | | | 5.40 MU1780 | NOLAND DR | | | |
| | | | | 5.40 | END STATE MAINTENANCE | | | |
| | | | | 5.40 | BEGIN MUNICIPAL MAINTENANCE | | | |
| | | | | 5.44 MU2240 | SNYDER AVE | 4 | 48I | |
| | | DIVIDED | | 5.47 | | | | |
| | | | | 5.56 | R/R #NW 469 311 A | | | |
| | | | | 5.56 | STRUC #WH023 | | | |
| | | | | 5.58 | SPUR TO BURHANS BLVD | | | |
| | URB-MINOR ARTERIAL | | | 5.61 MU2430 | VIRGINIA AVE | | | |
| NAME: BURHANS BLVD | | | | 5.61 | | | | |
| | | | | 5.61 MU2600 | WILSON BLVD | | | |
| | | | | 5.68 | STRUC #WH024 | | | |
| | | UNDIVIDED | | 5.75 MU 301 | OLD BURHANS BLVD | 2 | 34I | |
| | | | | 5.82 MU2220 | SHERMAN AVE | 3 | 48I | |
| | | | | 6.02 | | 2 | 34I | |
| | | | | 6.10 | R/R #CR 534 899 A | | | |
| | | | | 6.10 | STRUC #WH021 | | | |
| | | | | 6.30 | R/R #CR 534 898 T | | | |
| | | | | 6.30 | STRUC #WH022 | | | |
| | | | | 6.39 MU2547 | WESEL BLVD | | | |
| | | | | 6.49 MU 450 | CLAIR ST | 2 | 27I | |
| | | | | 6.59 MU 390 | CENTER ST | | | |
| | | | | 6.70 MU 420 | CHASE ST | | | |
| | | | | 6.73 | SPUR FR RIDGE ST | | | |
| | | | | 6.75 MU2120 | RIDGE ST | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 11 CONTINUED
INVENTORY DIRECTION....NORTH
NAME: BURHANS BLVD

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|------------------------|--------------------|-----------|---------------|-----------|------------------------------------|--------------|---------------------|--------|
| MUNICIPAL U | URB-MINOR ARTERIAL | UNDIVIDED | NONE | 6.78 | R/R #CSX 832 385 R | 2 | 27I | 14,250 |
| | | DIVIDED | | 6.84 | MU 720 ELGIN BLVD | 2 | 26I | |
| | | | | 6.84 | MU1340 LANVALE ST | | | |
| | | UNDIVIDED | | 6.88 | KUSHMANS ALLEY | 4 | 48I | |
| | | | | 6.90 | SPEED LIMIT 25 MPH | | | |
| | | | | 6.91 | MU 740 ELIZABETH ST | | | |
| | | | | 6.98 | MU1460 MADISON AVE | | | |
| | | | | 7.21 | MU 30 W ANTIETAM ST | | | |
| | | | | 7.27 | US 40 WASHINGTON AVE/WASHINGTON ST | | | |
| | | | | 7.32 | MU2490 WAREHAM PL | | | |
| | | | | 7.37 | US 40 (WB/L) FRANKLIN ST | | | 17,850 |
| | | | | 7.40 | MU5320 ALLEY #32 | | | |
| | | | | 7.42 | MU 910 GEORGE ST | | | |
| | | | | 7.45 | MU5460 ALLEY #46 | | | |
| | | | | 7.46 | SPUR FR CHURCH ST | | | |
| | | | | 7.48 | MU 440 CHURCH ST | 2 | 58I | |
| | | | | 7.48 | MU2200 SALEM AVE | | | |
| | | | | 7.55 | MU 540 COOK ST | | | |
| | | | | 7.59 | SPEED LIMIT 30 MPH | | | |
| | | | | 7.61 | MU1630 MECHANIC ST | 2 | 24I | |
| | | | | 7.78 | R/R #CR 534 892 C | | | |
| | | | | 7.78 | STRUC #WH051 | | | |
| | | | | 7.80 | | 2 | 28I | |
| | | | | 8.04 | | 2 | 34I | |
| | | | | 8.16 | MU1690 MITCHELL AVE | | | |
| | | | | 8.16 | MU1930 PARK LA | | | |
| | | | | 8.28 | MU1050 HILLCREST AVE | | | |
| | URB-OTHER PRIN ART | | | 8.31 | MU1960 PENNSYLVANIA AVE | 2 | 50I | |
| NAME: PENNSYLVANIA AVE | | | | 8.31 | | | | |
| | | DIVIDED | | 8.41 | MU1180 W IRVIN AVE | 2 | 52I | |
| | | | | 8.56 | | 2 | 34I | |
| | | | | 8.64 | MU 120 BEECHWOOD DR | 2 | 36I | |
| | | UNDIVIDED | | 8.73 | | 2 | 56I | |
| | | | | 8.78 | MU 790 FAIRVIEW RD | | | |
| SECONDARY | | | | 8.81 | END MUNICIPAL MAINTENANCE | | | |
| | | | | 8.81 | BEGIN STATE MAINTENANCE | | | |
| | | | | 8.85 | SPEED LIMIT 35 MPH | | | |
| | | | | 8.87 | MU1000 HAVEN RD | | | |
| | R | CTL | | 8.89 | OUT CORP LMITS HAGERSTOWN | 2 | 24I | |
| NAME: MIDDLEBURG PIKE | | | | 8.89 | | | | |
| | | | | 9.07 | SPUR TO NORTHERN AVE | | | |
| | | | | 9.10 | MU1810 NORTHERN AVE | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 11 CONTINUED
INVENTORY DIRECTION...NORTH
NAME: MIDDLEBURG PIKE

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|--------------------|-----------|---------------|-----------|-----------------------------|--------------|---------------------|--------|
| SECONDARY R | URB-OTHER PRIN ART | CTL | NONE | 9.12 | SPUR FR NORTHERN AVE | 2 | 24I | 17,850 |
| | | | | 9.26 | CO 192 CRESTWOOD DR | | | |
| | | | | 9.29 | CO 209 CROFTON RD | | | |
| | | | | 9.35 | OP 42 NO NAME | | | |
| | | | | 9.51 | SPUR TO CLUB RD | | | |
| | | | | 9.53 | CO 201 CLUB RD | | | |
| | | | | 10.07 | CO1135 NORTH POINTE DR | | | |
| | | | | 10.15 | CO 161 APRIL ST | | | |
| | | UNDIVIDED | | 10.23 | CO 146 MAUGANS AVE | | | 16,050 |
| | | | | 10.23 | CO 179 LONGMEADOW RD | | | |
| | | | | 10.42 | SPEED LIMIT 40 MPH | | | |
| | | | | 10.43 | CO 162 ORCHARD HILLS PKWY | | | |
| | | | | 10.57 | OP 397 CAROLYN ST | | | |
| | | | | 10.58 | OP 96 NO NAME | | | |
| | | | | 10.60 | OP 398 NORTHAVEN ST | | | |
| | | | | 10.69 | OP 396 AMANDA LA | | | |
| | | | | 10.80 | OP 102 NO NAME | | | |
| | | | | 10.85 | CO 648 NORTHRIDGE DR | | | |
| | | | | 11.04 | OP 175 MESA TERR | | | |
| | | | | 11.36 | CO 168 SHOWALTER RD | | | |
| | | | | 11.37 | CO 140 SHOWALTER RD | | | 7,450 |
| | | | | 11.37 | OP 282 ACCESS TO FORTNEY DR | | | |
| | | | | 11.45 | CO 170 BASORE DR | | | |
| | | | | 11.45 | OP 281 FORTNEY DR | | | |
| | | | | 11.86 | CO 171 AIRVIEW RD | | | |
| | | | | 12.06 | CO 855 BYERS RD | | | |
| | | | | 12.19 | CO 173 JARKEY DR | | | |
| | | | | 12.19 | CO 820 INDUSTRY DR | | | |
| | | | | 12.30 | CO 173 JARKEY DR | | | |
| | | | | 12.30 | SPEED LIMIT 35 MPH | | | |
| | | | | 12.44 | SPUR TO INDUSTRY LA | | | |
| | | | | 12.46 | CO 820 INDUSTRY DR | | | |
| | | | | 12.46 | CO1022 HENSON BLVD | | | |
| | | | | 12.47 | SPUR FR INDUSTRY LA | | | |
| | | | | 12.65 | SPUR FR BREEZE HILL DR | | | |
| | | | | 12.66 | CO1030 BREEZE HILL DR | | | |
| | | | | 12.83 | PENNSYLVANIA ST/L | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 34
INVENTORY DIRECTION....EAST
NAME: SHEPHERDSTOWN PIKE

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|--------------------------|--------------------|-----------|---------------|-----------|----------------------------------|--------------|---------------------|-------|
| SECONDARY R | RUR-MINOR ARTERIAL | UNDIVIDED | NONE | 0.00 | BEGIN STRUCTURE IN WEST VIRGINIA | 2 | 24I | 6,000 |
| | | | | 0.01 | WEST VIRGINIA ST/L | | | |
| | | | | 0.10 | STRUC #21002 POTOMAC RIVER | | | |
| | | | | 0.20 | END BR | 2 | 20I | |
| | | | | 0.36 | SPEED LIMIT 50 MPH | | | |
| | | | | 0.38 | CO 579 CANAL RD | 2 | 23I | |
| | | | | 0.61 | | 2 | 24I | |
| | | | | 1.45 | OP 179 NO NAME | | | |
| | | | | 1.56 | R/R #NW 469 339 R | | | |
| | | | | 1.80 | OP 179 NO NAME | | | |
| | | | | 2.15 | SPEED LIMIT 30 MPH | | | |
| | | | | 2.48 | IN CORP LMITS SHARPSBURG | | | |
| | | | | 2.55 | RANCH LA | | | |
| | | | | 2.57 | SPEED LIMIT 25 MPH | | | |
| | | | | 2.63 | CO 920 GEN ROBERT E LEE DR | | | |
| | | | | 2.94 | | 2 | 40I | |
| NAME: W MAIN ST | | | | 3.05 | MU8090 ALLEY #9 | | | |
| | | | | 3.10 | MU 110 POTOMAC ST N & S | 2 | 36I | |
| | | | | 3.19 | MU8070 ALLEY #7 | | | |
| | | | | 3.27 | MU 50 HALL ST N & S | | | |
| | | | | 3.35 | MU8060 ALLEY #6 | | | |
| | | | | 3.40 | | 2 | 40I | |
| NAME: E MAIN ST | | | | 3.42 | MU 90 N MECHANIC ST | | | |
| | | | | 3.42 | MU 100 S MECHANIC ST | | | |
| | | | | 3.45 | MU8150 ALLEY #15 | | | |
| | | | | 3.48 | MU8140 ALLEY #14 | | | |
| | | | | 3.49 | MU8050 ALLEY #5 | | | |
| | | | | 3.57 | MD 65 N CHURCH ST | | | 4,900 |
| | | | | 3.57 | MU 30 S CHURCH ST | | | |
| | | | | 3.64 | MU8020 ALLEY #2 | 2 | 38I | |
| | | | | 3.70 | MU8170 ALLEY #1 A | | | |
| | | | | 3.72 | | 2 | 40I | |
| | | | | 3.77 | MU8160 TRUMAN LA | | | |
| | | | | 3.87 | | 2 | 24I | |
| | | | | 3.90 | OUT CORP LMITS SHARPSBURG | | | |
| NAME: SHEPHERDSTOWN PIKE | | | | 3.90 | | | | |
| | | | | 3.95 | SPEED LIMIT 35 MPH | | | |
| | | | | 4.16 | GV 17 RICHARDSON AVE | | | |
| | | | | 4.16 | GV 29 RODMAN AVE | | | |
| | | | | 4.24 | SPEED LIMIT 50 MPH | | | |
| | | | | 4.35 | CO 996 NO NAME | | | |
| | | | | 4.47 | SPUR FR CO 996 | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 34 CONTINUED
INVENTORY DIRECTION....EAST
NAME: SHEPHERDSTOWN PIKE

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|------------------|--------------------|-----------|---------------|-----------|------------------------------------|--------------|---------------------|-------|
| SECONDARY R | RUR-MINOR ARTERIAL | UNDIVIDED | NONE | 4.75 | BEG BR | 2 | 24I | 4,900 |
| | | | | 4.77 | STRUC #21003 ANTIETAM CREEK | | | |
| | | | | 4.80 | END BR | | | |
| | | | | 5.04 | CO 588 PORTERSTOWN RD | | | |
| | | | | 6.04 | CO1011 PLANTERS LA | | | |
| U | | | | 6.39 | IN CORP LMNTS KEEDYSVILLE | | | |
| | | | | 6.39 | MD 845A S MAIN ST | | | |
| | | | | 6.39 | CO 565 KEEDYSVILLE RD | | | |
| | | | | 6.58 | STRUC #21050 LITTLE ANTIETAM CREEK | | | |
| | | | | 6.78 | MU 30 COFFMAN FARMS RD | | | |
| | | | | 7.41 | MU 120 TAYLOR DR | | | |
| | | | | 7.61 | MD 845A KEEDY DR | | | |
| R | | | | 7.66 | OUT CORP LMNTS KEEDYSVILLE | | | |
| | | | | 7.99 | CO 545 WHEELER RD | | | |
| | | | | 8.01 | HUFFER LA | | | |
| | | | | 8.55 | STRUC #21044 LITTLE ANTIETAM CREEK | | | |
| | | | | 8.92 | CO 543 MONROE RD | | | 5,800 |
| | | | | 9.00 | SPEED LIMIT 40 MPH | | | |
| U | | | | 9.03 | IN CORP LMNTS BOONSBORO | | | |
| NAME: POTOMAC ST | | | | 9.03 | | | | |
| | | | | 9.21 | MU 35 CHESTNUT AVE | | | |
| | | | | 9.25 | STRUC #21005 BEAVER CREEK | | | |
| | | | | 9.46 | CO 597 KING RD | | | |
| | | | | 9.50 | SPEED LIMIT 25 MPH | 2 | 27I | |
| | | | | 9.56 | MU 85 MONUMENT DR | 2 | 28I | |
| | | | | 9.62 | MU8110 ALLEY #11 | | | |
| | | | | 9.66 | MU8170 SINNISEN DR | 2 | 20I | |
| | | | | 9.72 | MU8120 ALLEY #12 | | | |
| | | | | 9.80 | MU 120 PARK DR | | | |
| | | | | 9.84 | MU 20 CEMETERY LA | | | |
| | | | | 9.87 | | 2 | 29I | |
| | | | | 9.89 | MU 140 PARK LA | | | |
| | | | | 9.89 | MU8080 REEDERS ALLEY | | | |
| | | | | 9.95 | US 40AL MAIN ST N&S | | | |
| | | | | 9.95 | MU 160 ST PAUL ST (AHEAD) | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 34A
INVENTORY DIRECTION....NORTH
NAME: N. MAIN ST

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|------------------|-----------|---------------|--------------|---------------------------|--------------|---------------------|------|
| SECONDARY U | RUR-LOCAL | UNDIVIDED | NONE | 0.00 MD 845A | KEEDY DR/N MAIN ST | 2 | 20I | |
| R | | | | 0.10 | OUT CORP LMTS KEEDYSVILLE | | | |
| | | | | 0.13 | ROAD END | | | |

ROUTE NUMBER.....US 40
INVENTORY DIRECTION....EAST
NAME: NATIONAL PIKE

| | | | | | | | | |
|-----------|---------------------|-----------|------|-------|---------------------------------------|---|-----|-------|
| | | | | 0.00 | ALLEGANY CO/L | | | |
| | | | | 0.00 | BEGIN IS 68 | | | |
| | | | | 9.04 | END IS 68 | | | |
| | | | | 9.04 | IS 70 EISENHOWER MEMORIAL HWY (AHEAD) | | | |
| SECONDARY | RUR-MAJOR COLLECTOR | DIVIDED | NONE | 17.20 | IS 70 EISENHOWER MEMORIAL HWY (BACK) | 3 | 40I | 1,550 |
| | | | | 17.20 | EXIT #9 | | | |
| | | | | 17.40 | BEG BR | 3 | 44I | |
| | | | | 17.43 | IS 70 EISENHOWER MEMORIAL HWY | | | |
| | | | | 17.43 | STRUC #21093 | | | |
| | | | | 17.45 | END BR | | | |
| | | | | 17.46 | SPUR TO US 40 (WB/L) | | | |
| | | UNDIVIDED | | 17.51 | US 40 (WB/L) | 2 | 22I | |
| | | | | 17.63 | SPEED LIMIT 50 MPH | | | |
| | | | | 17.65 | CO 966 MILE MARKER LA | | | |
| | | | | 17.66 | BEG BR | | | |
| | | | | 17.69 | STRUC #21010 LICKING CREEK | | | |
| | | | | 17.72 | END BR | | | |
| | | | | 18.02 | CO 53 LICKING CREEK RD | | | |
| | | | | 19.33 | SPUR TO ERNSTVILLE RD | | | |
| | | | | 19.35 | CO 64 ERNSTVILLE RD | 2 | 24I | |
| | | | | 20.15 | CO1185 BIG POOL RD | | | 3,250 |
| | | | | 20.28 | CO 48 INDIAN SPRINGS RD | | | |
| | | | | 20.87 | | 3 | 36I | |
| | | | | 21.19 | CO 60 FUNKHOUSER RD | | | |
| | | | | 21.31 | CO 70 COVE RD | | | |
| | | | | 22.05 | | 3 | 48I | |
| | | | | 22.22 | | 3 | 36I | |
| | | | | 22.80 | CO 102 ORE BANK RD | | | |
| | | | | 22.86 | FORREST HILL RD | | | |
| | | | | 22.97 | BAKERS LA | | | |
| | | | | 23.23 | OP 12 NO NAME | | | |
| | | | | 23.34 | | 2 | 24I | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 40 CONTINUED
INVENTORY DIRECTION....EAST
NAME: NATIONAL PIKE

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|---------------------|----------|---------------|--------------|-----------------------------------|--------------|---------------------|--------|
| SECONDARY R | RUR-MAJOR COLLECTOR | UNDIVID | NONE | 23.90 | SPEED LIMIT 25 MPH | 2 | 24I | 3,250 |
| | | | | 24.15 CO 75 | BOYD RD | | | |
| | | | | 24.21 CO 112 | NESBIT AVE | | | |
| | | | | 24.22 CO 756 | BROADFORDING RD | | | |
| | | | | 24.30 | IN CORP LMTS CLEAR SPRING | | | |
| | | | | 24.30 | | | | |
| | | | | 24.30 MU 100 | S HAWBAKER CIR | | | |
| | | | | 24.31 MU 50 | N HAWBAKER CIR | 2 | 22I | |
| | | | | 24.42 MU 10 | MARTIN ST | | | |
| | RUR-MINOR ARTERIAL | | | 24.60 MD 68 | S MILL ST | | | 4,600 |
| | | | | 24.60 MU 30 | MILL ST | | | |
| | | | | 24.62 | SPUR FR MD 68 | | | |
| | | | | 24.71 MU 100 | S HAWBAKER CIR | | | |
| | | | | 24.72 | OUT CORP LMTS CLEAR SPRING | 2 | 23I | |
| | | | | 24.72 | | | | |
| | | | | 24.72 MU 50 | N HAWBAKER CIR | | | |
| | | | | 24.90 | SPEED LIMIT 50 MPH | | | |
| | | | | 25.00 | | 2 | 24I | |
| | | | | 25.13 | TRINITY CHURCH DR | | | |
| | | | | 25.88 | STRUC #21011 CONOCOCHIEAGUE CREEK | | | |
| | | | | 26.03 CO 819 | COHILL RD | | | |
| | | | | 26.03 CO 818 | ASHTON RD | | | |
| | | | | 26.20 OP 13 | SHADY BOWER LA | | | |
| | | | | 26.72 CO1264 | GARROW DR | | | |
| | | | | 26.92 CO 104 | KNEPPER RD | | | |
| | | | | 27.00 MD 57 | ST PAUL RD | | | 14,450 |
| | | | | 27.10 CO 88 | ST PAUL RD | | | |
| | | | | 27.58 | SPARROW LA | | | |
| | | | | 27.62 | CLEARBROOK LA | | | |
| | | | | 27.73 CO 80 | SPICKLER RD | | | |
| | | | | 28.65 CO 86 | RUFUS WILSON RD | | | |
| | | | | 28.79 CO 758 | CEDAR RIDGE RD | | | |
| | | | | 28.79 CO 81 | ROCKDALE RD | | | |
| | | | | 28.87 CO 84 | INDEPENDENCE RD | | | |
| | | | | 28.88 | BEG BR | | | |
| | | | | 28.92 | STRUC #21012 CONOCOCHIEAGUE CREEK | | | |
| | | | | 28.96 | END BR | | | |
| | | | | 29.00 CO 107 | GATEWAY AVE | | | |
| | | | | 29.04 | SPUR TO STONE BRIDGE DR | | | |
| | | | | 29.09 CO 106 | STONE BRIDGE DR | | | |
| | | | | 29.20 CO 108 | BLOYERS AVE | | | |
| | | | | 29.49 CO 111 | WALNUT POINT WEST | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 40 CONTINUED
INVENTORY DIRECTION....EAST
NAME: NATIONAL PIKE

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|----------------------|--------------------|-----------|---------------|-----------|--------------------------------------|--------------|---------------------|--------|
| SECONDARY R | RUR-MINOR ARTERIAL | UNDIVIDED | NONE | 29.82 | OP 261 DEER LODGE DR | 2 | 24I | 14,450 |
| | | | | 30.10 | CO 951 LEARNING LA | | | |
| | | | | 30.16 | OP 387 SCENIC VALLEY LA | | | |
| | | | | 30.29 | CO 110 WALNUT POINT RD | | | |
| | | | | 30.42 | EARTH CARE RD | | | |
| | | | | 30.78 | OP 388 KNIGHT MEADOW DR | | | |
| | | | | 31.06 | OP 389 SMITHFIELD FARM LA | | | |
| | | | | 31.38 | CO 134 BROOKFIELD AVE | | | |
| | | | | 31.54 | MD 63 GREENCASTLE PIKE | | | 12,418 |
| | | | | 31.58 | CO 967 HUYETT LA | | | |
| | | | | 31.95 | OP 390 RYELAND LA | | | |
| | | | | 32.12 | ATR STATION #0002 | | | |
| | | | | 32.58 | OP 391 BURKHOLDER LA | | | |
| | | DIVIDED | | 32.60 | | | | |
| | | | | 32.74 | SPUR TO MD 144WA | | | |
| | | | | 32.75 | MD 144WA WASHINGTON ST | | | |
| | | | | 32.81 | SPUR FR MD 144WA | | | |
| | | | | 32.83 | | 3 | 36I | |
| | | | | 32.87 | SPEED LIMIT 55 MPH | | | |
| | | | | 32.96 | | 4 | 48I | |
| | URB-OTHER PRIN ART | | | 33.18 | CO 120 MCDADE RD | | | |
| | | | | 33.18 | STRUC #21064 | | | |
| | | | | 33.81 | MU 405 CENTRE BLVD | | | |
| | | | | 34.00 | RP 8106 RAMP 6 FR US 40 TO IS 81 | | | |
| | | | | 34.10 | RP 8108 RAMP 8 FR IS 81 TO US 40 | | | |
| | | | | 34.13 | RP 8105 RAMP 5 FR IS 81 TO US 40 | | | |
| | | | | 34.22 | RP 8107 RAMP 7 FR US 40 TO IS 81 | | | |
| | | | FULL | 34.26 | IS 81 MARYLAND VETERANS MEMORIAL HWY | | | 17,800 |
| | | | | 34.26 | STRUC #21052 | | | |
| | | | | 34.26 | EXIT #6 | | | |
| | | | | 34.33 | RP 8103 RAMP 3 FR US 40 TO IS 81 | | | |
| | | | | 34.39 | RP 8101 RAMP 1 FR IS 81 TO US 40 | | | |
| | | | | 34.44 | RP 8104 RAMP 4 FR IS 81 TO US 40 | | | |
| | | | | 34.52 | RP 8102 RAMP 2 FR US 40 TO IS 81 | | | |
| | | | | 34.60 | SPUR TO WESTERN MARYLAND PKWY | | | |
| | | | | 34.64 | MD 910C WESTERN MARYLAND PKWY | | | |
| | | | | 34.65 | IN CORP LMTS HAGERSTOWN | | | |
| | | | | 34.66 | SPUR FR WESTERN MARYLAND PKWY | | | |
| | | | | 34.84 | SPEED LIMIT 35 MPH | | | |
| | | | NONE | 34.91 | MU1830 NOTTINGHAM RD | 6 | 76I | |
| NAME: WASHINGTON AVE | | | | 34.91 | | | | |
| | | | | 34.97 | SPEED LIMIT 25 MPH | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 40 CONTINUED
INVENTORY DIRECTION....EAST
NAME: WASHINGTON AVE

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|---------------------|--------------------|----------|---------------|--------------|-----------------------|--------------|---------------------|--------|
| SECONDARY U | URB-OTHER PRIN ART | DIVIDED | NONE | 34.99 MU 630 | DEVONSHIRE RD | 6 | 76I | 17,800 |
| | | | | 35.05 MU2460 | WAKEFIELD RD | | | |
| | | | | 35.11 MU5260 | ALLEY #26 | | | |
| | | | | 35.11 MU1895 | OXFORD CIR | | | |
| | | | | 35.15 MU 280 | BRYAN PL | 6 | 60I | |
| | | | | 35.18 MU5250 | ALLEY #25 | | | |
| | | | | 35.19 MU5270 | ALLEY #27 | | | |
| | | | | 35.22 MU2560 | WEST SIDE AVE | | | |
| | | | | 35.25 MU5120 | ALLEY #12 | | | |
| | | | | 35.30 MU 20 | ALEXANDER ST | | | |
| | | | | 35.38 MU2610 | WINTER ST | | | |
| | | | | 35.46 MU5620 | ALLEY #62 | | | |
| | | | | 35.46 MU2620 | WISE ST | | | |
| | | | | 35.49 | SPUR TO W ANTIETAM ST | | | |
| | | | | 35.53 MU5580 | ALLEY #58 | | | |
| | | | | 35.54 MU2500 | W WASHINGTON ST | | | |
| | | | | 35.56 MU1030 | HIGH ST | | | |
| NAME: WASHINGTON ST | | | | 35.66 US 11 | BURHANS BLVD | | | |
| | | | | 35.69 MU1610 | MCPHERSON ST | | | |
| | | | | 35.70 | R/R #CSX 831 843 Y | | | |
| | | | | 35.70 | STRUC #21066 | | | |
| | | | | 35.71 | R/R #CR 534 896 E | | | |
| | | | | 35.71 | STRUC #21056 | | | |
| | | | | 35.76 MU2470 | WALNUT ST | | | |
| | | | | 35.83 MU2030 | N PROSPECT ST | | | |
| | | | | 35.93 MU1230 | JONATHAN ST | | | |
| | | | | 35.93 MU2301 | SUMMIT AVE | | | |
| | | | | 35.97 MU5170 | ALLEY #17 | | | |
| | | | | 35.97 MU 565 | COURT PL | | | |
| | | | | 36.02 MU9110 | HOYERS ALLEY #9 | | | |
| | | | | 36.02 MU2130 | ROCHESTER PL | | | |
| | | | | 36.02 MU1530 | MARKET PL | | | |
| | | | | 36.08 MU2005 | POTOMAC ST | 5 | 52I | |
| | | | | 36.13 MU5200 | ALLEY #20 | | | |
| | | | | 36.13 MU9070 | CRAMER ALLEY | | | |
| | | | | 36.23 MU1430 | S LOCUST ST | | | |
| | | | | 36.25 MU5240 | ALLEY #24 | | | |
| | | | | 36.33 MU1760 | MULBERRY ST | | | |
| | | | | 36.37 MU5210 | ALLEY #21 | | | |
| | | | | 36.43 MU 330 | CANNON AVE N&S | 4 | 48I | |
| | | | | 36.46 MU5220 | ALLEY #22 | | | |
| | | | | 36.54 MU2510 | E WASHINGTON ST | | | |
| NAME: DUAL HWY | | | | 36.54 | | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 40 CONTINUED
INVENTORY DIRECTION....EAST
NAME: DUAL HWY

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|---------------------|---------------------|----------|---------------|-----------|----------------------------------|--------------|---------------------|--------|
| SECONDARY U | URB-OTHER PRIN ART | DIVIDED | NONE | 36.66 | SPUR TO CLEVELAND AVE | 4 | 48I | 17,800 |
| | | | | 36.68 | SPUR FR CLEVELAND AVE | | | |
| | | | | 36.71 | MU 480 CLEVELAND AVE | | | 26,250 |
| | | | | 36.71 | MD 64 CLEVELAND AVE | | | |
| | | | | 36.75 | SPUR FR CLEVELAND AVE | | | |
| | | | | 36.77 | SPUR TO CLEVELAND AVE | | | |
| | | | | 36.82 | SPEED LIMIT 35 MPH | | | |
| | | | | 36.98 | STRUC #21013 ANTIETAM CREEK | | | |
| | | | | 37.05 | MU1505 MANOR DR | | | |
| | | | | 37.05 | MU2372 TRACEYS LA #2 | | | |
| | | | | 37.33 | MU 705 EASTERN BLVD | | | |
| | | | | 37.35 | BEG BR | | | |
| | | | | 37.37 | STRUC #21014 ANTIETAM CREEK | | | |
| | | | | 37.39 | END BR | | | |
| | | | | 37.44 | CO 321 COLONIAL DR N&S | | | |
| | | | | 37.50 | SPEED LIMIT 45 MPH | | | |
| R | | | | 37.55 | OUT CORP LMTS HAGERSTOWN | | | |
| | | | | 37.60 | CO 391 CORNELL AVE | | | |
| | | | | 37.81 | CO 937 MT AETNA RD W | | | |
| | | | | 37.81 | OP 415 TULSA LA | | | |
| | | | | 37.89 | CO 310 MT AETNA RD | | | |
| | | | | 37.93 | CO 318 BEVERLY DR | | | 25,150 |
| | | | | 38.27 | CO 395 CREST VIEW RD | | | |
| U | | | | 38.40 | IN CORP LMTS HAGERSTOWN | | | |
| | | | | 38.51 | MU 710 EDGEWOOD DR | | | |
| | | | | 38.75 | CO 652 REDWOOD CIR | | | |
| R | | | | 39.05 | CO 398 DAY RD | | | |
| | | | | 39.05 | CO 787 EMMERT RD | | | |
| | | | | 39.05 | OUT CORP LMTS HAGERSTOWN | | | |
| | | | | 39.52 | RP 7002 RAMP 2 FR IS 70 TO US 40 | | | |
| | | | | 39.55 | RP 7008 RAMP 8 FR US 40 TO IS 70 | | | |
| | | | | 39.66 | RP 7007 RAMP 7 FR IS 70 TO US 40 | | | |
| | | | | 39.69 | RP 7001 RAMP 1 FR US 40 TO IS 70 | | | |
| | | | | 39.73 | BEG BR | | | |
| | RUR-MAJOR COLLECTOR | | | 39.75 | IS 70 EISENHOWER MEMORIAL HWY | | | 11,125 |
| NAME: NATIONAL PIKE | | | | 39.75 | | | | |
| | | | | 39.75 | STRUC #21123 | | | |
| | | | | 39.75 | EXIT #32 | | | |
| | | | | 39.78 | END BR | | | |
| | | | | 39.83 | RP 7005 RAMP 5 FR US 40 TO IS 70 | | | |
| | | | | 39.85 | RP 7003 RAMP 3 FR IS 70 TO US 40 | | | |
| | | | | 39.96 | RP 7006 RAMP 6 FR IS 70 TO US 40 | 3 | 36I | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 40 CONTINUED
INVENTORY DIRECTION....EAST
NAME: NATIONAL PIKE

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT | DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|---------------------|-----------|---------------|-----------|-----------|----------------------------------|--------------|---------------------|--------|
| SECONDARY R | RUR-MAJOR COLLECTOR | DIVIDED | NONE | 39.96 | RP 7004 | RAMP 4 FR US 40 TO IS 70 | 3 | 36I | 11,125 |
| | | | | 40.16 | | SPUR TO BEAVER CREEK RD | | | |
| | | | | 40.16 | | SPUR FR BEAVER CREEK RD | | | |
| | | | | 40.18 | CO 343 | BEAVER CREEK RD | 3 | 40I | |
| | | | | 40.20 | | SPUR FR BEAVER CREEK RD | | | |
| | | | | 40.26 | | SPEED LIMIT 50 MPH | | | |
| | | UNDIVIDED | | 40.34 | | | 2 | 24I | |
| | | | | 40.36 | | STRUC #21015 LANDIS SPRING CREEK | | | |
| | | | | 40.68 | | EL RANCHO DR | | | |
| | | | | 40.69 | OP 247 | CROSSFIELD RD | | | |
| | | | | 41.17 | CO1154 | REDAMAR DR | | | |
| | | | | 41.85 | CO 399 | COOL HOLLOW RD | | | |
| | | | | 41.89 | | STRUC #21016 BEAVER CREEK | | | |
| | | | | 42.56 | MD 66 | MAPLEVILLE RD | | | 3,800 |
| | | | | 42.58 | | SPUR FR MD 66 | | | |
| | | | | 42.97 | CO 343 | BEAVER CREEK RD | | | |
| | | | | 43.33 | CO 312 | STOTTLEMEYER RD | | | |
| | | | | 43.45 | CO 522 | MT LENA RD | | | |
| | | | | 43.76 | CO 305 | RUBLE RD | | | |
| | | | | 44.10 | | STRUC #21017 LITTLE BEAVER CREEK | | | |
| | | | | 44.21 | CO 314 | CRYSTAL FALLS DR | | | |
| | | | | 44.97 | CO 522 | MT LENA RD | | | |
| | | | | 45.47 | | | 4 | 44I | |
| | | | | 45.54 | | SPUR TO GREENBRIER STATE PARK RD | | | |
| | | | | 45.55 | SR 24 | GREENBRIER STATE PARK RD | 3 | 33I | |
| | | | | 45.56 | | SPUR FR GREENBRIER STATE PARK RD | | | |
| | | | | 45.83 | CO 943 | BOONSBORO MOUNTAIN RD | | | |
| | | | | 45.88 | | BEG BR | | | |
| | | | | 45.92 | IS 70 | EISENHOWER MEMORIAL HWY | | | |
| | | | | 45.92 | | STRUC #21136 | | | |
| | | | | 45.95 | | FREDERICK CO/L | | | |

ROUTE NUMBER.....US 40AL
INVENTORY DIRECTION....EAST
NAME: E BALTIMORE ST

| | | | | | | | | | |
|-------------|--------------------|-----------|------|------|--------|-----------------------|---|-----|--------|
| MUNICIPAL U | URB-MINOR ARTERIAL | UNDIVIDED | NONE | 0.00 | MU 90 | W BALTIMORE ST (BACK) | 2 | 48I | 13,200 |
| | | | | 0.00 | MU2005 | POTOMAC ST | | | |
| | | | | 0.02 | | | 2 | 37I | |
| | | | | 0.03 | MU5200 | ALLEY #20 | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 40AL CONTINUED
INVENTORY DIRECTION....EAST
NAME: E BALTIMORE ST

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|----------------------|--------------------|-----------|---------------|-------------|-----------------------------|--------------|---------------------|--------|
| MUNICIPAL U | URB-MINOR ARTERIAL | UNDIVIDED | NONE | 0.05 MU9100 | GERBERS ALLEY | 2 | 37I | 13,200 |
| | | | | 0.13 MU1430 | S LOCUST ST | | | |
| | | | | 0.20 MU6740 | ALLEY #174 | | | |
| | | | | 0.24 MU 90 | E BALTIMORE ST | 2 | 24I | |
| NAME: FREDERICK ST | | | | 0.24 | | | | |
| | | | | 0.24 MU1760 | MULBERRY AVE | | | |
| | | | | 0.31 MU7650 | ALLEY #265 | | | |
| | | | | 0.43 MU 950 | HAGER ST | | | |
| | | | | 0.51 | SPEED LIMIT 25 MPH | | | |
| | | | | 0.53 MU1670 | MILL ST | | | |
| | | | | 0.58 MU1650 | MEMORIAL BLVD | 2 | 30I | |
| | | | | 0.70 MU2170 | ROWLAND AVE | | | |
| | | | | 0.76 MU5930 | ALLEY #93 | 2 | 44I | |
| | | | | 0.79 MU2350 | TAYLOR AVE | | | |
| | | | | 0.79 | SPEED LIMIT 30 MPH | | | |
| | | | | 0.85 MU 705 | EASTERN BLVD | | | |
| | | | | 0.92 | R/R #CSX 139 499 U | | | |
| | | | | 0.98 MU 510 | COMMONWEALTH AVE | | | |
| | | | | 1.06 MU 800 | E FIRST ST | | | |
| | | | | 1.23 MU2070 | RAVENSWOOD DR | | | |
| | | | | 1.25 MU2590 | WILLOW CIR | | | |
| | | | | 1.36 MU2600 | E WILSON BLVD | 2 | 40I | 6,900 |
| | | | | 1.37 | SPUR FR E WILSON BLVD | | | |
| | | | | 1.46 | SPUR FR BOWMAN AVE | | | |
| | | | | 1.47 MU 200 | BOWMAN AVE | | | |
| | | | | 1.47 MU1315 | KNIGHTRIDGE DR | | | |
| | | | | 1.50 | | 2 | 30I | |
| | | | | 1.53 MU 310 | ROAD C | | | |
| | | | | 1.55 | | 2 | 40I | |
| SECONDARY R | | | | 1.60 | END MUNICIPAL MAINTENANCE | 2 | 24I | |
| | | | | 1.60 | BEGIN STATE MAINTENANCE | | | |
| | | | | 1.60 OP 229 | KENLY AVE | | | |
| | | | | 1.60 | OUT CORP LMTS HAGERSTOWN | | | |
| | | | | 2.00 | BEG BR | | | |
| | | | | 2.02 | STRUC #21018 ANTIETAM CREEK | | | |
| | | | | 2.03 | IN CORP LMTS FUNKSTOWN | 2 | 22I | |
| NAME: N WESTSIDE AVE | | | | 2.03 | | | | |
| | | | | 2.03 | END BR | | | |
| | | | | 2.06 MU 170 | W POPLAR ST | | | |
| | | | | 2.11 MU 70 | W CHESTNUT ST | | | |
| | | | | 2.16 MU 160 | W BALTIMORE ST | 2 | 24I | |
| NAME: E BALTIMORE ST | | | | 2.16 | | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 40AL CONTINUED
INVENTORY DIRECTION....EAST
NAME: E BALTIMORE ST

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|----------------------|--------------------|-----------|---------------|-------------|-----------------------------------|--------------|---------------------|-------|
| SECONDARY U | URB-MINOR ARTERIAL | UNDIVIDED | NONE | 2.16 MU 190 | S WESTSIDE AVE | 2 | 24I | 6,900 |
| | | | | 2.24 MU8020 | ALLEY #2 | | | |
| | | | | 2.29 MU 10 | N ANTIETAM ST | | | |
| | | | | 2.29 MU 20 | S ANTIETAM ST | | | |
| | | | | 2.38 | | 2 | 26I | |
| | | | | 2.41 MU 120 | HIGH ST N&S | | | |
| | | | | 2.43 | | 2 | 28I | |
| | URB-OTHER PRIN ART | | | 2.48 MU 40 | E BALTIMORE ST | 3 | 38I | |
| NAME: FREDERICK RD | | | | 2.48 | | | | |
| | | | | 2.48 MU 90 | EDGEWOOD DR | | | |
| | | | | 2.49 | SPUR TO US 40H | | | |
| | | | | 2.50 | SPEED LIMIT 25 MPH | | | |
| | | | | 2.51 US 40H | OLD US 40AL | | | |
| | | | | 2.53 MU 140 | E MAPLE RD | 2 | 22I | |
| | | | | 2.58 MU 50 | E CEMETERY LA | | | |
| | | | | 2.64 MU 100 | E GREEN ST | | | |
| | | | | 2.77 | LAGOON RD | 2 | 24I | |
| R | | | | 2.77 | | | | |
| NAME: BOONSBORO PIKE | | | | 2.77 | OUT CORP LMTS FUNKSTOWN | | | |
| | | | | 2.90 | SPEED LIMIT 50 MPH | | | |
| | RUR-MINOR ARTERIAL | | | 3.14 IS 70 | EISENHOWER MEMORIAL HWY | | | |
| | | | | 3.14 | STRUC #21121 | | | |
| | | | | 3.52 CO 401 | POFFENBERGER RD | | | |
| | | | | 3.71 CO1007 | SCOTT DR | | | |
| | | | | 4.93 CO1132 | THOMAS DR | | | |
| | | | | 5.03 MD 741 | NO NAME | | | |
| | | | | 5.05 | SPUR FR MD 741 | | | |
| | | | | 5.23 | STRUC #21019 LANDIS SPRING BRANCH | | | |
| | | | | 5.37 CO 399 | COOL HOLLOW RD | | | |
| | | | | 5.65 CO 924 | COOL HOLLOW DR | | | |
| | | | | 6.21 CO 533 | TOMS RD | | | |
| | | | | 6.62 CO 879 | MARCIA CT | | | |
| | | | | 6.78 | STRUC #21020 BEAVER CREEK | | | |
| | | | | 6.80 CO 537 | ROXBURY RD | | | |
| | | | | 6.86 OP 379 | HARMONY HILL LA | | | |
| | | | | 6.89 | FRIENDSHIP LA | | | |
| | | | | 7.12 | STRUC #21021 BEAVER CREEK | | | |
| | | | | 7.19 CO 532 | BENEVOLA CHURCH RD | | | |
| | | | | 7.19 CO 797 | BENEVOLA NEWCOMER RD | | | |
| | | | | 7.36 CO 534 | TOLL PASS LA | | | |
| | | | | 7.97 CO 795 | MILL POINT RD | | | |
| | | | | 8.35 CO1062 | SCENIC VIEW CT | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 40AL CONTINUED
INVENTORY DIRECTION....EAST
NAME: BOONSBORO PIKE

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|--------------------|-----------|---------------|-----------|--------------------------|--------------|---------------------|--------|
| SECONDARY R | RUR-MINOR ARTERIAL | UNDIVIDED | NONE | 8.49 | SPEED LIMIT 40 MPH | 2 | 24I | 6,900 |
| | | | | 9.13 | SPEED LIMIT 40 MPH | | | |
| | | | | 9.18 | IN CORP LMTS BOONSBORO | | | 9,100 |
| | | | | 9.18 | | | | |
| | | | | 9.18 | MD 68 LAPPANS RD | | | |
| | | | | 9.46 | SPEED LIMIT 30 MPH | | | |
| | | | | 9.58 | MU 63 KNODE CIR | | | |
| | | | | 9.62 | | 2 | 23I | |
| | | | | 9.71 | MU8160 THOMAS LA | | | |
| | | | | 9.75 | MD 66 MAPLE AVE | 2 | 46I | 11,350 |
| | | | | 9.76 | MU 10 SCHOOLHOUSE CT | | | |
| | | | | 9.81 | | 2 | 48I | |
| | | | | 9.86 | MU8010 ALLEY #1 | | | |
| | | | | 9.90 | MU 170 STOUFFER AVE | | | |
| | | | | 9.95 | | 2 | 40I | |
| | | | | 9.96 | SPEED LIMIT 25 MPH | | | |
| | | | | 9.97 | MU 110 ORCHARD DR | | | |
| | | | | 10.03 | MU 50 FORD AVE | 2 | 42I | |
| | | | | 10.04 | MU 120 PARK DR | | | |
| | | | | 10.07 | MU 12 BRINING LA | | | |
| | | | | 10.09 | OP 239 ALLEY #3 | | | |
| | | | | 10.12 | MU 70 LAKIN AVE | 2 | 45I | |
| | | | | 10.16 | MU8050 ALLEY #5 | | | |
| | | | | 10.21 | MD 34 POTOMAC ST | | | |
| | | | | 10.21 | MU 160 ST PAUL ST | | | |
| | | | | 10.33 | MU8060 ALLEY #6 | | | |
| | | | | 10.33 | MU 20 CEMETERY LA | | | |
| | | | | 10.36 | MU 60 HIGH ST | | | |
| | | | | 10.51 | MU8080 REEDERS ALLEY | | | |
| | | | | 10.64 | MU 90 MOUSETOWN RD | 2 | 24I | |
| | | | | 10.70 | OUT CORP LMTS BOONSBORO | | | |
| | | | | 10.70 | | | | |
| | | | | 10.95 | MD 67 ROHRERSVILLE RD | | | 7,600 |
| | | | | 10.98 | SPEED LIMIT 40 MPH | | | |
| | | | | 11.00 | MD 858A NO NAME | | | |
| | | | | 11.38 | CO 546 GILARDI RD | | | |
| | | | | 11.56 | CO 604 CLEVELANDTOWN RD | | | |
| | | | | 11.57 | SPUR TO CLEVELANDTOWN RD | | | |
| | | | | 11.71 | | 3 | 36I | |
| | | | | 11.82 | | 2 | 24I | |
| | | | | 12.07 | CO 547 ZITTLESTOWN RD | | | |
| | | | | 12.11 | SPUR TO ZITTLESTOWN RD | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 40AL CONTINUED
INVENTORY DIRECTION....EAST
NAME: BOONSBORO PIKE

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT | DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYP* | AADT |
|-------------|--------------------|-----------|---------------|-----------|-----------|------------------------|--------------|--------------------|-------|
| SECONDARY R | RUR-MINOR ARTERIAL | UNDIVIDED | NONE | 12.42 | CO 607 | MOSER RD | 2 | 24I | 7,600 |
| | | | | 12.63 | CO 548 | WASHINGTON MONUMENT RD | | | |
| | | | | 12.64 | | FREDERICK CO/L | | | |

ROUTE NUMBER.....US 40H
INVENTORY DIRECTION....SOUTH
NAME: OLD US 40AL

| | | | | | | | | | |
|-------------|-----------|-----------|------|------|---------|-----------------------------|---|-----|--|
| SECONDARY U | URB-LOCAL | UNDIVIDED | NONE | 0.00 | | ROAD END | 2 | 20I | |
| | | | | 0.05 | US 40AL | E BALTIMORE ST/FREDERICK RD | | | |

ROUTE NUMBER.....MD 56
INVENTORY DIRECTION....SOUTH
NAME: BIG POOL RD

| | | | | | | | | | |
|-------------|---------------------|-----------|------|------|---------|------------------------------|---|-----|-------|
| SECONDARY R | RUR-MINOR COLLECTOR | UNDIVIDED | NONE | 1.38 | CO1185 | BIG POOL RD (BACK) | 2 | 20I | 1,875 |
| | | | | 1.38 | RP 7008 | RAMP 8 FR MD 56 TO IS 70 | | | |
| | | | | 1.39 | RP 7002 | RAMP 2 FR IS 70 TO MD 56 | | | |
| | | | | 1.40 | RP 7001 | RAMP 1 FR MD 56 TO RAMP 8 | | | |
| | | | | 1.41 | RP 7007 | RAMP 7 FR RAMP 2 TO MD 56 | | | |
| | | | | 1.44 | | BEG BR | | | |
| | | | | 1.46 | IS 70 | EISENHOWER MEMORIAL HWY | | | 725 |
| | | | | 1.46 | | STRUC #21096 | | | |
| | | | | 1.46 | | EXIT #12 | | | |
| | | | | 1.48 | | END BR | | | |
| | | | | 1.49 | RP 7003 | RAMP 3 FR RAMP 6 TO MD 56 | | | |
| | | | | 1.50 | RP 7005 | RAMP 5 FR MD 56 TO RAMP 4 | | | |
| | | | | 1.51 | RP 7006 | RAMP 6 FR IS 70 TO MD 56 | 2 | 23I | |
| | | | | 1.52 | RP 7004 | RAMP 4 FR MD 56 TO IS 70 | | | |
| | | | | 1.66 | CO 862 | ERNESTVILLE RD | | | |
| | | | | 1.83 | CO 945 | HOMESTEAD DR | | | |
| | | | | 1.87 | | | 2 | 20I | |
| | | | | 2.19 | | SPEED LIMIT 40 MPH | | | |
| | | | | 2.71 | SR 21 | FORT FREDERICK STATE PARK RD | | | |
| | | | | 3.17 | CO 66 | SHANKTOWN RD | | | |
| | | | | 3.29 | CO 67 | GEHR RD | | | |
| | | | | 3.61 | | | 2 | 18I | |
| | | | | 4.12 | CO 68 | GARRISON HOLLOW RD | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 56 CONTINUED
INVENTORY DIRECTION....SOUTH
NAME: BIG POOL RD

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|---------------------|-----------|---------------|-------------|----------------------------------|--------------|---------------------|------|
| SECONDARY R | RUR-MINOR COLLECTOR | UNDIVIDED | NONE | 4.37 | STRUC #21187XO GREEN SPRING RUN | 2 | 18I | 725 |
| | | | | 4.39 CO 69 | MCCOYS FERRY RD | | | |
| | | | | 4.39 CO 755 | MOUNTAIN ASH RD | | | |
| | | | | 4.80 CO 755 | MOUNTAIN ASH RD | | | |
| | | | | 4.94 CO 75 | BOYD RD | | | |
| | | | | 5.59 CO 94 | HASSETT RD | | | |
| | | | | 5.67 | SPEED LIMIT 30 MPH | | | |
| | | | | 5.98 CO 93 | FOUR LOCKS RD | | | |
| | | | | 6.33 CO 92 | ANGLE DR | | | |
| | | | | 6.39 CO 92 | ANGLE DR | | | |
| | | | | 6.46 CO 760 | CHARLES MILL RD | | | |
| | | | | 6.46 CO 97 | ROCKY MEADOW RD | | | |
| | | | | 6.64 CO 91 | BIG SPRING RD | | | 850 |
| | | | | 6.66 | SPUR TO BIG SPRING RD | 2 | 16I | |
| | | | | 6.78 | | 2 | 18I | |
| | | | | 6.79 | SPEED LIMIT 40 MPH | | | |
| | | | | 7.87 CO 818 | ASHTON RD | | | |
| | | | | 8.56 CO 98 | SHANK RD | | | |
| | | | | 8.58 | STRUC #21023 CONOCOCHEAGUE CREEK | | | |
| | | | | 8.95 CO 99 | DAM NO 5 RD | | | |
| | | | | 9.42 | | 2 | 22I | |
| | | | | 9.46 MD 68 | CLEARSPRING RD | | | |

ROUTE NUMBER.....MD 57
INVENTORY DIRECTION....NORTH
NAME: ST PAUL RD

| | | | | | | | | |
|-------------|---------------------|-----------|------|-------------|--------------------|---|-----|-------|
| SECONDARY R | RUR-MAJOR COLLECTOR | UNDIVIDED | NONE | 0.00 US 40 | NATIONAL PIKE | 2 | 24I | 2,350 |
| | | | | 0.06 | | 2 | 22I | |
| | | | | 0.07 | SPEED LIMIT 50 MPH | | | |
| | | | | 0.18 CO 104 | KNEPPER RD | | | |
| | | | | 1.85 CO 756 | BROADFORDING RD | | | 1,750 |
| | | | | 2.38 CO 79 | HICKSVILLE RD | | | |
| | | | | 2.38 CO 757 | BARNHART RD | | | |
| | | | | 3.15 CO 78 | FAITH RD | | | |
| | | | | 4.02 MD 494 | FAIRVIEW RD | | | |
| | | | | 4.02 CO 90 | ST PAUL RD (AHEAD) | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 58
INVENTORY DIRECTION....EAST
NAME: CEARFOSS PIKE

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|---------------------|-----------|---------------|--------------|--------------------------------|--------------|---------------------|--------|
| SECONDARY R | RUR-MAJOR COLLECTOR | UNDIVIDED | NONE | 0.00 CO 114 | CEARFOSS PIKE (BACK) | 2 | 22I | 8,050 |
| | | | | 0.00 MD 63 | GREENCASTLE PIKE | | | |
| | | | | 0.00 | CEARFOSS ROUNDABOUT | | | |
| | | | | 0.06 | | 2 | 20I | |
| | | | | 0.18 | SPEED LIMIT 30 MPH | 2 | 24I | |
| | | | | 0.36 | SPEED LIMIT 50 MPH | | | |
| | | | | 0.93 CO 149 | GARDEN VIEW RD | | | |
| | | | | 1.46 CO 119 | SALEM CHURCH RD | | | |
| | | | | 2.46 CO 121 | POINT SALEM RD | | | |
| | | DIVIDED | | 2.66 | SPEED LIMIT 35 MPH | 3 | 38I | |
| | | | | 2.79 | | 4 | 48I | |
| | URB-MINOR ARTERIAL | | | 2.93 CO 756 | BROADFORDING RD | | | |
| | | | | 3.02 RP 8106 | RAMP 6 FR MD 58 TO IS 81 | | | |
| | | | | 3.07 RP 8107 | RAMP 7 FR MD 58 TO RAMP 6 | | | |
| | | | | 3.11 RP 8108 | RAMP 8 FR IS 81 TO MD 58 | | | |
| | | | | 3.11 RP 8105 | RAMP 5 FR IS 81 TO MD 58 | | | |
| | | | | 3.17 | BEG BR | 4 | 48J | |
| | | | | 3.19 IS 81 | MARYLAND VETERANS MEMORIAL HWY | | | 10,750 |
| | | | | 3.19 | STRUC #21051 | | | |
| | | | | 3.19 | EXIT #7 | | | |
| | | | | 3.22 | END BR | 4 | 48I | |
| | | | | 3.22 | | | | |
| | | | | 3.22 | IN CORP LMTS HAGERSTOWN | | | |
| | | | | 3.26 RP 8101 | RAMP 1 FR IS 81 TO MD 58 | | | |
| | | | | 3.28 RP 8104 | RAMP 4 FR IS 81 TO MD 58 | | | |
| | | | | 3.34 RP 8103 | RAMP 3 FR MD 58 TO RAMP 2 | | | |
| | | | | 3.36 MU2630 | WOODPOINT AVE | | | |
| | | | | 3.39 RP 8102 | RAMP 2 FR MD 58 TO IS 81 | | | |
| | | | | 3.44 OP 241 | SALEM AVE EXTENDED | | | |
| | | UNDIVIDED | | 3.47 | | 2 | 40I | |
| | | | | 3.51 | SPEED LIMIT 25 MPH | | | |
| | | | | 3.53 MU1283 | KEY CIRCLE | | | |
| | | | | 3.53 MU2200 | SALEM AVE (AHEAD) | | | |

U
NAME: SALEM AVE

ROUTE NUMBER.....MD 60
INVENTORY DIRECTION....EAST
NAME: POTOMAC AVE

| | | | | | | | | |
|-------------|--------------------|---------|------|-------------|--------------|---|-----|--------|
| SECONDARY U | URB-OTHER PRIN ART | DIVIDED | NONE | 0.00 MU1810 | NORTHERN AVE | 2 | 24I | 18,500 |
| | | | | 0.00 MU 706 | EASTERN BLVD | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 60 CONTINUED
INVENTORY DIRECTION....EAST
NAME: POTOMAC AVE

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|------------------------|--------------------|-----------|---------------|-------------|------------------------------------|--------------|---------------------|--------|
| SECONDARY U | URB-OTHER PRIN ART | DIVIDED | NONE | 0.00 MU2000 | POTOMAC AVE (BACK) | 2 | 24I | 18,500 |
| | | | | 0.05 | | 3 | 32I | |
| | | | | 0.10 | SPEED LIMIT 30 MPH | | | |
| | R | | | 0.18 | OUT CORP LMTS HAGERSTOWN | | | |
| | | UNDIVIDED | | 0.23 | | 2 | 22I | |
| | | | | 0.37 CO 220 | MEADOW VIEW DR | | | |
| | | DIVIDED | | 0.61 | | 2 | 28I | |
| | | | | 0.71 | SPUR FR MARSH PIKE | | | |
| NAME: LEITERSBURG PIKE | | | | 0.74 CO 178 | MARSH PIKE | | | |
| | | | | 0.75 | SPUR TO MARSH PIKE | | | |
| | | UNDIVIDED | | 0.79 | | 2 | 24I | |
| | | | | 0.82 | SPEED LIMIT 50 MPH | | | |
| | | | | 1.23 CO1199 | ORCHID DR | | | |
| | | DIVIDED | | 1.73 | | 2 | 26I | |
| | RUR-MINOR ARTERIAL | | | 1.82 CO 179 | LONGMEADOW RD | | | 14,650 |
| | | UNDIVIDED | | 1.93 | | 2 | 24I | |
| | | | | 1.96 | STRUC #21024 MARSH RUN | | | |
| | | | | 3.12 CO 226 | MILLERS CHURCH RD | | | 10,500 |
| | | | | 3.20 OP 197 | SHAHAN RD | | | |
| | | | | 3.27 CO 253 | HERMAN MYERS RD | | | |
| | | | | 3.62 CO 252 | CLOPPER RD | | | |
| | | | | 4.14 CO 224 | LEHMANS MILL RD | | | |
| | | | | 4.15 | BEG BR | | | |
| | | | | 4.17 | STRUC #21025 LITTLE ANTIETAM CREEK | | | |
| | | | | 4.19 | END BR | | | |
| | | | | 4.83 MD 62 | LITTLE ANTIETAM RD | | | 5,300 |
| | | | | 4.89 CO 977 | LEITER ST | | | |
| | | | | 5.00 | SPUR TO & FR LEITER ST | | | |
| | | | | 5.12 CO 771 | LEITERS MILL RD | | | |
| | | | | 5.25 MD 60A | NO NAME | | | |
| | | | | 5.35 MD 418 | RINGGOLD PIKE | | | |
| | | | | 5.54 CO 828 | BLUEGRASS DR | | | |
| | | | | 5.78 CO 977 | LEITER ST | | | |
| | | | | 6.01 CO 233 | BATTLETOWN RD | | | |
| | | | | 6.17 CO 234 | BREEZY ACRES RD | | | |
| | | | | 6.97 CO 226 | MILLERS CHURCH RD | | | |
| | | | | 7.07 CO 232 | ROCKY FORGE RD | | | |
| | | | | 7.27 | PENNSYLVANIA ST/L | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 60A
INVENTORY DIRECTION...NORTH
NAME: NO NAME

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|------------------|-----------|---------------|-------------|-----------------------|--------------|---------------------|------|
| SECONDARY R | RUR-LOCAL | UNDIVIDED | NONE | 0.00 MD 60 | LEITERSBURG PIKE | 1 | 16I | |
| | | | | 0.10 MD 418 | RINGGOLD PIKE | | | |

ROUTE NUMBER.....MD 62
INVENTORY DIRECTION...NORTH
NAME: TWIN SPRINGS DR

| | | | | | | | | |
|--------------------------|---------------------|-----------|------|--------------|------------------------------------|---|-----|-------|
| SECONDARY R | URB-LOCAL | UNDIVIDED | NONE | 0.00 MD 804B | TRACK SIDE RD/TWIN SPRINGS DR | 2 | 24I | 2,575 |
| | | | | 0.02 | R/R #CSX 831 826 H | | | |
| | | | | 0.03 | | 2 | 20I | |
| | | | | 0.05 | SPEED LIMIT 30 MPH | | | |
| | | | | 0.11 | | 2 | 24I | |
| | | | | 0.29 | | 2 | 22I | |
| | RUR-MINOR COLLECTOR | | | 0.39 CO 348 | TROVINGER MILL RD | 2 | 20I | |
| NAME: LITTLE ANTIETAM RD | | | | 0.39 | | | | |
| | | | | 0.39 CO1136 | LITTLE ANTIETAM RD | | | |
| | | | | 0.49 | SPEED LIMIT 40 MPH | | | |
| | | | | 1.47 CO 976 | BEARD SPUR | | | |
| | | | | 1.69 CO 773 | OLD FORGE RD | | | 2,075 |
| | | | | 1.77 | SPEED LIMIT 45 MPH | | | |
| | | | | 2.23 CO1242 | EL PASO DR | | | |
| | | | | 2.39 CO1188 | SERENITY DR | | | |
| | | | | 2.74 OP 284 | COOPER LA | | | |
| | | | | 3.00 OP 283 | WINDING CREEK RD | | | |
| | | | | 3.29 | STRUC #21026 LITTLE ANTIETAM CREEK | | | |
| | | | | 3.88 MD 60 | LEITERSBURG PIKE | | | |

ROUTE NUMBER.....MD 63
INVENTORY DIRECTION...NORTH
NAME: SPIELMAN RD

| | | | | | | | | |
|-------------|-----------|-----------|------|-------------|------------------------|---|-----|-------|
| SECONDARY R | RUR-LOCAL | UNDIVIDED | NONE | 0.00 CO 544 | MANOR CHURCH RD (BACK) | 2 | 18I | 1,050 |
| | | | | 0.00 MD 65 | SHARPSBURG PIKE | | | |
| | | | | 0.07 | SPEED LIMIT 40 MPH | | | |
| | | | | 0.14 | KNOLL DR | | | |
| | | | | 0.48 CO 568 | FAIRPLAY RD | | | |
| | | | | 1.20 | SPEED LIMIT 30 MPH | | | |
| | | | | 1.24 CO 564 | REICHARD RD | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 63 CONTINUED
INVENTORY DIRECTION....NORTH
NAME: SPIELMAN RD

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|------------------------|---------------------|-----------|---------------|-----------|-----------------------------------|--------------|---------------------|-------|
| SECONDARY R | RUR-LOCAL | UNDIVIDED | NONE | 1.40 | | 2 | 20I | 1,050 |
| | | | | 1.43 | R/R #NW 469 324 B | | | |
| | | | | 1.44 | | 2 | 18I | |
| | | | | 1.84 | CO1064 LAKE DR | | | |
| | | | | 2.05 | CO1066 FAIRPLAY FARMS RD | | | |
| | | | | 2.57 | SPUR FR BAKERVILLE RD | | | |
| | RUR-MINOR COLLECTOR | | | 2.58 | CO 799 BAKERSVILLE RD | | | |
| | | | | 2.95 | KAVANGLLEN LA | | | |
| | | | | 3.81 | | 2 | 20I | |
| | | | | 3.88 | CO 518 DAM NO 4 RD | | | 1,650 |
| | | | | 3.88 | MD 632 DOWNSVILLE PIKE | | | |
| | | | | 4.05 | SPEED LIMIT 40 MPH | | | |
| | | | | 4.28 | CO1222 SIGNAL DR | | | |
| | | | | 5.77 | CO 511 FALLING WATERS RD | | | |
| | | | | 6.37 | R/R #CR 534 909 D | 2 | 18I | |
| | | | | 6.39 | OP 348 DANMAR LA | | | |
| | | | | 6.49 | | 2 | 24I | |
| | | | | 6.52 | MD 843D NO NAME | | | |
| | | | | 6.68 | SPUR FR MD 68 | | | |
| | | | | 6.70 | MD 68 LAPPANS RD (AHEAD) | | | |
| | | | | 6.70 | CO 667 GOVERNOR LANE BLVD (AHEAD) | | | |
| NAME: E POTOMAC ST | | | | 7.91 | MD 68 CONOCOCHIEAGUE ST (BACK) | | | |
| | | | | 7.91 | US 11 POTOMAC ST (AHEAD) | | | |
| MUNICIPAL U | URB-MINOR ARTERIAL | | | 8.04 | MU 20 S ARTIZAN ST (BACK) | 2 | 32I | 7,350 |
| NAME: N ARTIZAN ST | | | | 8.04 | | | | |
| | | | | 8.04 | US 11 E POTOMAC ST | | | |
| | | | | 8.04 | END STATE MAINTENANCE | | | |
| | | | | 8.04 | BEGIN MUNICIPAL MAINTENANCE | | | |
| | | | | 8.08 | MU8040 ALLEY 4 | | | |
| | | | | 8.11 | SPEED LIMIT 25 MPH | | | |
| SECONDARY R | | | | 8.26 | END MUNICIPAL MAINTENANCE | 2 | 24I | |
| NAME: GREENCASTLE PIKE | | | | 8.26 | | | | |
| | | | | 8.26 | BEGIN STATE MAINTENANCE | | | |
| | | | | 8.26 | OUT CORP LMTS WILLIAMSPORT | | | |
| | | | | 8.30 | SPEED LIMIT 35 MPH | | | |
| | | | | 8.33 | CO 973 NO NAME | | | |
| | | | | 8.51 | SPEED LIMIT 50 MPH | | | |
| | | | | 8.63 | STRUC #21058 CONOCOCHIEAGUE CREEK | | | |
| | | | | 8.95 | CO 972 FINDLAY MILL LA | | | |
| | | | | 9.11 | BEG BR | | | |
| | RUR-MAJOR COLLECTOR | | PART | 9.12 | R/R #CSX 832 394 P | | | |
| | | | | 9.12 | STRUC #21057 | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 63 CONTINUED
INVENTORY DIRECTION...NORTH
NAME: GREENCASTLE PIKE

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|---------------------|-----------|---------------|-----------|-----------------------------------|--------------|---------------------|-------|
| SECONDARY R | RUR-MAJOR COLLECTOR | UNDIVIDED | PART | 9.14 | END BR | 2 | 24I | 7,350 |
| | | | | 9.24 | CO1027 ELLIOTT PKWY | | | |
| | | | | 9.24 | CO 87 KEMPS MILL RD | | | |
| | | | | 9.26 | SPUR FR ELLIOT PKWY | | | |
| | | | | 9.67 | STRUC #21060 CONOCOCHIEAGUE CREEK | | | |
| | | DIVIDED | | 9.71 | | | | |
| | | | | 9.84 | CO 969 EVERLY RD | | | |
| | | | | 9.84 | CO1120 MOATS RD | | | |
| | | | | 9.85 | SPUR FR MOATS RD | | | |
| | | | NONE | 9.92 | | 3 | 36I | |
| | | | | 10.00 | | 4 | 48I | |
| | | | | 10.06 | RP 7004 RAMP 4 FR MD 63 TO IS 70 | | | |
| | | | | 10.08 | RP 7006 RAMP 6 FR IS 70 TO MD 63 | | | |
| | | | | 10.10 | RP 7005 RAMP 5 FR MD 63 TO RAMP 4 | | | |
| | | | | 10.15 | RP 7003 RAMP 3 FR RAMP 6 TO MD 63 | | | |
| | | | | 10.19 | IS 70 EISENHOWER MEMORIAL HWY | | | 8,100 |
| | | | | 10.19 | STRUC #21108 | | | |
| | | | | 10.19 | EXIT #24 | | | |
| | | | | 10.24 | RP 7007 RAMP 7 FR RAMP 2 TO MD 63 | | | |
| | | | | 10.26 | RP 7002 RAMP 2 FR IS 70 TO MD 63 | | | |
| | | | | 10.26 | RP 7001 RAMP 1 FR MD 63 TO RAMP 8 | | | |
| | | | | 10.31 | RP 7008 RAMP 8 FR MD 63 TO IS 70 | | | |
| | | | | 10.32 | | 3 | 36I | |
| | | | | 10.42 | MD 843F NO NAME | | | |
| | | | | 10.42 | CO 968 FRENCH LA | | | |
| | | UNDIVIDED | PART | 10.62 | | 2 | 24I | |
| | | | | 10.67 | CO1193 BUSINESS PKWY | | | |
| | | | | 11.06 | CO1163 HIGHLAND DR | | | |
| | | | | 11.20 | CO1160 MCGREGOR DR | | | |
| | | | | 11.38 | CO1159 HEATHER DR | | | |
| | | | | 11.78 | US 40 NATIONAL PIKE | | | 7,050 |
| | | | | 12.06 | MD 843I NO NAME | | | |
| | | | NONE | 12.58 | | 2 | 22I | |
| | | | | 12.70 | CO 761 RESH RD | | | |
| | | | | 13.18 | CO 128 PINEHILL DR | | | |
| | | | | 13.64 | OP 205 ROSH LANDFILL RD | | | |
| | | | | 13.75 | CO 911 NEW LANDFILL RD | | | |
| | | | | 13.94 | CO 756 BROADFORDING RD | | | 4,950 |
| | | | | 15.16 | SPEED LIMIT 30 MPH | | | |
| | | | | 15.39 | SPUR FR MD 494 | | | |
| | | | | 15.40 | MD 494 FAIRVIEW RD | | | |
| | | | | 15.41 | BEG CEARFOSS ROUNDABOUT | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 63 CONTINUED
INVENTORY DIRECTION...NORTH
NAME: GREENCASTLE PIKE

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|---------------------|-----------|---------------|-----------|-----------|-------------------------|--------------|---------------------|-------|
| SECONDARY R | RUR-MAJOR COLLECTOR | | NONE | 15.42 | MD 58 | CEARFOSS PIKE | 2 | 32I | 3,450 |
| | | | | 15.42 | CO 114 | CEARFOSS PIKE | | | |
| | | | | 15.42 | | CEARFOSS ROUNDABOUT | | | |
| | | UNDIVIDED | | 15.44 | | END CEARFOSS ROUNDABOUT | 2 | 22I | |
| | | | | 15.48 | CO 136 | REIFF CHURCH RD | | | |
| | | | | 15.65 | | SPEED LIMIT 50 MPH | | | |
| | | | | 16.07 | CO1037 | CINDY LA | | | |
| | | | | 16.83 | CO 117 | CASTLE HILL RD | | | |
| | | | | 16.99 | | PENNSYLVANIA ST/L | | | |

ROUTE NUMBER.....MD 64
INVENTORY DIRECTION...EAST
NAME: CLEVELAND AVE

| | | | | | | | | | |
|----------------------|--------------------|-----------|------|------|--------|---------------------------|---|-----|-------|
| MUNICIPAL U | URB-MINOR ARTERIAL | UNDIVIDED | NONE | 0.00 | MU 480 | N CLEVELAND AVE (BACK) | 2 | 45I | 7,750 |
| | | | | 0.00 | US 40 | DUAL HWY | | | |
| | | | | 0.02 | | SPUR FR US 40 | 2 | 37I | |
| | | | | 0.02 | | SPUR TO US 40 | | | |
| | | | | 0.08 | MU2510 | E WASHINGTON ST | | | |
| | | | | 0.09 | | SPEED LIMIT 30 MPH | | | |
| | | | | 0.18 | MU 840 | E FRANKLIN ST | | | |
| | | | | 0.23 | MU1390 | LIBERTY ST | | | |
| | | | | 0.28 | MU7110 | ALLEY 211 | | | |
| | | | | 0.34 | MU 480 | N CLEVELAND AVE | 2 | 30I | |
| NAME: JEFFERSON ST | | | | 0.34 | | | | | |
| | | | | 0.34 | MU1210 | JEFFERSON ST | | | |
| | | | | 0.36 | MU2440 | VISTA ST | | | |
| | | | | 0.41 | MU2390 | VALE ST | | | |
| | | | | 0.45 | MU 870 | FRIDINGER AVE | | | |
| | | | | 0.48 | MU7100 | ALLEY 210 | | | |
| | | | | 0.52 | MU2580 | WILLARD ST | | | |
| | | | | 0.57 | | STRUC #WH040 HAMILTON RUN | | | |
| | | | | 0.63 | MU 260 | BROOKLINE AVE | 2 | 24I | |
| | | | | 0.63 | MU2575 | WESTWOOD ST | | | |
| SECONDARY R | | | | 0.68 | | END MUNICIPAL MAINTENANCE | | | |
| | | | | 0.68 | | BEGIN STATE MAINTENANCE | | | |
| | | | | 0.68 | | OUT CORP LMTS HAGERSTOWN | | | |
| | | | | 0.76 | OP 201 | DIVISION AVE | | | |
| | | | | 0.86 | OP 73 | NO NAME | | | |
| | | | | 0.90 | CO 379 | PANGBORN BLVD | | | |
| NAME: JEFFERSON BLVD | | | | 0.90 | | | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 64 CONTINUED
INVENTORY DIRECTION....EAST
NAME: JEFFERSON BLVD

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|--------------------|-----------|---------------|-----------|-----------------------------|--------------|---------------------|--------|
| SECONDARY R | URB-MINOR ARTERIAL | UNDIVIDED | NONE | 0.93 | CO 383 ALLEY SECURITY RD | 2 | 24I | 7,750 |
| | | | | 0.98 | CO 385 ATLANTIC DR | | | |
| | | | | 1.07 | | 2 | 20I | |
| | URB-OTHER PRIN ART | | | 1.13 | SPUR TO EASTERN BLVD | | | |
| | | | | 1.15 | CO1024 EASTERN BLVD | | | 12,200 |
| | | | | 1.15 | MU 705 EASTERN BLVD | | | |
| | | | | 1.17 | SPUR TO EASTERN BLVD | | | |
| | | | | 1.25 | | 2 | 24I | |
| | | | | 1.31 | CO 255 ANTIETAM DR | | | |
| | | | | 1.65 | BEG BR | | | |
| | | | | 1.67 | STRUC #21028 ANTIETAM CREEK | | | |
| | | | | 1.68 | END BR | | | |
| | | | | 1.70 | CO 376 INDIAN LA | | | |
| | | | | 1.77 | CO 742 MARGARET DR | | | |
| | | | | 1.78 | CO 375 CHERYL DR | | | |
| | | | | 1.82 | CO 372 RONNIE DR | | | |
| | | | | 1.84 | SPEED LIMIT 40 MPH | | | |
| | | | | 1.93 | CO 373 SCOTT HILL DR | | | |
| | | | | 1.97 | CO 368 BELVEDERE RD | | | |
| | | | | 2.05 | CO 364 MAYFAIR AVE | | | |
| | | | | 2.06 | CO 367 PATRICK RD | | | |
| | | | | 2.13 | CO 785 CLEARVIEW RD | | | |
| | | | | 2.13 | CO 353 SHERWOOD DR | | | |
| | | | | 2.20 | CO 363 PHYLANE DR | | | |
| | | | | 2.27 | CO 355 WESLEY DR | | | |
| | | | | 2.36 | CO 348 TROVINGER MILL RD | | | |
| | | | | 2.49 | CO 349 HARP RD | | | |
| | | | | 2.56 | CO 350 SUN VALLEY DR | | | |
| | | | | 2.64 | CO 351 GREENDALE DR | | | |
| | | | | 2.67 | CO 827 TURNERS LA | | | |
| | | | | 2.84 | OP 65 REDBUD LA | | | |
| | | | | 2.90 | CO 675 GREENHILL DR | | | |
| | | | | 3.09 | OP 66 WARREN FELTZ LA | | | |
| | | | | 3.15 | | 2 | 30I | |
| | | | | 3.23 | CO 783 ROBINWOOD DR | | | |
| | | | | 3.39 | CO 354 EMERALD DR | 2 | 24I | |
| | | | | 3.47 | CO 661 LINBAR DR | | | |
| | | | | 3.58 | CO 727 SYCAMORE DR | | | |
| | | | | 3.59 | CO1136 LITTLE ANTIETAM RD | | | |
| | | | | 3.64 | SPEED LIMIT 50 MPH | | | |
| | | | | 3.85 | CO 340 KEIFFER FUNK RD | | | |
| | | | | 3.91 | SPUR FR MD 804B | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 64 CONTINUED
INVENTORY DIRECTION....EAST
NAME: JEFFERSON BLVD

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|--------------------|----------|---------------|--------------|------------------------------------|--------------|---------------------|--------|
| SECONDARY R | URB-OTHER PRIN ART | UNDIVID | NONE | 4.06 MD 804B | TRACK SIDE RD | 2 | 24I | 12,200 |
| | | | | 4.30 CO 315 | WHITEHALL RD | | | 10,400 |
| | | | | 4.82 MD 804B | TWIN SPRINGS DR | | | |
| | | | | 4.87 | SPUR TO MD 804B | | | |
| | | | | 5.77 CO 933 | BAYER DR | | | |
| | | | | 5.87 OP 61 | CHEYENNE WAY | | | |
| | | | | 5.91 CO 329 | CHRISTY AVE | | | |
| | | | | 5.95 CO 333 | SEMINOLE DR | | | |
| | | | | 6.07 CO 330 | KELLER AVE | | | |
| | | | | 6.09 CO 337 | IROQUOIS AVE | | | |
| | | | | 6.20 OP 192 | NICOLE RD | | | |
| | | | | 6.20 CO 250 | ITNYRE RD | | | |
| | | | | 6.34 CO 338 | HAVEN HILL DR | | | |
| | | | | 6.54 | STRUC #21029 BEAVER CREEK | | | |
| | | | | 6.60 CO 979 | OLD GEORGETOWN RD | | | |
| | | | | 6.83 CO 326 | PADEN AVE | | | |
| | | | | 6.91 MD 66 | MAPLEVILLE RD | | | 14,200 |
| | | | | 7.50 CO 314 | CRYSTAL FALLS DR | | | |
| | | | | 7.81 MD 844 | CAVETOWN CHURCH RD | | | |
| | | | | 7.81 CO 980 | CAVETOWN CHURCH RD | | | |
| | RUR-MINOR ARTERIAL | | | 8.06 CO 229 | LETTERSBURG SMITHSBURG RD | | | |
| | | | | 8.06 MD 77 | FOXVILLE RD | | | |
| | | | | 8.50 MD 491 | RAVEN ROCK RD | | | 6,200 |
| | | | | 8.50 | | | | |
| | | | | 8.55 | BEG BR | | | |
| | | | | 8.56 | R/R #CSX 831 821 A | | | |
| | | | | 8.56 | STRUC #21059 | | | |
| | | | | 8.58 | END BR | | | |
| | | | | 8.85 CO 261 | WATER ST | | | |
| | | | | 8.85 CO1071 | FRUIT TREE DR | | | |
| | | | | 8.93 CO 259 | EAGLE NEST RD | | | |
| | | | | 9.53 CO 260 | BIKLE RD | | | |
| | | | | 9.85 MD 66 | BRADBURY AVE | | | |
| | | | | 9.96 CO 981 | INGRAM DR | | | |
| | | | | 10.19 CO 981 | INGRAM DR | | | |
| | | | | 10.32 | STRUC #21030 LITTLE ANTIETAM CREEK | | | |
| | | | | 10.63 CO 239 | ROWE RD | | | |
| | | | | 10.87 CO 775 | GARDENEOUR RD | | | |
| | | | | 10.87 CO 243 | WELTY CHURCH RD | | | |
| | | | | 11.01 | STRUC #21031 LITTLE ANTIETAM CREEK | | | |
| | | | | 11.25 CO 982 | FRANKS RUN RD | | | |
| | | | | 11.59 CO 982 | FRANKS RUN RD | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 64 CONTINUED
INVENTORY DIRECTION....EAST
NAME: SMITHSBURG PIKE

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|--------------------|-----------|---------------|-----------|-----------------------|--------------|---------------------|-------|
| SECONDARY R | RUR-MINOR ARTERIAL | UNDIVIDED | NONE | 11.99 | CO 983 WINDY HAVEN RD | 2 | 24I | 6,200 |
| | | | | 12.15 | CO 244 NEWCOMER RD | | | |
| | | | | 12.39 | MD 418 RINGGOLD PIKE | | | 3,100 |
| | | | | 13.20 | CO 984 BARKDOLL RD | | | |
| | | | | 13.33 | PENNSYLVANIA ST/L | | | |

ROUTE NUMBER.....MD 65
INVENTORY DIRECTION....NORTH
NAME: N CHURCH ST

| | | | | | | | | |
|-------------|--------------------|-----------|------|------|---------------------------|---|-----|-------|
| SECONDARY U | RUR-MINOR ARTERIAL | UNDIVIDED | NONE | 0.00 | MU 30 CHURCH ST (BACK) | 2 | 28I | 5,100 |
| | | | | 0.00 | MD 34 E MAIN ST | | | |
| | | | | 0.04 | MU8170 ALLEY #1 A | 2 | 24I | |
| | | | | 0.05 | MU8010 ALLEY #1 | | | |
| | | | | 0.09 | MU 40 W CHAPLINE ST | | | |
| | | | | 0.13 | SPEED LIMIT 40 MPH | | | |
| | | | | 0.15 | OUT CORP LMTS SHARPSBURG | | | |
| | | | | 0.15 | | | | |
| | | | | 0.46 | SPEED LIMIT 50 MPH | | | |
| | | | | 0.62 | GV 19 PIPER LA | | | |
| | | | | 0.85 | GV 17 RICHARDSON AVE | | | |
| | | | | 0.92 | GV 26 DUNKER CHURCH RD | | | |
| | | | | 1.64 | GV 28 STARKE AVE | | | |
| | | | | 2.17 | CO 576 MONDELL RD | | | |
| | | DIVIDED | | 3.11 | | 2 | 20I | |
| | | UNDIVIDED | | 3.15 | CO 574 TAYLORS LANDING RD | 2 | 24I | |
| | | | | 3.63 | CO 799 BAKERSVILLE RD | | | |
| | | | | 3.63 | CO 565 KEEDYSVILLE RD | | | |
| | | | | 4.70 | CO 743 GRANT AVE | | | |
| | | | | 4.93 | SPEED LIMIT 40 MPH | | | |
| | | | | 5.20 | HERR LA | | | |
| | | | | 5.25 | OP 364 DAVIS LA | | | |
| | | | | 5.30 | TAFT LA | | | |
| | | | | 5.37 | CO 571 TILGHMANTON RD | | | |
| | | | | 5.72 | MD 63 SPIELMAN RD | | | 7,950 |
| | | | | 5.72 | CO 544 MANOR CHURCH RD | | | |
| | | | | 5.79 | SPEED LIMIT 50 MPH | | | |
| | | | | 6.77 | MD 68 LAPPANS RD | | | |
| | | | | 7.68 | CO 537 ROXBURY RD | | | |
| | | | | 8.08 | CO 833 HETZER DR | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 65 CONTINUED
INVENTORY DIRECTION...NORTH
NAME: SHARPSBURG PIKE

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|--------------------|-----------|---------------|-----------|-------------------------------------|--------------|---------------------|--------|
| SECONDARY R | RUR-MINOR ARTERIAL | UNDIVIDED | NONE | 8.40 | CO 832 LESLIE DR | 2 | 24I | 7,950 |
| | | | | 8.79 | CO 554 KENT AVE | | | |
| | | | | 8.85 | CO 556 WOODSIDE DR | | | |
| | | | | 9.00 | CO 560 SUMMERLIN DR | | | |
| | | | | 9.15 | CO 402 WAGAMAN RD | | | 17,550 |
| | | | | 9.33 | CO 562 COLLEGE RD | | | |
| | | | | 9.43 | CO1238 LYLES DR | | | |
| | | | | 9.76 | CO 789 RENCH RD | | | |
| | | | | 9.76 | CO 401 POFFENBERGER RD | | | |
| | | | | 9.79 | SPEED LIMIT 40 MPH | | | |
| | | | | 9.93 | CO1218 BATTLE CREEK BLVD | | | |
| | | CTL | | 10.15 | | | | |
| | | | | 10.23 | SPEED LIMIT 35 MPH | | | |
| | | | | 10.25 | COL HENRY K DOUGLAS DR (ENT TO MVA) | | | |
| | | | | 10.40 | RP 7006 RAMP 6 FR IS 70 TO MD 65 | | | |
| | | DIVIDED | | 10.44 | RP 7004 RAMP 4 FR MD 65 TO RAMP 5 | | | |
| | | | | 10.50 | RP 7003 RAMP 3 FR IS 70 TO MD 65 | | | |
| | | | | 10.53 | RP 7005 RAMP 5 FR MD 65 TO IS 70 | | | |
| | URB-OTHER PRIN ART | | | 10.55 | IS 70 EISENHOWER MEMORIAL HWY | | | 19,325 |
| | | | | 10.55 | STRUC #21118 | | | |
| | | | | 10.55 | EXIT #29 | | | |
| | | | | 10.56 | | 3 | 48I | |
| | | | | 10.60 | RP 7007 RAMP 7 FR RAMP 2 TO MD 65 | | | |
| | | | | 10.62 | RP 7002 RAMP 2 FR IS 70 TO MD 65 | 4 | 48I | |
| | | | | 10.67 | RP 7001 RAMP 1 FR MD 65 TO RAMP 8 | | | |
| | | | | 10.72 | RP 7008 RAMP 8 FR MD 65 TO IS 70 | | | |
| | | | | 10.86 | | 2 | 24I | |
| | | | | 10.94 | CO 947 LUXOR LA | | | |
| | | CTL | | 11.04 | CO 400 OAKRIDGE DR E&W | | | |
| U | | UNDIVIDED | | 11.08 | IN CORP LMITS HAGERSTOWN | | | |
| | | | | 11.42 | SPEED LIMIT 30 MPH | | | |
| | | | | 11.57 | CO 403 FOURTH ST | | | |
| | | | | 11.75 | MU2005 POTOMAC ST (AHEAD) | | | |

ROUTE NUMBER.....MD 66
INVENTORY DIRECTION...NORTH
NAME: MAPLE AVE

| | | | | | | | | |
|-------------|---------------------|-----------|------|------|-------------------|---|-----|-------|
| SECONDARY U | RUR-MAJOR COLLECTOR | UNDIVIDED | NONE | 0.00 | US 40AL N MAIN ST | 2 | 20I | 2,800 |
| | | | | 0.02 | OP 167 CAMPUS AVE | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 66 CONTINUED
INVENTORY DIRECTION....NORTH
NAME: MAPLE AVE

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|---------------------|-----------|---------------|--------------|-----------------------------------|--------------|---------------------|--------|
| SECONDARY U | RUR-MAJOR COLLECTOR | UNDIVIDED | NONE | 0.04 | SPEED LIMIT 30 MPH | 2 | 20I | 2,800 |
| | | | | 0.22 MU 65 | KNODE CIR #3 | | | |
| | | | | 0.37 | OUT CORP LMTS BOONSBORO | | | |
| | | | | 0.37 | | | | |
| | | | | 0.37 OP 167 | CAMPUS AVE | | | |
| | | | | 0.38 | SPEED LIMIT 40 MPH | | | |
| | | | | 0.61 MU 76 | LANAFIELD DR | | | |
| | | | | 1.15 CO 538 | EL RANCHO RD | | | |
| | | | | 1.60 | SPEED LIMIT 30 MPH | | | |
| | | | | 1.78 CO 529 | KEADLE RD | | | |
| | | | | 1.78 CO 795 | MILL POINT RD | | | |
| | | | | 1.94 | JESSIE LA | | | |
| | | | | 2.20 | SPEED LIMIT 40 MPH | | | |
| | | | | 2.40 | RODEO DR | | | |
| | | | | 2.66 CO 531 | FAHRNEYS CHURCH RD | | | |
| | | | | 2.88 CO 530 | SAN MAR RD | | | 4,400 |
| | | | | 3.06 CO 532 | BENEVOLA CHURCH RD | | | |
| | | | | 3.23 | STRUC #21195X LITTLE BEAVER CREEK | | | |
| | | | | 4.16 | | 2 | 24I | |
| | | | | 4.24 | SPUR TO US 40 | | | |
| | | | | 4.25 US 40 | NATIONAL PIKE | 2 | 22I | 5,100 |
| | | | | 4.43 CO 343 | BEAVER CREEK RD | 2 | 20I | |
| | | | | 4.68 | | 2 | 24I | |
| | | | | 4.75 | SPEED LIMIT 50 MPH | | | |
| | | | | 5.06 | STRUC #21132 BLACKROCK RUN | | | |
| | | | | 5.10 CO 345 | BLACK ROCK RD | | | |
| | | DIVIDED | | 5.20 | | 4 | 48I | |
| | | | | 5.24 RP 7006 | RAMP 6 FR IS 70 TO MD 66 | | | |
| | | | | 5.24 RP 7004 | RAMP 4 FR MD 66 TO IS 70 | | | |
| | | | | 5.27 RP 7005 | RAMP 5 FR MD 66 TO RAMP 4 | | | |
| | | | | 5.27 RP 7003 | RAMP 3 FR RAMP 6 TO MD 66 | | | |
| | | | | 5.33 IS 70 | EISENHOWER MEMORIAL HWY | | | 11,900 |
| | | | | 5.33 | STRUC #21131 | | | |
| | | | | 5.33 | EXIT #35 | | | |
| | | | | 5.39 RP 7007 | RAMP 7 FR RAMP 2 TO MD 66 | | | |
| | | | | 5.39 RP 7001 | RAMP 1 FR MD 66 TO RAMP 8 | | | |
| | | | | 5.41 RP 7008 | RAMP 8 FR MD 66 TO IS 70 | | | |
| | | | | 5.41 RP 7002 | RAMP 2 FR IS 70 TO MD 66 | | | |
| | | | | 5.45 | | 2 | 24I | |
| | | UNDIVIDED | | 5.51 | | | | |
| | | | | 5.54 MD 910B | NO NAME | | | |
| | | | | 5.55 | ENT TO PARK & RIDE | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 66 CONTINUED
INVENTORY DIRECTION....NORTH
NAME: MAPLEVILLE RD

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|------------------------|---------------------|-----------|---------------|-----------|-----------------------------|--------------|---------------------|--------|
| SECONDARY R | RUR-MAJOR COLLECTOR | UNDIVIDED | NONE | 6.42 | SPEED LIMIT 45 MPH | 2 | 24I | 11,900 |
| | | | | 6.44 | | 2 | 22I | |
| | | | | 6.51 | | 2 | 20I | |
| | | | | 6.78 | CO 310 MT AETNA RD | | | |
| | | | | 7.08 | CO 873 PACER AVE | | | |
| | | | | 7.44 | CO 875 HORSESHOE LA | 2 | 22I | |
| | | | | 7.49 | STRUC #21032 BEAVER CREEK | | | |
| | | | | 8.41 | CO 328 CHEWSVILLE RD | | | 7,900 |
| | | | | 8.77 | CO 308 PONDSVILLE RD | | | |
| | | | | 8.86 | CO 327 SPUR RD | | | |
| | URB-MINOR ARTERIAL | | | 9.27 | | | | |
| | | | | 9.77 | SPEED LIMIT 35 MPH | | | |
| | | | | 9.88 | CO 307 REPUBLICAN AVE | | | |
| | | | | 10.07 | CO 326 PADEN AVE | | | |
| | URB-COLLECTOR | | | 10.32 | MD 64 SMITHBURG PIKE | 2 | 20I | 4,500 |
| | | | | 10.37 | CO 979 OLD GEORGETOWN RD | | | |
| | | | | 10.44 | CO 980 CAVETOWN CHURCH RD | | | |
| | | | | 10.44 | CO 325 GOOSE ST | | | |
| | | | | 10.47 | OP 428 GANDER LA | | | |
| | | | | 10.51 | SPEED LIMIT 30 MPH | | | |
| | | | | 10.52 | STRUC #21045 BEAVER CREEK | | | |
| | | | | 10.87 | R/R #CSX 831 816 C | | | |
| | | | | 10.94 | CO 251 CAVE HILL RD | | | |
| MUNICIPAL U | | | | 11.05 | IN CORP LMTS SMITHSBURG | | | |
| NAME: W WATER ST | | | | 11.05 | | | | |
| | | | | 11.07 | MU 70 RAILROAD LA | | | |
| | | | | 11.07 | END STATE MAINTENANCE | | | |
| | | | | 11.07 | BEGIN MUNICIPAL MAINTENANCE | | | |
| | | | | 11.13 | | 2 | 36I | |
| | | | | 11.33 | MU 2 BARKDOLL LA | 2 | 39I | |
| | | | | 11.39 | MU 40 MAPLE AVE | | | |
| | | | | 11.45 | MU 13 C&P LA N&S | | | |
| NAME: E WATER ST | | | | 11.51 | MU 20 N&S MAIN ST | | | |
| | | | | 11.55 | MU 11 BRENNER LA | | | |
| | | | | 11.56 | MU 17 GROVE LA | | | |
| | URB-LOCAL | | | 11.66 | MU 100 E WATER ST | 2 | 26I | 1,050 |
| NAME: PENNSYLVANIA AVE | | | | 11.66 | | | | |
| | | | | 11.66 | MU 18 KIMLER LA | | | |
| | | | | 11.72 | MU 15 FIRE COMPANY LA | 2 | 18I | |
| SECONDARY | | | | 11.75 | END MUNICIPAL MAINTENANCE | | | |
| | | | | 11.75 | BEGIN STATE MAINTENANCE | | | |
| R | | | | 11.78 | OUT CORP LMTS SMITHSBURG | | | |
| NAME: BRADBURY AVE | | | | 11.78 | | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 66 CONTINUED
INVENTORY DIRECTION....NORTH
NAME: BRADBURY AVE

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|------------------|-----------|---------------|-----------|--------------------------|--------------|---------------------|-------|
| SECONDARY R | URB-LOCAL | UNDIVIDED | NONE | 11.87 | | 2 | 20I | 1,050 |
| U | | | | 11.93 | IN CORP LMTS SMITHSBURG | | | |
| | | | | 12.00 | | 2 | 18I | |
| R | | | | 12.05 | OUT CORP LMTS SMITHSBURG | | | |
| | | | | 12.19 | SPEED LIMIT 35 MPH | | | |
| | | | | 12.22 | CO 259 EAGLE NEST RD | | | |
| | | | | 12.27 | CO 240 STEVENSON RD | | | |
| | | | | 12.40 | CO 260 BIKLE RD | | | |
| | | | | 12.65 | | 2 | 20I | |
| | | | | 12.84 | MD 64 SMITHSBURG PIKE | | | |

ROUTE NUMBER.....MD 67
INVENTORY DIRECTION....NORTH
NAME: ROHRERSVILLE RD

| | | | | | | | | |
|-------------|--------------------|-----------|------|------|---|---|-----|-------|
| SECONDARY R | RUR-MINOR ARTERIAL | UNDIVIDED | PART | 0.00 | RP134003 RAMP 3 FR US 340 TO MD 67 (BACK) | 2 | 24J | 4,725 |
| | | | | 0.00 | US 340 JEFFERSON PIKE | | | |
| | | | | 0.00 | STRUC #21138 | | | |
| | | | | 0.02 | | 2 | 24I | |
| | | | | 0.06 | RP134008 RAMP 8 FR MD 67 TO US 340 | | | |
| | | | | 0.07 | RP134006 RAMP 6 FR RAMP 2 TO MD 67 | | | |
| | | | | 0.12 | BEG BR | 3 | 36J | |
| | | | | 0.12 | RP134002 RAMP 2 FR US 340 TO MD 67 | | | |
| | | | | 0.16 | STRUC #21137 ISRAEL CREEK | | | |
| | | NONE | | 0.19 | END BR | 3 | 36I | |
| | | | | 0.24 | MD 67D WEAVERTON RD | | | |
| | | | | 0.30 | | 2 | 24I | |
| | | | | 0.39 | SPEED LIMIT 45 MPH | | | |
| | | | | 0.76 | CO1224 TREE TOP DR | | | |
| | | | | 1.04 | SPEED LIMIT 55 MPH | | | |
| | | | | 1.34 | CO 623 GARRETT'S MILL RD | | | |
| | | | | 1.65 | MD 67E WEAVERTON RD | | | |
| | | | | 2.02 | CO 636 FROG EYE RD | | | |
| | | | | 2.08 | MD 67F NO NAME | | | |
| | | | | 2.60 | CO 812 YARROWSBURG RD | | | 3,700 |
| | | | | 2.91 | CO 993 BOTELER RD | | | |
| | | | | 3.64 | CO 617 BROWNSVILLE RD | | | |
| | | | | 3.98 | MD 67C BOTELER RD | | | |
| | | | | 4.51 | BASSWOOD LA | | | |
| | | | PART | 5.10 | CO 992 GAPLAND RD | | | 4,700 |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 67 CONTINUED
INVENTORY DIRECTION....NORTH
NAME: ROHRERSVILLE RD

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|--------------------|-----------|---------------|-----------|------------------------------------|--------------|---------------------|-------|
| SECONDARY R | RUR-MINOR ARTERIAL | UNDIVIDED | PART | 5.39 | CO1157 GAP CT | 2 | 24I | 4,700 |
| | | | | 5.61 | CO 992 GAPLAND RD | | | |
| | | | | 5.74 | MILLARD DR | | | |
| | | | | 5.80 | CO 616 KAETZELL RD | | | |
| | | | | 6.01 | CO 614 TOWNSEND RD | | | |
| | | | NONE | 6.53 | CO 807 TREGO RD | | | |
| | | | | 6.70 | CO 881 BENT WILLOW RD | | | |
| | | | | 7.15 | MD 858F MAIN ST | | | |
| | | | | 7.48 | CO 612 LOCUST GROVE RD | | | |
| | | | | 7.48 | CO 613 ROHRERSVILLE SCHOOL RD | | | |
| | | | | 7.69 | STRUC #21072 LITTLE ANTIETAM CREEK | | | |
| | | | | 8.10 | MD 858F MAIN ST | | | |
| | | | | 8.16 | MD 67A NO NAME | | | |
| | | | | 8.57 | CO 612 LOCUST GROVE RD | | | |
| | | | | 8.62 | SPUR TO & FR WOODSTOCK LA | | | |
| | | | | 8.99 | CO 608 PARK HALL RD | | | |
| | | | | 9.00 | CO 808 MARBLE QUARRY RD | | | |
| | | | | 9.22 | CO1156 HOLLOW TREE LA | | | |
| | | | | 9.53 | CO 989 MT CARMEL CHURCH RD | | | |
| | | | | 10.03 | STRUC #21068 DOG CREEK | | | |
| | | | | 10.43 | CO 989 MT CARMEL CHURCH RD | | | |
| | | | | 10.43 | CO 605 RENO MONUMENT RD | | | |
| | | | | 10.87 | SPUR TO APPLETOWN RD | | | |
| | | | | 11.10 | CO 597 KING RD | | | |
| | | | | 11.52 | CO 603 NETZ RD | | | |
| | | | | 11.82 | CO 987 APPLETOWN RD | | | |
| | | | PART | 11.86 | SPEED LIMIT 45 MPH | | | |
| | | | | 12.06 | STRUC #21196X BEAVER CREEK | | | |
| | | | | 12.20 | US 40AL BOONSBORO PIKE | | | |

ROUTE NUMBER.....MD 67A
INVENTORY DIRECTION....EAST
NAME: NO NAME

| | | | | | | | | |
|-------------|-----------|-----------|------|------|-----------------------|---|-----|--|
| SECONDARY R | RUR-LOCAL | UNDIVIDED | NONE | 0.00 | MD 858F MAIN ST | 1 | 10I | |
| | | | | 0.02 | | 1 | 12F | |
| | | | | 0.08 | MD 67 ROHRERSVILLE RD | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 67B
INVENTORY DIRECTION....NORTH
NAME: NO NAME

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|------------------|-----------|---------------|-----------|-----------------------|--------------|---------------------|------|
| SECONDARY R | RUR-LOCAL | UNDIVIDED | NONE | 0.00 | CO 992 GAPLAND RD | 2 | 16F | |
| | | | | 0.06 | | 2 | 18I | |
| | | | | 0.09 | ROAD END | | | |

ROUTE NUMBER.....MD 67C
INVENTORY DIRECTION....EAST
NAME: BOTELE RD

| | | | | | | | | |
|-------------|-----------|-----------|------|------|-----------------------|---|-----|--|
| SECONDARY R | RUR-LOCAL | UNDIVIDED | NONE | 0.00 | MD 67 ROHRERSVILLE RD | 2 | 32I | |
| | | | | 0.03 | CO 993 BOTELE RD | | | |

ROUTE NUMBER.....MD 67D
INVENTORY DIRECTION....EAST
NAME: WEAVERTON RD

| | | | | | | | | |
|-------------|-----------|-----------|------|------|-----------------------|---|-----|--|
| SECONDARY R | RUR-LOCAL | UNDIVIDED | NONE | 0.00 | MD 67 ROHRERSVILLE RD | 2 | 20I | |
| | | | | 0.31 | CO 994 WEAVERTON RD | | | |

ROUTE NUMBER.....MD 67E
INVENTORY DIRECTION....EAST
NAME: WEAVERTON RD

| | | | | | | | | |
|-------------|-----------|-----------|------|------|-----------------------|---|-----|--|
| SECONDARY R | RUR-LOCAL | UNDIVIDED | NONE | 0.00 | MD 67 ROHRERSVILLE RD | 2 | 24I | |
| | | | | 0.04 | CO 994 WEAVERTON RD | | | |

ROUTE NUMBER.....MD 67F
INVENTORY DIRECTION....EAST
NAME: NO NAME

| | | | | | | | | |
|-------------|-----------|-----------|------|------|-----------------------|---|-----|--|
| SECONDARY R | RUR-LOCAL | UNDIVIDED | NONE | 0.00 | MD 67 ROHRERSVILLE RD | 2 | 22I | |
| | | | | 0.09 | ROAD END | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 68
INVENTORY DIRECTION....EAST
NAME: NATIONAL FREEWAY

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | STATE | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|---------|-------|------------------|----------|---------------|-----------|-------------------------------------|--------------|---------------------|--------|
| PRIMARY | R | RUR-INTERSTATE | DIVIDED | FULL | 0.00 | ALLEGANY CO/L | 5 | 60I | 21,275 |
| | | | | | 0.00 | STRUC #21147 SIDELING HILL CREEK | | | |
| | | | | | 0.14 | SPEED LIMIT 65 MPH | | | |
| | | | | | 0.36 | STRUC #21149 BEAR CREEK | | | |
| | | | | | 0.50 | INTERSTATE MILE MARKER 72.0 | | | |
| | | | | | 0.62 | STRUC #21006 BEAR CREEK | | | |
| | | | | | 1.20 | RP 6806 RAMP 6 FR IS 68 TO MD 903 | | | |
| | | | | | 1.51 | INTERSTATE MILE MARKER 73.0 | | | |
| | | | | | 1.54 | MD 903 MOUNTAIN RD | | | |
| | | | | | 1.54 | STRUC #21150 | | | |
| | | | | | 1.54 | EXIT #74 | | | |
| | | | | | 2.01 | RP 6808 RAMP 8 FR MD 903 TO IS 68 | | | |
| | | | | | 2.52 | INTERSTATE MILE MARKER 74.0 | | | |
| | | | | | 2.59 | STRUC #21154 PEDESTRIAN WALKWAY | | | |
| | | | | | 2.59 | RP 6806 RAMP 6 FR IS 68 TO PARKING | | | |
| | | | | | 2.59 | RP 6808 RAMP 8 FR RAMP 2 TO IS 68 | | | |
| | | | | | 2.74 | RP 6802 RAMP 2 FR IS 68 TO RAMP 8 | | | |
| | | | | | 2.93 | RP 6804 RAMP 4 FR PARKING TO IS 68 | | | |
| | | | | | 3.25 | CO 11 RICE RD | | | |
| | | | | | 3.25 | STRUC #21148 | | | |
| | | | | | 3.52 | INTERSTATE MILE MARKER 75.0 | | | |
| | | | | | 4.53 | INTERSTATE MILE MARKER 76.0 | | | |
| | | | | | 4.77 | RP 6801 RAMP 1 FR MD 144WB TO IS 68 | | | |
| | | | | | 4.83 | RP 6806 RAMP 6 FR IS 68 TO MD 144WB | | | |
| | | | | | 5.10 | MD 144WB WESTERN PIKE | | | 19,275 |
| | | | | | 5.10 | STRUC #21151 | | | |
| | | | | | 5.10 | EXIT #77 | | | |
| | | | | | 5.25 | | 4 | 48I | |
| | | | | | 5.42 | RP 6803 RAMP 3 FR MD 144WB TO IS 68 | | | |
| | | | | | 5.42 | RP 6807 RAMP 7 FR IS 68 TO MD 144WB | | | |
| | | | | | 5.54 | INTERSTATE MILE MARKER 77.0 | | | |
| | | | | | 6.54 | INTERSTATE MILE MARKER 78.0 | | | |
| | | | | | 6.56 | STRUC #21070 LITTLE TONOLWAY CREEK | | | |
| | | | | | 6.58 | CO 14 SANDY MILE RD | | | |
| | | | | | 6.58 | STRUC #21071 | | | |
| | | | | | 7.55 | INTERSTATE MILE MARKER 79.0 | | | |
| | | | | | 8.04 | CO 749 CREEK RD | | | |
| | | | | | 8.04 | STRUC #21076 | | | |
| | | | | | 8.28 | SPEED LIMIT 60 MPH | | | |
| | | | | | 8.55 | INTERSTATE MILE MARKER 80.0 | | | |
| | | | | | 8.66 | RP 7003 RAMP 3 FR IS 68 TO IS 70 | | | |
| | | | | | 8.68 | RP 7008 RAMP 8 FR IS 70 TO IS 68 | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 68 CONTINUED
INVENTORY DIRECTION...EAST
NAME: NATIONAL FREEWAY

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT | DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|---------|------------------|----------------|---------------|-----------|-----------|---------------------------------|--------------|---------------------|--------|
| PRIMARY | R | RUR-INTERSTATE | DIVIDED FULL | 8.78 | RP 7006 | RAMP 6 FR IS 68 TO US 522 | 4 | 44I | 19,275 |
| | | | | 8.88 | IS 70 | EISENHOWER MEMORIAL HWY | | | |
| | | | | 8.88 | | STRUC #21088 | | | |
| | | | | 9.04 | IS 70 | EISENHOWER MEMORIAL HWY (AHEAD) | | | |
| | | | | 9.04 | | EXIT #82 | | | |

ROUTE NUMBER.....MD 68
INVENTORY DIRECTION...EAST
NAME: S MILL ST

| | | | | | | | | | |
|-----------|---|---------------------|--------------|------|---------|------------------------------------|---|-----|-------|
| SECONDARY | U | RUR-MINOR ARTERIAL | DIVIDED NONE | 0.00 | MU 30 | MILL ST (BACK) | 4 | 44I | 2,400 |
| | | | | 0.00 | US 40 | CUMBERLAND ST | | | |
| | | | | 0.01 | | SPUR TO US 40 | | | |
| | | | UNDIVIDED | 0.02 | | | 4 | 48I | |
| | | | | 0.05 | MU 100 | S HAWBAKER CIR | | | |
| | | | | 0.06 | | SPEED LIMIT 35 MPH | | | |
| | R | | | 0.09 | MU 40 | MULBERRY ST | 3 | 36I | |
| NAME: | | CLEARSPRING RD | | 0.09 | | | | | |
| | | | | 0.09 | | OUT CORP LMTS CLEAR SPRING | | | |
| | | | | 0.16 | CO 936 | HOUCK AVE | | | |
| | | | | 0.16 | OP 180 | NO NAME | | | |
| | | | | 0.20 | RP 7004 | RAMP 4 FR MD 68 TO IS 70 | 2 | 24I | |
| | | | | 0.25 | RP 7006 | RAMP 6 FR IS 70 TO MD 68 | | | |
| | | | | 0.28 | RP 7005 | RAMP 5 FR MD 68 TO RAMP 4 | | | |
| | | | | 0.33 | RP 7003 | RAMP 3 FR RAMP 6 TO MD 68 | | | |
| | | | | 0.33 | | SPEED LIMIT 50 MPH | | | |
| | | | | 0.44 | | BEG BR | | | |
| | | RUR-MAJOR COLLECTOR | | 0.47 | IS 70 | EISENHOWER MEMORIAL HWY | | | |
| | | | | 0.47 | | STRUC #21099 | | | |
| | | | | 0.47 | | EXIT #18 | | | |
| | | | | 0.50 | | END BR | | | |
| | | | | 0.57 | RP 7007 | RAMP 7 FR RAMP 2 TO MD 68 | | | |
| | | | | 0.63 | RP 7001 | RAMP 1 FR MD 68 TO RAMP 8 | | | |
| | | | | 0.70 | RP 7002 | RAMP 2 FR IS 70 TO MD 68 | | | |
| | | | | 0.73 | RP 7008 | RAMP 8 FR MD 68 TO IS 70 | | | |
| | | | | 0.82 | CO1205 | BURNNIE KINSELL DR | | | |
| | | | | 0.92 | | SPEED LIMIT 50 MPH | | | |
| | | | | 1.13 | CO 818 | ASHTON RD | | | |
| | | | | 1.99 | | STRUC #21035 L CONOCOCHEAGUE CREEK | | | |
| | | | | 2.30 | CO 99 | DAM NO 5 RD | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 68 CONTINUED
INVENTORY DIRECTION....EAST
NAME: CLEARSRING RD

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT | DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------------------|---------------------|-----------|---------------|-----------|-----------|-----------------------------------|--------------|---------------------|-------|
| SECONDARY R | RUR-MAJOR COLLECTOR | UNDIVIDED | NONE | 2.30 | CO 88 | ST PAUL RD | 2 | 24I | 2,400 |
| | | | | 2.74 | MD 56 | BIG POOL RD | | | 2,425 |
| | | | | 3.64 | | | 2 | 20I | |
| | | | | 3.89 | | SPEED LIMIT 30 MPH | | | |
| | | | | 3.92 | CO 758 | CEDAR RIDGE RD | | | 5,525 |
| | | | | 4.15 | CO 130 | BOTTOM RD | | | |
| | | | | 4.32 | CO 109 | PINESBURG RD | | | |
| | | | | 4.33 | | PINESBURG RD | | | |
| | | | | 4.51 | | DROP RD | | | |
| | | | | 5.25 | CO 132 | SWORD RD | | | |
| | | | | 5.33 | CO 133 | NO NAME | | | |
| | | | | 6.78 | | R/R #CSX 832 401 X | | | |
| | | | | 6.79 | CO 130 | BOTTOM RD | | | |
| | | | | 6.94 | CO 131 | FENTON AVE | | | |
| | | | | 7.09 | | BEG BR | | | |
| MUNICIPAL U | URB-MINOR ARTERIAL | | | 7.11 | | STRUC #21036 CONOCOCHIEAGUE CREEK | | | |
| NAME: CONOCOCHIEAGUE ST | | | | 7.13 | | IN CORP LMTS WILLIAMSPORT | 2 | 42I | |
| | | | | 7.13 | | | | | |
| | | | | 7.13 | | END STATE MAINTENANCE | | | |
| | | | | 7.13 | | BEGIN MUNICIPAL MAINTENANCE | | | |
| | | | | 7.13 | | END BR | | | |
| | | | | 7.26 | MU8040 | ALLEY 4 | | | |
| | | | | 7.31 | US 11 | E&W POTOMAC ST | 2 | 46I | 5,425 |
| | | | | 7.31 | MD 63 | E&W POTOMAC ST | | | |
| | | | | 7.40 | MU 190 | E&W SALISBURY ST | 2 | 40I | |
| | | | | 7.49 | MU 40 | E&W CHURCH ST | | | |
| | | | | 7.58 | MU 80 | E&W FREDERICK ST | | | |
| | | | | 7.68 | MU 210 | E SUNSET AVE | | | |
| | | | | 7.68 | MU 230 | WATER PARK DR | | | |
| | | | | 7.75 | MU 25 | BRANDY DR | | | |
| | | | | 7.81 | | SPEED LIMIT 25 MPH | | | |
| | | | | 7.83 | MU 145 | W POTOMAC PKWY | 2 | 42I | |
| | | DIVIDED | | 7.93 | | | 4 | 48I | |
| | | | | 7.98 | | SPUR TO LOCKWOOD RD | | | |
| | | | | 7.99 | MU 110 | LOCKWOOD RD | | | |
| | | | | 8.09 | RP 8108 | RAMP 8 FR MD 68 TO IS 81 | | | |
| | | | | 8.12 | | END MUNICIPAL MAINTENANCE | | | |
| | | | | 8.12 | | | | | |
| | | | | 8.12 | | BEGIN STATE MAINTENANCE | | | |
| | | | | 8.12 | | OUT CORP LMTS WILLIAMSPORT | | | |
| | | | | 8.16 | RP 8101 | RAMP 1 FR MD 68 TO RAMP 8 | | | |
| | | | | 8.16 | | SPEED LIMIT 35 MPH | | | |
| SECONDARY R | | | | | | | | | |
| NAME: LAPPANS RD | | | | | | | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 68 CONTINUED
INVENTORY DIRECTION....EAST
NAME: LAPPANS RD

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|---------------------|-----------|---------------|-----------|--------------------------------------|--------------|---------------------|--------|
| SECONDARY R | URB-MINOR ARTERIAL | DIVIDED | NONE | 8.21 | RP 8102 RAMP 2 FR IS 81 TO MD 68 | 4 | 48I | 5,425 |
| | | | | 8.24 | RP 8107 RAMP 7 FR RAMP 2 TO MD 68 | | | |
| | RUR-MAJOR COLLECTOR | | | 8.29 | IS 81 MARYLAND VETERANS MEMORIAL HWY | | | 10,650 |
| | | | | 8.29 | STRUC #21077 | | | |
| | | | | 8.29 | EXIT #1 | | | |
| | | | | 8.34 | RP 8103 RAMP 3 FR RAMP 6 TO MD 68 | | | |
| | | | | 8.34 | RP 8105 RAMP 5 FR MD 68 TO RAMP 4 | | | |
| | | | | 8.36 | RP 8106 RAMP 6 FR IS 81 TO MD 68 | | | |
| | | | | 8.37 | RP 8104 RAMP 4 FR MD 68 TO IS 81 | | | |
| | | | | 8.41 | | 3 | 36I | |
| | | | | 8.45 | | 2 | 24I | |
| | | UNDIVIDED | | 8.50 | SPUR TO MD 63 | | | |
| | | | CO 667 | 8.52 | GOVERNOR LANE BLVD | | | |
| | | | MD 63 | 8.52 | SPIELMAN RD | | | |
| | | | | 8.57 | BEG BR | | | |
| | | | | 8.58 | R/R #CR 534 908 W | | | |
| | | | | 8.58 | STRUC #21085 | | | |
| | | | | 8.59 | END BR | | | |
| | | | | 8.63 | SPEED LIMIT 50 MPH | | | |
| | | | CO 908 | 8.81 | PROSPERITY LA | | | |
| | | | OP 286 | 9.28 | HIPPITY HOP LA | | | |
| | | | CO 974 | 9.85 | KENDLE RD | | | |
| | | | OP 349 | 9.91 | GRAFTON LA | | | |
| | | | CO1125 | 10.13 | LOCK TENDER LA | | | |
| | | | | 10.22 | SPEED LIMIT 35 MPH | | | |
| | | | CO1034 | 10.40 | CAFOXA DR | | | |
| | | | MD 632 | 10.48 | DOWNSVILLE PIKE | 2 | 20I | 4,550 |
| | | | | 10.62 | SPEED LIMIT 40 MPH | | | |
| | | | CO 563 | 11.42 | JORDAN RD | | | |
| | | | CO 562 | 11.48 | COLLEGE RD | | | |
| | | | | 11.95 | R/R #NW 469 321 F | | | |
| | | | | 12.03 | SHAWLEYS LA | | | |
| | | | OP 365 | 12.09 | LYDIA LA | | | |
| | | | CO 564 | 12.36 | REICHARD RD | | | |
| | | | | 12.58 | BOB LA | | | |
| | | | MD 65 | 13.35 | SHARPSBURG PIKE | | | 2,250 |
| | | | CO1131 | 13.84 | COUNTRY HOME LA | | | |
| | | | | 13.89 | | 2 | 22I | |
| | | | | 14.07 | | 2 | 20I | |
| | | | CO 550 | 14.46 | BREATHEDSVILLE RD | | | |
| | | | CO 551 | 14.56 | ROUTZAHN RD | | | |
| | | | | 14.63 | SPEED LIMIT 30 MPH | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 68 CONTINUED
INVENTORY DIRECTION....EAST
NAME: LAPPANS RD

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|---------------------|-----------|---------------|-----------|-----------------------------|--------------|---------------------|-------|
| SECONDARY R | RUR-MAJOR COLLECTOR | UNDIVIDED | NONE | 15.19 | CO 552 PRINTZ RD | 2 | 20I | 2,250 |
| | | | | 15.20 | SPUR FR PRINTZ RD | | | |
| | | | | 15.25 | STRUC #21038 ANTIETAM CREEK | | | |
| | | | | 15.59 | STRUC #21039 BEAVER CREEK | | | |
| | | | | 16.05 | RUSTIC LA | | | |
| | | | | 16.24 | SPEED LIMIT 40 MPH | | | |
| | | | | 16.58 | CO 535 BARNES RD | | | 1,900 |
| | | | | 16.90 | CO 795 MILL POINT RD | | | |
| | | | | 18.46 | LEGION LA | | | |
| | | | | 18.50 | US 40AL N MAIN ST | | | |

ROUTE NUMBER.....IS 70
INVENTORY DIRECTION....EAST
NAME: EISENHOWER MEMORIAL HWY

| | | | | | | | | |
|-----------|----------------|---------|------|------|-----------------------------------|---|-----|--------|
| PRIMARY R | RUR-INTERSTATE | DIVIDED | FULL | 0.00 | PENNSYLVANIA ST/L | 4 | 48I | 42,575 |
| | | | | 0.11 | SPEED LIMIT 60 MPH | | | |
| | | | | 0.45 | RP 7008 RAMP 8 FR IS 70 TO IS 68 | | | |
| | | | | 0.45 | RP 7003 RAMP 3 FR IS 68 TO IS 70 | | | |
| | | | | 0.63 | IS 68 (WB/L) NATIONAL FREEWAY | 3 | 36I | 29,575 |
| | | | | 0.63 | STRUC #21088 | | | |
| | | | | 0.63 | EXIT #1A | | | |
| | | | | 0.64 | RP 7003 RAMP 3 FR IS 68 TO IS 70 | | | |
| | | | | 0.64 | STRUC #21087 | | | |
| | | | | 0.73 | US 522A NO NAME | | | |
| | | | | 0.82 | | 4 | 48I | |
| | | | | 0.98 | US 522 WARFORDSBURG RD | | | |
| | | | | 1.01 | INTERSTATE MILE MARKER 1.0 | | | |
| | | | | 1.02 | IS 68 NATIONAL FREEWAY (EB/L) | | | |
| | U | | | 1.04 | IN CORP LMTS HANCOCK | | | |
| | | | | 1.15 | RP 7002 RAMP 2 FR IS 70 TO RAMP 6 | | | |
| | | | | 1.15 | STRUC #21089 | | | |
| | | | | 1.16 | US 522 WARFORDSBURG RD | | | 35,475 |
| | | | | 1.16 | STRUC #21090 | | | |
| | | | | 1.16 | EXIT #1B | | | |
| | | | | 1.30 | RP 7004 RAMP 4 FR US 522 TO IS 70 | 5 | 60I | |
| | | | | 1.30 | RP 7002 RAMP 2 FR IS 70 TO RAMP 6 | | | |
| | | | | 1.40 | MU 280 PENNSYLVANIA AVE | | | |
| | | | | 1.40 | STRUC #21091 | | | |
| | R | | | 1.87 | OUT CORP LMTS HANCOCK | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 70 CONTINUED
INVENTORY DIRECTION....EAST
NAME: EISENHOWER MEMORIAL HWY

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | STATE | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|---------|-------|------------------|----------|---------------|-----------|-------------------------------------|--------------|---------------------|--------|
| PRIMARY | R | RUR-INTERSTATE | DIVIDED | FULL | 1.90 | | 6 | 72I | 35,475 |
| | | | | | 2.05 | INTERSTATE MILE MARKER 2.0 | | | |
| | | | | | 2.18 | | 5 | 60I | |
| | U | | | | 2.24 | IN CORP LMTS HANCOCK | | | |
| | | | | | 2.80 | | 4 | 48I | |
| | | | | | 2.85 | BEG BR | | | |
| | | | | | 2.87 | MU 285 RAYLOC DR | | | |
| | R | | | | 2.89 | STRUC #21092 TONOLOWAY CREEK | | | |
| | | | | | 2.89 | OUT CORP LMTS HANCOCK | | | |
| | | | | | 2.91 | CO 38 TOLLGATE RIDGE | | | |
| | | | | | 2.93 | END BR | | | |
| | | | | | 3.05 | INTERSTATE MILE MARKER 3.0 | | | |
| | | | | | 3.11 | RP 7006 RAMP 6 FR IS 70 TO MD 144WB | | | |
| | | | | | 3.19 | RP 7001 RAMP 1 FR IS 70 TO MD 144WB | | | |
| | | | | | 3.19 | STRUC #21063 | | | |
| | | | | | 3.37 | RP 7001 RAMP 1 FR IS 70 TO MD 144WB | | | |
| | | | | | 3.56 | MD 144WB MAIN ST | | | 36,603 |
| | | | | | 3.56 | EXIT #3 | | | |
| | | | | | 3.96 | INTERSTATE MILE MARKER 4.0 | | | |
| | | | | | 4.18 | RP 7008 RAMP 8 FR MD 615 TO IS 70 | | | |
| | | | | | 4.37 | RP 7003 RAMP 3 FR IS 70 TO MD 615 | | | |
| | | | | | 4.41 | RP 7003 RAMP 3 FR IS 70 TO MD 615 | | | |
| | | | | | 4.41 | STRUC #21062 | | | |
| | | | | | 4.41 | EXIT #5 | | | |
| | | | | | 4.58 | SPEED LIMIT 65 MPH | | | |
| | | | | | 4.93 | ATR STATION #0045 | | | |
| | | | | | 4.95 | INTERSTATE MILE MARKER 5.0 | | | |
| | | | | | 5.86 | RP 7005 RAMP 5 FR MD 615 TO IS 70 | | | 37,675 |
| | | | | | 5.86 | STRUC #21061 | | | |
| | | | | | 5.86 | EXIT #5 | | | |
| | | | | | 5.93 | INTERSTATE MILE MARKER 6.0 | | | |
| | | | | | 6.05 | RP 7005 RAMP 5 FR MD 615 TO IS 70 | | | |
| | | | | | 6.35 | RP 7002 RAMP 2 FR IS 70 TO MD 615 | | | |
| | | | | | 6.92 | INTERSTATE MILE MARKER 7.0 | | | |
| | | | | | 7.91 | INTERSTATE MILE MARKER 8.0 | | | |
| | | | | | 8.74 | CROSSOVER | | | |
| | | | | | 8.89 | INTERSTATE MILE MARKER 9.0 | | | |
| | | | | | 9.07 | US 40 (WB/L) | | | |
| | | | | | 9.18 | US 40 NATIONAL PIKE | | | 37,875 |
| | | | | | 9.18 | EXIT #9 | | | |
| | | | | | 9.38 | US 40 NATIONAL PIKE | | | |
| | | | | | 9.38 | STRUC #21093 | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 70 CONTINUED
INVENTORY DIRECTION....EAST
NAME: EISENHOWER MEMORIAL HWY

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|---------|------------------|----------------|---------------|-----------|----------------------------------|--------------|---------------------|--------|
| PRIMARY | R | RUR-INTERSTATE | DIVIDED FULL | 9.62 | BEG BR | 4 | 48I | 37,875 |
| | | | | 9.63 | CO 966 MILE MARKER 1A | | | |
| | | | | 9.65 | STRUC #21094 LICKING CREEK | | | |
| | | | | 9.70 | END BR | | | |
| | | | | 9.90 | INTERSTATE MILE MARKER 10.0 | | | |
| | | | | 10.88 | INTERSTATE MILE MARKER 11.0 | | | |
| | | | | 11.12 | CO 64 ERNSTVILLE RD | | | |
| | | | | 11.12 | STRUC #21095 | | | |
| | | | | 11.68 | RP 7008 RAMP 8 FR MD 56 TO IS 70 | | | |
| | | | | 11.81 | RP 7006 RAMP 6 FR IS 70 TO MD 56 | | | |
| | | | | 11.87 | INTERSTATE MILE MARKER 12.0 | | | |
| | | | | 11.97 | MD 56 BIG POOL RD | | | 40,675 |
| | | | | 11.97 | STRUC #21096 | | | |
| | | | | 11.97 | EXIT #12 | | | |
| | | | | 12.19 | RP 7002 RAMP 2 FR IS 70 TO MD 56 | | | |
| | | | | 12.25 | RP 7004 RAMP 4 FR MD 56 TO IS 70 | | | |
| | | | | 12.84 | INTERSTATE MILE MARKER 13.0 | | | |
| | | | | 13.85 | INTERSTATE MILE MARKER 14.0 | | | |
| | | | | 14.82 | INTERSTATE MILE MARKER 15.0 | | | |
| | | | | 15.01 | CO 75 BOYD RD | | | |
| | | | | 15.01 | STRUC #21097 & #21143 | | | |
| | | | | 15.80 | INTERSTATE MILE MARKER 16.0 | | | |
| | | | | 16.79 | INTERSTATE MILE MARKER 17.0 | | | |
| | | | | 17.19 | CO 91 BIG SPRING RD | | | |
| | | | | 17.19 | STRUC #21098 | | | |
| | | | | 17.26 | RP 7008 RAMP 8 FR MD 68 TO IS 70 | | | |
| | | | | 17.33 | RP 7006 RAMP 6 FR IS 70 TO MD 68 | | | |
| | | | | 17.62 | MD 68 CLEARSPRING RD | | | 40,775 |
| | | | | 17.62 | STRUC #21099 | | | |
| | | | | 17.62 | EXIT #18 | | | |
| | | | | 17.77 | INTERSTATE MILE MARKER 18.0 | | | |
| | | | | 17.80 | RP 7002 RAMP 2 FR IS 70 TO MD 68 | | | |
| | | | | 18.00 | RP 7004 RAMP 4 FR MD 68 TO IS 70 | | | |
| | | | | 18.38 | CO 818 ASHTON RD | | | |
| | | | | 18.38 | STRUC #21100 | | | |
| | | | | 18.76 | INTERSTATE MILE MARKER 19.0 | | | |
| | | | | 18.96 | STRUC #21101 CONCOHEAGUE CREEK | | | |
| | | | | 19.46 | CO 88 ST PAUL RD | | | |
| | | | | 19.46 | STRUC #21102 | | | |
| | | | | 19.75 | INTERSTATE MILE MARKER 20.0 | | | |
| | | | | 20.68 | STRUC #21103 MEADOW BROOK CREEK | | | |
| | | | | 20.77 | INTERSTATE MILE MARKER 21.0 | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 70 CONTINUED
INVENTORY DIRECTION....EAST
NAME: EISENHOWER MEMORIAL HWY

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | STATE | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|---------|-------|------------------|----------|---------------|---------------|----------------------------------|--------------|---------------------|--------|
| PRIMARY | R | RUR-INTERSTATE | DIVIDED | FULL | 21.16 | STRUC #21104 MEADOW BROOK CREEK | 4 | 48I | 40,775 |
| | | | | | 21.37 CO 758 | CEDAR RIDGE RD | | | |
| | | | | | 21.37 | STRUC #21144 & #21105 | | | |
| | | | | | 21.74 | INTERSTATE MILE MARKER 22.0 | | | |
| | | | | | 22.72 | INTERSTATE MILE MARKER 23.0 | | | |
| | | | | | 22.73 | BEG BR | | | |
| | | | | | 22.77 | STRUC #21106 CONOCOCHIEGUE CREEK | | | |
| | | | | | 22.80 | END BR | | | |
| | | | | | 23.26 CO 110 | WALNUT POINT RD | | | |
| | | | | | 23.26 | STRUC #21107 | | | |
| | | | | | 23.70 | INTERSTATE MILE MARKER 24.0 | | | |
| | | | | | 23.77 RP 7008 | RAMP 8 FR MD 63 TO IS 70 | | | |
| | | | | | 23.87 RP 7006 | RAMP 6 FR IS 70 TO MD 63 | | | |
| | | | | | 24.09 | BEG BR | | | |
| | | | | | 24.11 MD 63 | GREENCASTLE PIKE | | | 40,675 |
| | | | | | 24.11 | STRUC #21108 | | | |
| | | | | | 24.11 | EXIT #24 | | | |
| | | | | | 24.13 | END BR | | | |
| | | | | | 24.28 RP 7002 | RAMP 2 FR IS 70 TO MD 63 | | | |
| | | | | | 24.41 RP 7004 | RAMP 4 FR MD 63 TO IS 70 | | | |
| | | | | | 24.70 | INTERSTATE MILE MARKER 25.0 | | | |
| | | | | | 24.92 | STRUC #21109 CONOCOCHIEGUE CREEK | | | |
| | | | | | 25.17 | BEG BR | | | |
| | | URB-INTERSTATE | | | 25.19 | R/R #CSX 832 390 M | | | |
| | | | | | 25.19 | STRUC #21110 | | | |
| | | | | | 25.20 | END BR | | | |
| | | | | | 25.30 | BEG BR | | | |
| | | | | | 25.31 CO 473 | HOPEWELL RD | | | |
| | | | | | 25.31 | STRUC #21074 | | | |
| | | | | | 25.32 | END BR | | | |
| | | | | | 25.38 RP 7010 | COLLECTOR B | | | |
| | | | | | 25.40 RP 7009 | COLLECTOR A | | | |
| | | | | | 25.66 | INTERSTATE MILE MARKER 26.0 | | | |
| | | | | | 25.69 | BEG BR | | | |
| | | | | | 25.72 IS 81 | MARYLAND VETERANS MEMORIAL HWY | | | 48,275 |
| | | | | | 25.72 | STRUC #21073 | | | |
| | | | | | 25.72 | EXIT #26 | | | |
| | | | | | 25.75 | END BR | | | |
| | | | | | 26.03 RP 7010 | COLLECTOR B | | | |
| | | | | | 26.04 | BEG BR | | | |
| | | | | | 26.05 RP 7009 | COLLECTOR A | | | |
| | | | | | 26.05 US 11 | VIRGINIA AVE | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 70 CONTINUED
INVENTORY DIRECTION....EAST
NAME: EISENHOWER MEMORIAL HWY

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|---------|------------------|----------|---------------|-----------|-----------------------------------|--------------|---------------------|--------|
| PRIMARY | R URB-INTERSTATE | DIVIDED | FULL | 26.05 | STRUC #21112 | 4 | 48I | 48,275 |
| | | | | 26.07 | END BR | | | |
| | | | | 26.39 | BEG BR | | | |
| | | | | 26.40 | R/R #CR 534 904 U | | | |
| | | | | 26.40 | STRUC #21113 | | | |
| | | | | 26.41 | END BR | | | |
| | | | | 26.67 | INTERSTATE MILE MARKER 27.0 | | | |
| | | | | 26.68 | CO 453 BOWER AVE | | | |
| | | | | 26.68 | STRUC #21114 | | | |
| | | | | 27.43 | RP 7006 RAMP 6 FR IS 70 TO MD 632 | | | |
| | | | | 27.67 | INTERSTATE MILE MARKER 28.0 | | | |
| | | | | 27.72 | RP 7005 RAMP 5 FR MD 632 TO IS 70 | | | |
| | | | | 27.73 | BEG BR | | | |
| | RUR-INTERSTATE | | | 27.75 | MD 632 DOWNSVILLE PIKE | | | |
| | | | | 27.75 | STRUC #21115 | | | |
| | | | | 27.75 | EXIT # 28 | | | |
| | | | | 27.77 | END BR | | | |
| | | | | 27.84 | RP 7001 RAMP 1 FR MD 632 TO IS 70 | | | |
| | | | | 28.14 | RP 7007 RAMP 7 FR IS 70 TO MD 632 | | | |
| | | | | 28.26 | BEG BR | | | |
| | | | | 28.27 | R/R #NW 469 314 V | | | |
| | | | | 28.27 | STRUC #21117 | | | |
| | | | | 28.29 | END BR | | | |
| | | | | 28.64 | INTERSTATE MILE MARKER 29.0 | | | |
| | | | | 28.85 | RP 7008 RAMP 8 FR MD 65 TO IS 70 | | | |
| | | | | 28.85 | RP 7006 RAMP 6 FR IS 70 TO MD 65 | | | |
| | | | | 29.05 | RP 7005 RAMP 5 FR MD 65 TO IS 70 | | | |
| | | | | 29.09 | BEG BR | | | |
| | | | | 29.10 | MD 65 SHARPSBURG PIKE | | | 54,475 |
| | | | | 29.10 | STRUC #21118 | | | |
| | | | | 29.10 | EXIT #29 | | | |
| | | | | 29.12 | END BR | | | |
| | | | | 29.15 | RP 7003 RAMP 3 FR IS 70 TO MD 65 | | | |
| | | | | 29.23 | RP 7002 RAMP 2 FR IS 70 TO MD 65 | | | |
| | | | | 29.28 | R/R #CSX 140 612 G | | | |
| | | | | 29.28 | STRUC #21119 | | | |
| | | | | 29.61 | INTERSTATE MILE MARKER 30.0 | | | |
| | | | | 30.01 | BEG BR | | | |
| | | | | 30.04 | STRUC #21120 ANTIETAM CREEK | | | |
| | | | | 30.07 | END BR | | | |
| | | | | 30.59 | INTERSTATE MILE MARKER 31.0 | | | |
| | | | | 30.59 | BEG BR | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 70 CONTINUED
INVENTORY DIRECTION....EAST
NAME: EISENHOWER MEMORIAL HWY

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|---------|------------------|----------------|---------------|-----------|-----------------------------------|--------------|---------------------|--------|
| PRIMARY | R | RUR-INTERSTATE | DIVIDED FULL | 30.61 | US 40AL BOONSBORO PIKE | 4 | 48I | 54,475 |
| | | | | 30.61 | STRUC #21121 | | | |
| | | | | 30.63 | END BR | | | |
| | | | | 31.27 | CO 343 BEAVER CREEK RD | | | |
| | | | | 31.27 | STRUC #21122 | | | |
| | | | | 31.36 | RP 7008 RAMP 8 FR US 40 TO IS 70 | | | |
| | | | | 31.43 | RP 7006 RAMP 6 FR IS 70 TO US 40 | | | |
| | | | | 31.58 | INTERSTATE MILE MARKER 32.0 | | | |
| | | | | 31.62 | RP 7007 RAMP 7 FR IS 70 TO US 40 | | | |
| | | | | 31.63 | RP 7005 RAMP 5 FR US 40 TO IS 70 | | | |
| | | | | 31.68 | US 40 NATIONAL PIKE | | | 56,975 |
| | | | | 31.68 | STRUC #21123 | | | |
| | | | | 31.68 | EXIT #32 | | | |
| | | | | 31.70 | RP 7001 RAMP 1 FR US 40 TO IS 70 | | | |
| | | | | 31.75 | RP 7003 RAMP 3 FR IS 70 TO US 40 | | | |
| | | | | 31.93 | RP 7002 RAMP 2 FR IS 70 TO US 40 | | | |
| | | | | 31.96 | RP 7004 RAMP 4 FR US 40 TO IS 70 | | | |
| | | | | 32.26 | STRUC #21125 LANDIS SPRING BRANCH | | | |
| | | | | 32.58 | INTERSTATE MILE MARKER 33.0 | | | |
| | | | | 33.21 | BEG BR | | | |
| | | | | 33.22 | CO 315 WHITEHALL RD | | | |
| | | | | 33.22 | STRUC #21126 | | | |
| | | | | 33.23 | END BR | | | |
| | | | | 33.55 | INTERSTATE MILE MARKER 34.0 | | | |
| | | | | 34.01 | RP 7008 RAMP 8 FR MD 66 TO IS 70 | | | |
| | | | | 34.10 | RP 7006 RAMP 6 FR IS 70 TO MD 66 | | | |
| | | | | 34.17 | BEG BR | | | |
| | | | | 34.19 | STRUC #21127 BEAVER CREEK | | | |
| | | | | 34.21 | END BR | | | |
| | | | | 34.26 | BEG BR | | | |
| | | | | 34.27 | MD 66 MAPLEVILLE RD | | | 74,175 |
| | | | | 34.27 | STRUC #21131 | | | |
| | | | | 34.27 | EXIT #35 | | | |
| | | | | 34.29 | END BR | | | |
| | | | | 34.47 | RP 7002 RAMP 2 FR IS 70 TO MD 66 | | | |
| | | | | 34.53 | RP 7004 RAMP 4 FR MD 66 TO IS 70 | | | |
| | | | | 34.55 | INTERSTATE MILE MARKER 35.0 | | | |
| | | | | 34.93 | STRUC #21133 BLACK ROCK CREEK | | | |
| | | | | 35.04 | BEG BR | | | |
| | | | | 35.05 | CO 345 BLACK ROCK RD | | | |
| | | | | 35.05 | STRUC #21134 | | | |
| | | | | 35.06 | END BR | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 70 CONTINUED
INVENTORY DIRECTION....EAST
NAME: EISENHOWER MEMORIAL HWY

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|---------|------------------|----------------|---------------|-----------|-----------------------------|--------------|---------------------|--------|
| PRIMARY | R | RUR-INTERSTATE | DIVIDED FULL | 35.54 | INTERSTATE MILE MARKER 36.0 | 4 | 48I | 74,175 |
| | | | | 35.68 | | 5 | 60I | |
| | | | | 36.24 | BEG BR | | | |
| | | | | 36.25 | CO 314 CRYSTAL FALLS DR | | | |
| | | | | 36.25 | STRUC #21135 | | | |
| | | | | 36.27 | END BR | | | |
| | | | | 36.57 | INTERSTATE MILE MARKER 37.0 | | | |
| | | | | 37.52 | INTERSTATE MILE MARKER 38.0 | | | |
| | | | | 37.95 | | 6 | 72I | |
| | | | | 38.21 | US 40 NATIONAL PIKE | | | |
| | | | | 38.21 | STRUC #21136 | | | |
| | | | | 38.33 | FREDERICK CO/L | | | |

ROUTE NUMBER.....MD 77
INVENTORY DIRECTION....EAST
NAME: FOXVILLE RD

| | | | | | | | | |
|-----------|---|---------------------|----------------|------|---|---|-----|-------|
| SECONDARY | R | RUR-MAJOR COLLECTOR | UNDIVIDED NONE | 0.00 | CO 229 LEITERSBURG SMITHSBURG RD (BACK) | 2 | 24I | 3,500 |
| | | | | 0.00 | MD 64 JEFFERSON BLVD | | | |
| | | | | 0.05 | OP 67 CLOVERLY FARM LA | | | |
| | | | | 0.13 | BUSHEY LA | | | |
| | | | | 0.17 | CO 322 WOLFSVILLE RD | | | 2,650 |
| | | | | 0.25 | SPEED LIMIT 35 MPH | | | |
| | | | | 0.34 | | 2 | 22I | |
| | | | | 0.56 | OP 430 HIPPEN HILL RD | | | |
| | | | | 0.60 | CO1285 APPALACHIAN CT | | | |
| | | | | 1.88 | SPEED LIMIT 50 MPH | | | |
| | | | | 2.07 | CO 884 HOPKINS LA | | | |
| | | | | 2.51 | CO 301 PLEASANT VALLEY RD | | | 2,450 |
| | | | | 3.02 | FREDERICK CO/L | | | |

ROUTE NUMBER.....IS 81
INVENTORY DIRECTION....NORTH
NAME: MARYLAND VETERANS MEMORIAL HWY

| | | | | | | | | |
|---------|---|----------------|--------------|------|----------------------------|---|-----|--------|
| PRIMARY | R | RUR-INTERSTATE | DIVIDED FULL | 0.00 | WEST VIRGINIA ST/L | 4 | 48J | 48,175 |
| | | | | 0.00 | BEG BR | | | |
| | | | | 0.12 | STRUC #21078 POTOMAC RIVER | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 81 CONTINUED
INVENTORY DIRECTION....NORTH
NAME: MARYLAND VETERANS MEMORIAL HWY

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|---------|------------------|----------|---------------|-----------|-----------------------------------|--------------|---------------------|--------|
| PRIMARY | RUR-INTERSTATE | DIVIDED | FULL | 0.23 | END BR | 4 | 48I | 48,175 |
| | | | | 0.36 | SPEED LIMIT 65 MPH | | | |
| | | | | 0.61 | RP 8108 RAMP 8 FR MD 68 TO IS 81 | | | |
| | | | | 0.68 | RP 8106 RAMP 6 FR IS 81 TO MD 68 | | | |
| | | | | 0.87 | BEG BR | | | |
| | | | | 0.88 | MD 68 LAPPANS RD | | | |
| | | | | 0.88 | STRUC #21077 | | | |
| | | | | 0.88 | EXIT #1 | | | |
| | URB-INTERSTATE | | | 0.89 | | | | 41,375 |
| | | | | 0.90 | END BR | | | |
| | | | | 1.00 | INTERSTATE MILE MARKER 1.0 | | | |
| | | | | 1.13 | RP 8104 RAMP 4 FR MD 68 TO IS 81 | | | |
| | | | | 1.13 | RP 8102 RAMP 2 FR IS 81 TO MD 68 | | | |
| | | | | 2.01 | INTERSTATE MILE MARKER 2.0 | | | |
| | | | | 2.11 | RP 8104 RAMP 4 FR IS 81 TO US 11 | | | |
| | | | | 2.11 | RP 8106 RAMP 6 FR US 11 TO IS 81 | | | |
| | | | | 2.32 | RP 8103 RAMP 3 FR US 11 TO IS 81 | | | |
| | | | | 2.37 | US 11 VIRGINIA AVE | | | 51,775 |
| | | | | 2.37 | STRUC #21083 | | | |
| | | | | 2.37 | EXIT #2 | | | |
| | | | | 2.46 | STRUC #21082 CONOCOCHIEGUE CREEK | | | |
| | | | | 2.55 | RP 8108 RAMP 8 FR IS 81 TO US 11 | | | |
| | | | | 2.69 | RP 8102 RAMP 2 FR US 11 TO IS 81 | | | |
| | | | | 3.00 | INTERSTATE MILE MARKER 3.0 | | | |
| | | | | 3.02 | SPEED LIMIT 60 MPH | | | |
| | | | | 3.18 | RP 7012 COLLECTOR D | | | |
| | | | | 3.28 | RP 7011 COLLECTOR C | | | |
| | | | | 3.62 | RP 7010 COLLECTOR B | | | 55,075 |
| | | | | 3.62 | STRUC #21141 | | | |
| | | | | 3.63 | IS 70 EISENHOWER MEMORIAL HWY | | | |
| | | | | 3.63 | STRUC #21073 | | | |
| | | | | 3.63 | EXIT #3 | | | |
| | | | | 3.65 | RP 7009 COLLECTOR A | | | |
| | | | | 3.65 | STRUC #21142 | | | |
| | | | | 3.98 | RP 7012 COLLECTOR D | | | |
| | | | | 4.00 | INTERSTATE MILE MARKER 4.0 | | | |
| | | | | 4.01 | RP 7011 COLLECTOR C | | | |
| | | | | 4.06 | STRUC #21080 CONOCOCHIEGUE CREEK | | | |
| | | | | 4.42 | RP 8106 RAMP 6 FR CO 666 TO IS 81 | | | |
| | | | | 4.42 | RP 8104 RAMP 4 FR IS 81 TO CO 666 | | | |
| | | | | 4.63 | CO 666 HALFWAY BLVD | | | 53,775 |
| | | | | 4.63 | STRUC #21079 | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 81 CONTINUED
INVENTORY DIRECTION....NORTH
NAME: MARYLAND VETERANS MEMORIAL HWY

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|---------|------------------|----------------|---------------|-----------|-------------------------------------|--------------|---------------------|--------|
| PRIMARY | R | URB-INTERSTATE | DIVIDED FULL | 4.63 | EXIT #5 | 4 | 48I | 53,775 |
| | | | | 4.80 | RP 8108 RAMP 8 FR IS 81 TO CO 666 | | | |
| | | | | 4.80 | RP 8102 RAMP 2 FR CO 666 TO IS 81 | | | |
| | | | | 4.89 | BEG BR | | | |
| | | | | 4.91 | R/R #CSX 832 387 E | | | |
| | | | | 4.91 | STRUC #21075 | | | |
| | | | | 4.93 | END BR | | | |
| | | | | 5.00 | INTERSTATE MILE MARKER 5.0 | | | |
| | | | | 5.75 | STRUC #21081 CONOCOCHEAGUE CREEK | | | |
| | | | | 5.98 | INTERSTATE MILE MARKER 6.0 | | | |
| | | | | 6.07 | STRUC #21190 BR OF CONOCOCHEAGUE CR | | | |
| | | | | 6.47 | MD 144WA WASHINGTON ST | | | |
| | | | | 6.47 | STRUC #21069 | | | |
| | | | | 6.56 | RP 8106 RAMP 6 FR US 40 TO IS 81 | | | |
| | | | | 6.65 | RP 8104 RAMP 4 FR IS 81 TO US 40 | | | |
| | | | | 6.69 | RP 8105 RAMP 5 FR IS 81 TO US 40 | | | |
| | | | | 6.78 | RP 8103 RAMP 3 FR US 40 TO IS 81 | | | |
| | | | | 6.85 | US 40 NATIONAL PIKE | | | 53,975 |
| | | | | 6.85 | STRUC #21052 | | | |
| | | | | 6.85 | EXIT #6 | | | |
| | | | | 6.88 | RP 8107 RAMP 7 FR US 40 TO IS 81 | | | |
| | | | | 6.97 | INTERSTATE MILE MARKER 7.0 | | | |
| | | | | 6.97 | RP 8101 RAMP 1 FR IS 81 TO US 40 | | | |
| | | | | 6.99 | RP 8108 RAMP 8 FR IS 81 TO US 40 | | | |
| | | | | 7.12 | RP 8102 RAMP 2 FR US 40 TO IS 81 | | | |
| | | | | 7.52 | RP 8106 RAMP 6 FR MD 58 TO IS 81 | | | |
| | | | | 7.56 | RP 8104 RAMP 4 FR IS 81 TO MD 58 | | | |
| | | | | 7.65 | RP 8105 RAMP 5 FR IS 81 TO MD 58 | | | |
| | | | | 7.70 | MD 58 CEARFOSS PIKE | | | 51,875 |
| | | | | 7.70 | STRUC #21051 | | | |
| | | | | 7.70 | EXIT #7 | | | |
| | | | | 7.75 | RP 8101 RAMP 1 FR IS 81 TO MD 58 | | | |
| | | | | 7.81 | RP 8108 RAMP 8 FR IS 81 TO MD 58 | | | |
| | | | | 7.91 | RP 8102 RAMP 2 FR MD 58 TO IS 81 | | | |
| | | | | 7.98 | INTERSTATE MILE MARKER 8.0 | | | |
| | | | | 8.04 | RP 8105 RAMP 5 FR IS 81 TO CO 138 | | | |
| | | | | 8.06 | BEG BR | | | |
| | | | | 8.08 | CO 138 MAUGANSVILLE RD | | | 43,975 |
| | | | | 8.08 | STRUC #21055 | | | |
| | | | | 8.08 | EXIT #8 | | | |
| | | | | 8.10 | END BR | | | |
| | | | | 8.22 | RP 8102 RAMP 2 FR CO 138 TO IS 81 | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 81 CONTINUED
INVENTORY DIRECTION....NORTH
NAME: MARYLAND VETERANS MEMORIAL HWY

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | STATE | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|---------|-------|------------------|----------|---------------|-----------|------------------------------------|--------------|---------------------|--------|
| PRIMARY | R | URB-INTERSTATE | DIVIDED | FULL | 8.27 | R/R #CR 534 890 N | 4 | 48I | 43,975 |
| | | | | | 8.27 | STRUC #21056 | | | |
| | | | | | 8.79 | SPEED LIMIT 65 MPH | | | |
| | | | | | 8.97 | INTERSTATE MILE MARKER 9.0 | | | |
| | | | | | 9.41 | RP 8106 RAMP 6 FR CO 146 TO IS 81 | | | |
| | | | | | 9.43 | RP 8104 RAMP 4 FR IS 81 TO CO 146 | | | |
| | | | | | 9.57 | BEG BR | | | |
| | | | | | 9.59 | CO 146 MAUGANS AVE | | | 45,175 |
| | | | | | 9.59 | STRUC #21053 | | | |
| | | | | | 9.59 | EXIT #9 | | | |
| | | | | | 9.61 | END BR | | | |
| | | | | | 9.74 | RP 8108 RAMP 8 FR IS 81 TO CO 146 | | | |
| | | | | | 9.77 | RP 8102 RAMP 2 FR CO 146 TO IS 81 | | | |
| | | | | | 9.97 | INTERSTATE MILE MARKER 10.0 | | | |
| | | | | | 10.21 | RP 8106 RAMP 6 FR CO 140 TO IS 81 | | | |
| | | | | | 10.21 | RP 8104 RAMP 4 FR IS 81 TO CO 140 | | | |
| | | | | | 10.33 | RP 8105 RAMP 5 FR IS 81 TO CO 140 | | | |
| | | | | | 10.36 | RP 8103 RAMP 3 FR CO 140 TO IS 81 | | | |
| | | | | | 10.41 | BEG BR | | | |
| | | | | | 10.42 | CO 140 SHOWALTER RD | | | 43,675 |
| | | | | | 10.42 | STRUC #21054 | | | |
| | | | | | 10.42 | EXIT #10 | | | |
| | | | | | 10.43 | END BR | | | |
| | | | | | 10.47 | RP 8107 RAMP 7 FR CO 140 TO IS 81 | | | |
| | | | | | 10.47 | RP 8101 RAMP 1 FR IS 81 TO CO 140 | | | |
| | | | | | 10.61 | RP 8108 RAMP 8 FR IS 81 TO CO 140 | | | |
| | | | | | 10.61 | RP 8102 RAMP 2 FR CO 140 TO IS 81 | | | |
| | | | | | 10.97 | INTERSTATE MILE MARKER 11.0 | | | |
| | | | | | 11.80 | RP 8106 RAMP 6 FR PA ST/L TO IS 81 | | | |
| | | | | | 11.97 | INTERSTATE MILE MARKER 12.0 | | | |
| | | | | | 12.00 | RP 8105 RAMP 5 FR IS 81 TO PA ST/L | | | |
| | | | | | 12.00 | EXIT #1 | | | |
| | | | | | 12.04 | CROSSOVER | | | |
| | | | | | 12.08 | PENNSYLVANIA ST/L | | | |

ROUTE NUMBER.....MD 144WA
INVENTORY DIRECTION....EAST
NAME: WASHINGTON ST

| | | | | | | | | | |
|-----------|---|---------------|-----------|------|------|---------------------|---|-----|-------|
| SECONDARY | R | URB-COLLECTOR | UNDIVIDED | NONE | 0.00 | US 40 NATIONAL PIKE | 2 | 25I | 9,525 |
|-----------|---|---------------|-----------|------|------|---------------------|---|-----|-------|

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 144WA CONTINUED
INVENTORY DIRECTION....EAST
NAME: WASHINGTON ST

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|------------------|-----------|---------------|-----------|--------------------------------------|--------------|---------------------|-------|
| SECONDARY R | URB-COLLECTOR | UNDIVIDED | NONE | 0.03 | SPUR TO US 40 | 2 | 25I | 9,525 |
| | | | | 0.03 | SPUR FR US 40 | | | |
| | | | | 0.12 | SPEED LIMIT 40 MPH | | | |
| | | | | 0.37 | SPEED LIMIT 35 MPH | | | |
| | | | | 0.44 | CO 120 MCDADE RD | | | |
| | | | | 0.56 | OP 215 BUCKY AVE | | | |
| | | | | 0.64 | CO 826 RICHWOOD DR | | | |
| | | | | 0.65 | CO 473 HOPEWELL RD | | | |
| | | | | 0.73 | CO 483 DELWOOD AVE | | | |
| | | | | 0.97 | CO 480 CEDAR CREST AVE | | | |
| | | | | 1.01 | CO1177 INSURANCE WAY | | | |
| | | | | 1.15 | SPEED LIMIT 40 MPH | | | |
| | | | | 1.26 | BEG BR | | | |
| | | | | 1.28 | IS 81 MARYLAND VETERANS MEMORIAL HWY | | | |
| | | | | 1.28 | STRUC #21069 | | | |
| | | | | 1.31 | END BR | | | |
| | | | | 1.46 | SPUR TO WESTERN MARYLAND PKWY | | | |
| | | | | 1.46 | SPUR FR WESTERN MARYLAND PKWY | | | |
| | | | | 1.47 | CO 950 WESTERN MARYLAND PKWY | | | |
| | | | | 1.47 | MD 910C WESTERN MARYLAND PKWY | | | |
| | | | | 1.47 | CO1186 WASHINGTON ST (AHEAD) | | | |

ROUTE NUMBER.....MD 144WB
INVENTORY DIRECTION....EAST
NAME: WESTERN PIKE

| | | | | | | | | |
|-------------|---------------------|-----------|------|------|-------------------------------------|---|-----|-------|
| SECONDARY R | RUR-LOCAL | UNDIVIDED | NONE | 0.00 | ROAD END | 2 | 24I | 1,925 |
| | | | | 0.00 | RP 6807 RAMP 7 FR IS 68 TO MD 144WB | | | |
| | | | | 0.00 | RP 6801 RAMP 1 FR MD 144WB TO IS 68 | | | |
| | | | | 0.03 | BEG BR | | | |
| | RUR-MAJOR COLLECTOR | | | 0.06 | IS 68 NATIONAL FREEWAY | | | |
| | | | | 0.06 | STRUC #21151 | | | |
| | | | | 0.06 | EXIT #77 | | | |
| | | | | 0.08 | END BR | | | |
| | | | | 0.10 | RP 6806 RAMP 6 FR IS 68 TO MD 144WB | | | |
| | | | | 0.10 | RP 6803 RAMP 3 FR MD 144WB TO IS 68 | | | |
| | | | | 0.12 | CO1036 NATIONAL PIKE | | | |
| | | | | 0.25 | CO 23 WOODMONT RD | | | |
| | | | | 0.33 | SPEED LIMIT 40 MPH | | | |
| | | | | 0.46 | STRUC #21007 LITTLE TONOLOWAY CREEK | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 144WB CONTINUED
INVENTORY DIRECTION....EAST
NAME: WESTERN PIKE

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|---------------|---------------------|-----------|---------------|--------------|------------------------------|--------------|---------------------|--------|
| SECONDARY R | RUR-MAJOR COLLECTOR | UNDIVIDED | NONE | 0.64 CO 14 | SANDY MILE RD | 2 | 22I | 1,925 |
| | | | | 1.20 CO 21 | WILLOW RD | | | |
| | | | | 2.15 CO 750 | REEL RD | | | |
| | | | | 2.15 CO 16 | ROUND TOP RD | | | |
| | | | | 2.36 CO 18 | CASPER RD | | | |
| | | | | 2.77 CO 32 | LOCHER RD | | | 5,225 |
| | | | | 2.79 | SPUR FR LOCHER RD | | | |
| | | | | 2.93 | SPEED LIMIT 25 MPH | | | |
| | | | | 3.05 | | 2 | 20I | |
| U | | | | 3.10 | IN CORP LMITS HANCOCK | | | |
| | | | | 3.21 | | 2 | 24I | |
| | | | | 3.23 MU8070 | ALLEY #7 | | | |
| | | | | 3.25 MU 320 | TALIAFERRO AVE | | | |
| | | | | 3.28 MU 270 | PARRELL ST | | | |
| | | | | 3.32 MU 20 | BRENT ST | | | |
| | | | | 3.36 MU 310 | SOUTH ST | 2 | 20I | |
| | | | | 3.44 MU 150 | FUNK AVE | | | |
| | | | | 3.47 MU 360 | TONOLOWAY ST | | | |
| | | | | 3.52 US 522B | NO NAME | 2 | 39I | |
| | | | | 3.52 MU 262 | PARK RD #2 | | | |
| | | | | 3.55 | SPUR FR US 522B | | | |
| | | | | 3.57 OP 326 | NO NAME | | | |
| | | | | 3.58 MU 260 | PARK RD | | | |
| | | | | 3.61 | | 2 | 34I | |
| | | | | 3.63 MU 310 | SOUTH ST | 2 | 36I | 10,725 |
| | | | | 3.64 US 522 | WARFORDSBURG RD | | | |
| | | | | 3.64 | STRUC #21124 | | | |
| | | | | 3.65 | STRUC #21008 TONOLOWAY CREEK | | | |
| | | | | 3.67 MD 894 | LIMESTONE RD | 2 | 41I | |
| NAME: MAIN ST | | | | 3.67 | | | | |
| | | | | 3.75 MU 370 | VIRGINIA AVE #1 | | | |
| | | | | 3.75 US 522C | VIRGINIA AVE | | | |
| | | | | 3.83 MU 230 | METHODIST ST | 2 | 40I | |
| | | | | 3.91 MU 280 | PENNSYLVANIA AVE | | | |
| | | | | 3.97 MU 400 | WILLIAMS ST | | | |
| | | | | 4.00 MU 140 | FULTON ST | 2 | 36I | |
| | | | | 4.03 MU 332 | TANEY ST #2 | | | |
| | | | | 4.04 MU 330 | TANEY ST | | | |
| | | | | 4.14 MU 60 | CHURCH ST | 2 | 32I | |
| | | | | 4.21 | | 2 | 30I | |
| | | | | 4.24 | ALLEY | | | |
| | | | | 4.47 | POTOMAC VIEW | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 144WB CONTINUED
INVENTORY DIRECTION....EAST
NAME: MAIN ST

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|---------------------|-----------|---------------|-----------|--------------------------------------|--------------|---------------------|--------|
| SECONDARY U | RUR-MAJOR COLLECTOR | UNDIVIDED | NONE | 4.63 | | 2 | 40I | 10,725 |
| | | | | 4.77 | MU 340 TERRACE ST | | | |
| | | | | 4.77 | MU 350 TOLLGATE RIDGE | | | |
| | | | | 4.78 | SPEED LIMIT 30 MPH | 2 | 24I | |
| R | | | | 4.83 | OUT CORP LMTS HANCOCK | | | |
| | | | | 4.91 | ENT. TO PARK AND RIDE | | | |
| | | | | 4.96 | ENT. TO PARK AND RIDE | | | |
| | | | | 5.02 | MU 50 CENTER ST | | | |
| | | | | 5.21 | SPEED LIMIT 35 MPH | | | |
| | | | | 5.25 | BEG BR | | | |
| | | | | 5.28 | STRUC #21009 TONOLWAY CREEK | | | |
| | | | | 5.31 | END BR | | | |
| | | | | 5.45 | OP 11 NO NAME | | | |
| | | | | 5.51 | RP 7001 RAMP 1 FR IS 70 TO MD 144WB | | | |
| | | | | 5.53 | RP 7004 RAMP 4 FR RAMP 1 TO MD 144WB | | | |
| | | | | 5.61 | RP 7008 RAMP 8 FR RAMP 6 TO MD 144WB | | | |
| | | | | 5.63 | RP 7006 RAMP 6 FR IS 70 TO MD 144WB | | | |
| | | | | 5.86 | | 1 | 24I | |
| | | | | 5.97 | IS 70 EISENHOWER MEMORIAL HWY | | | |
| | | | | 5.97 | EXIT #3 | | | |

ROUTE NUMBER.....MD 180A
INVENTORY DIRECTION....NORTH
NAME: OLD US 340

| | | | | | | | | |
|-------------|-----------|-----------|------|------|----------------------|---|-----|--|
| SECONDARY R | RUR-LOCAL | UNDIVIDED | NONE | 0.00 | CO 995 KEEP TRYST RD | 2 | 22H | |
| | | | | 0.02 | SPUR TO KEEPTRYST RD | | | |
| | | | | 0.03 | ROAD END | | | |

ROUTE NUMBER.....US 340
INVENTORY DIRECTION....EAST
NAME: JEFFERSON PIKE

| | | | | | | | | |
|-----------|--------------------|-----------|------|------|-----------------------------|---|-----|--------|
| PRIMARY R | RUR-OTHER PRIN ART | UNDIVIDED | PART | 0.00 | BEGIN STRUCTURE IN VIRGINIA | 2 | 26J | 19,299 |
| | | | | 0.01 | SPEED LIMIT 45 MPH | | | |
| | | | | 0.02 | VIRGINIA ST/L | | | |
| | | | | 0.39 | R/R #CSX 141 358 K | | | |
| | | | | 0.39 | STRUC #21041 POTOMAC RIVER | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 340 CONTINUED
INVENTORY DIRECTION....EAST
NAME: JEFFERSON PIKE

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | STATE | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|---------|-------|--------------------|-----------|---------------|-----------|-------------------------------------|--------------|---------------------|--------|
| PRIMARY | R | RUR-OTHER PRIN ART | UNDIVIDED | PART | 0.43 | CO 626 SANDY HOOK RD | 2 | 24I | 19,299 |
| | | | | | 0.43 | END BR | | | |
| | | | | | 0.44 | ATR STATION #0019 | | | |
| | | | DIVIDED | | 0.57 | | 2 | 36I | |
| | | | | | 0.60 | SPUR TO KEEPTRYST RD | | | |
| | | | | | 0.63 | | 3 | 36I | |
| | | | | | 0.74 | CO 624 VALLEY RD | | | |
| | | | | | 0.74 | CO 995 KEEP TRYST RD | | | |
| | | | | | 0.82 | SPEED LIMIT 55 MPH | | | |
| | | | | | 1.06 | | 4 | 48I | |
| | | | | | 1.07 | MILE MARKER 1.0 | | | |
| | | | | | 1.21 | RP134003 RAMP 3 FR US 340 TO MD 67 | | | |
| | | | | | 1.35 | RP134008 RAMP 8 FR MD 67 TO US 340 | | | |
| | | | | | 1.48 | RP134005 RAMP 5 FR RAMP 3 TO US 340 | | | |
| | | | | | 1.56 | MD 67 ROHRERSVILLE RD | | | |
| | | | | | 1.56 | STRUC #21138 | | | |
| | | | | | 1.68 | RP134002 RAMP 2 FR US 340 TO MD 67 | | | |
| | | | | | 1.70 | BEG BR | | | |
| | | | | | 1.74 | R/R #CSX 140 531 G | | | |
| | | | | | 1.74 | STRUC #21034 ISRAEL CREEK | | | |
| | | | | | 1.77 | APPALACHIAN TRAIL | | | |
| | | | | | 1.77 | END BR | | | |
| | | | | FULL | 1.82 | CO 995 KEEP TRYST RD | | | |
| | | | | | 1.95 | SPEED LIMIT 65 MPH | | | |
| | | | | | 1.99 | MILE MARKER 2.0 | | | |
| | | | | | 2.27 | FREDERICK CO/L | | | |

ROUTE NUMBER.....MD 418
INVENTORY DIRECTION....EAST
NAME: RINGGOLD PIKE

| | | | | | | | | | |
|-----------|---|---------------------|-----------|------|------|------------------------|---|-----|-------|
| SECONDARY | R | RUR-MAJOR COLLECTOR | UNDIVIDED | NONE | 0.00 | MD 60 LEITERSBURG PIKE | 2 | 24I | 4,075 |
| | | | | | 0.03 | MD 60A NO NAME | | | |
| | | | | | 0.11 | SPEED LIMIT 50 MPH | | | |
| | | | | | 0.17 | CO 977 LEITER ST | | | |
| | | | | | 0.37 | CO 978 RINGGOLD ST | | | |
| | | | | | 0.82 | CO 235 GROVE RD | | | |
| | | | | | 0.98 | CO 234 BREEZY ACRES RD | | | |
| | | | | | 2.43 | CO 774 POPLAR GROVE RD | | | |
| | | RUR-MINOR COLLECTOR | | | 2.77 | MD 64 SMITHSBURG PIKE | | | 4,875 |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 418 CONTINUED
INVENTORY DIRECTION....EAST
NAME: RINGGOLD PIKE

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|---------------------|-----------|---------------|--------------|-----------------------|--------------|---------------------|-------|
| SECONDARY R | RUR-MINOR COLLECTOR | UNDIVIDED | NONE | 2.82 MD 846D | NO NAME | 2 | 24I | 4,875 |
| | | | | 2.98 CO 985 | MIDVALE ST | | | |
| | | | | 3.09 CO 983 | WINDY HAVEN RD | | | |
| | | | | 3.36 CO 248 | MISTY MEADOW RD | | | |
| | | | | 4.32 CO 268 | RINEHART RD | | | |
| | | | | 4.62 | PENNSYLVANIA ST/L | | | |

ROUTE NUMBER.....MD 491
INVENTORY DIRECTION....NORTH
NAME: RAVEN ROCK RD

| | | | | | | | | |
|----------------------|---------------------|-----------|------|-------------|------------------------------------|---|-----|-------|
| SECONDARY R | RUR-MAJOR COLLECTOR | DIVIDED | NONE | 0.00 MD 64 | JEFFERSON BLVD/SMITHSBURG PIKE | 2 | 30I | 2,275 |
| | | UNDIVIDED | | 0.08 | | 2 | 24I | |
| | | | | 0.13 | SPEED LIMIT 50 MPH | | | |
| | | | | 0.27 | BARTH SPRING LA | | | |
| | | | | 0.96 CO 300 | WARNER HOLLOW RD | | | |
| | | | | 1.19 CO1071 | FRUIT TREE DR | | | |
| | | | | 1.21 | STRUC #21086 LITTLE ANTIETAM CREEK | | | |
| | | | | 2.18 CO 269 | RITCHIE RD | | | |
| | | | | 2.87 CO 301 | PLEASANT VALLEY RD | | | |
| | | | | 2.95 CO 302 | HELLS DELIGHT RD | | | |
| | | | | 3.55 CO 303 | MT ZION RD | | | |
| | | | | 4.54 CO 303 | MT ZION RD | | | |
| | | | | 4.69 | FREDERICK CO/L | | | |
| | | | | 6.40 | FREDERICK CO/L | 2 | 22I | |
| NAME: MACFEE HILL RD | | | | 6.40 | | | | |
| | | | | 6.40 CO 272 | ROYER RD | | | |
| | | | | 6.44 | SPEED LIMIT 30 MPH | | | |
| | | | | 6.63 CO 269 | RITCHIE RD | | | |
| | | | | 6.78 MD 550 | MILITARY RD/MACFEE HILL RD | | | |

ROUTE NUMBER.....MD 494
INVENTORY DIRECTION....EAST
NAME: FAIRVIEW RD

| | | | | | | | | |
|-------------|---------------------|-----------|------|------------|--------------------|---|-----|-------|
| SECONDARY R | RUR-MAJOR COLLECTOR | UNDIVIDED | NONE | 0.00 | PENNSYLVANIA ST/L | 2 | 24I | 2,650 |
| | | | | 0.13 | SPEED LIMIT 50 MPH | | | |
| | | | | 0.53 CO 77 | DRY RUN RD | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 494 CONTINUED
INVENTORY DIRECTION....EAST
NAME: FAIRVIEW RD

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT | DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|---------------------|-----------|---------------|-----------|-----------|----------------------------------|--------------|---------------------|-------|
| SECONDARY R | RUR-MAJOR COLLECTOR | UNDIVIDED | NONE | 0.84 | MD 57 | ST PAUL RD | 2 | 24I | 1,525 |
| | | | | 0.84 | CO 90 | ST PAUL RD | | | |
| | | | | 1.69 | CO 80 | SPICKLER RD | | | |
| | | | | 1.71 | CO 89 | DITTO RD | | | |
| | | | | 2.86 | CO 105 | FAIRVIEW CHURCH RD | | | |
| | | | | 3.02 | | | 2 | 22I | |
| | | | | 3.34 | CO 81 | ROCKDALE RD | | | |
| | | | | 3.56 | CO 113 | WISHARD RD | | | |
| | | | | 3.58 | | BEG BR | | | |
| | | | | 3.61 | | STRUC #21042 CONOCOCHUEGUE CREEK | | | |
| | | | | 3.64 | | END BR | | | |
| | | | | 3.94 | CO 115 | SHINHAM RD | | | |
| | | | | 5.18 | | MANN LA | | | |
| | | | | 5.65 | OP 393 | KELLEN DR | | | |
| | | | | 5.80 | | SPEED LIMIT 40 MPH | | | |
| | | | | 5.99 | CO 125 | BLACKBERRY LA | | | 3,750 |
| | | | | 6.21 | CO 118 | BROADFORDING CHURCH RD | | | |
| | | | | 6.37 | CO 699 | LEON DR | | | |
| | | | | 6.51 | | SPEED LIMIT 30 MPH | | | |
| | | | | 6.64 | CO 116 | NISWANDER RD | | | |
| | | | | 6.81 | | SPUR TO MD 63 | | | |
| | | | | 6.82 | MD 63 | GREENCASTLE PIKE | | | |

ROUTE NUMBER.....US 522
INVENTORY DIRECTION....NORTH
NAME: WARFORDSBURG RD

| | | | | | | | | | |
|-------------|--------------------|-----------|------|------|----------|----------------------------------|---|-----|--------|
| SECONDARY R | RUR-OTHER PRIN ART | UNDIVIDED | NONE | 0.00 | | BEGIN STRUCTURE IN WEST VIRGINIA | 2 | 24J | 10,900 |
| | | | | 0.09 | | SPEED LIMIT 35 MPH | | | |
| | | | | 0.13 | | WEST VIRGINIA ST/L | | | |
| | | | | 0.13 | | STRUC #21043 POTOMAC RIVER | | | |
| | U | | | 0.31 | | IN CORP LMTS HANCOCK | | | |
| | | | | 0.41 | MU 30 | BERM RD | | | |
| | | | | 0.46 | | R/R #CSX 832 432 W | | | |
| | | | | 0.49 | OP 206 | SOUTH ST | | | |
| | | | | 0.50 | | END BR | 2 | 24I | |
| | | | | 0.54 | US 522B | NO NAME | | | 14,125 |
| | | | | 0.57 | | BEG BR | 2 | 24J | |
| | | | | 0.61 | MU 310 | SOUTH ST | | | |
| | | | | 0.63 | MD 144WB | WESTERN PIKE | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 522 CONTINUED
INVENTORY DIRECTION....NORTH
NAME: WARFORDSBURG RD

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|--------------------|-----------|---------------|-----------|------------------------------------|--------------|---------------------|--------|
| SECONDARY U | RUR-OTHER PRIN ART | UNDIVIDED | NONE | 0.63 | STRUC #21124 | 2 | 24J | 14,125 |
| | | | | 0.66 | MD 894 Limestone Rd | | | |
| | | | | 0.69 | END BR | 2 | 39I | |
| | | DIVIDED | | 0.70 | SPUR TO US 522C | 2 | 24I | |
| | | | | 0.72 | US 522C HIGH ST | | | |
| | | | | 0.81 | RP 7009 RAMP 9 FR US 522 TO MD 894 | | | |
| | | | | 0.89 | RP 7006 RAMP 6 FR IS 68 TO US 522 | | | |
| | | | | 0.94 | | 2 | 27I | |
| | | | | 1.04 | RP 7004 RAMP 4 FR US 522 TO IS 70 | | | |
| | | | | 1.09 | | 2 | 30I | |
| | | | | 1.19 | BEG BR | | | |
| | | | | 1.21 | IS 70 EISENHOWER MEMORIAL HWY | | | |
| | | | | 1.21 | STRUC #21090 | | | |
| | | | | 1.21 | EXIT #1B | | | |
| | | UNDIVIDED | | 1.24 | US 522A NO NAME | 1 | 14I | |
| | | | | 1.24 | END BR | | | |
| | | | | 1.29 | | 1 | 12I | |
| | | | | 1.38 | IS 70 EISENHOWER MEMORIAL HWY | | | |

ROUTE NUMBER.....US 522A
INVENTORY DIRECTION....SOUTH
NAME: NO NAME

| | | | | | | | | |
|-------------|-----------|-----------|------|------|--------------------------------|---|-----|--|
| SECONDARY U | RUR-LOCAL | UNDIVIDED | NONE | 0.00 | IS 70 EISENHOWER MEMORIAL HWY | 1 | 16I | |
| | | | | 0.00 | EXIT #1B | | | |
| | | | | 0.09 | SPEED LIMIT 35 MPH | | | |
| | | | | 0.40 | US 522 WARFORDSBURG RD (AHEAD) | | | |

ROUTE NUMBER.....US 522B
INVENTORY DIRECTION....EAST
NAME: NO NAME

| | | | | | | | | |
|-------------|-----------|-----------|------|------|--------------------------|---|-----|--|
| SECONDARY U | RUR-LOCAL | UNDIVIDED | NONE | 0.00 | MU 262 PARK RD #2 (BACK) | 2 | 22I | |
| | | | | 0.00 | MD 144WB WESTERN PIKE | | | |
| | | | | 0.04 | SPUR TO MD 144WB | | | |
| | | | | 0.14 | US 522 WARFORDSBURG RD | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 522C
INVENTORY DIRECTION....WEST
NAME: VIRGINIA AVE

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|---------------|------------------|-----------|---------------|---------------|-----------------------|--------------|---------------------|------|
| SECONDARY U | RUR-LOCAL | UNDIVIDED | NONE | 0.00 MU 370 | VIRGINIA AVE (BACK) | 2 | 40I | |
| | | | | 0.00 MD 144WB | MAIN ST | | | |
| NAME: HIGH ST | | | | 0.08 MD 735 | HIGH ST | | | |
| | | | | 0.08 MU 372 | VIRGINIA AVE #2 | | | |
| | | | | 0.13 | SPEED LIMIT 25 MPH | | | |
| | | DIVIDED | | 0.17 | | 2 | 36I | |
| | | | | 0.19 | SPUR FR US 522 | | | |
| | | | | 0.20 US 522 | WARFORDSBURG RD | | | |

ROUTE NUMBER.....MD 550
INVENTORY DIRECTION....NORTH
NAME: FORT RITCHIE RD

| | | | | | | | | |
|----------------------|---------------------|-----------|------|-------------|--------------------------|---|-----|-------|
| SECONDARY R | RUR-MAJOR COLLECTOR | UNDIVIDED | NONE | 0.00 | FREDERICK CO/L | 2 | 20I | 2,875 |
| | | | | 0.10 CO 281 | ROWLAND HILL RD | | | |
| | | | | 0.18 CO 279 | HILLTOP RD | | | |
| | | | | 0.32 CO 278 | EYLER AVE | | | |
| | | | | 0.57 CO 277 | BROOKS AVE | | | |
| | | | | 0.58 CO 282 | HIGHFIELD RD | | | |
| | | | | 0.62 CO 276 | LARRABEE AVE | | | |
| | | | | 0.82 CO 275 | SPRINGDALE AVE | | | |
| NAME: MILITARY RD | | | | 0.98 CO 272 | ROYER RD | 2 | 22I | |
| | | | | 0.98 | | | | |
| | | | | 0.98 CO 780 | CHERRY LA | | | |
| | | | | 0.99 | SPUR TO ROYER RD | | | |
| | | | | 1.09 | | 2 | 20I | |
| | | | | 1.14 CO 273 | GARDNER RD | | | |
| NAME: MACFEE HILL RD | | | | 1.42 MD 491 | MACFEE HILL RD | | | |
| | | | | 1.42 | | | | |
| | | | | 1.42 | ENT TO FT RITCHIE | | | |
| | | | | 1.47 OP 54 | ELHUFF CT | | | |
| | | | | 1.55 CO 289 | WASTLER AVE | | | |
| | | | | 1.63 CO 274 | CASCADE RD | | | |
| | | | | 1.63 | ENT TO FT RITCHIE | | | |
| | | | | 1.64 | R/R #CSX 831 799 N | 2 | 22I | |
| | | | | 1.67 | SPEED LIMIT 30 MPH | | | |
| NAME: PEN MAR RD | | | | 1.81 CO 869 | CAMP RITCHIE RD | 2 | 20I | |
| | | | | 1.81 | | | | |
| | | | | 1.81 CO 286 | PENNSERSVILLE RD | | | |
| | | | | 1.84 | STRUC #21040 FALLS CREEK | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 550 CONTINUED
INVENTORY DIRECTION....NORTH
NAME: PEN MAR RD

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|---------------------|-----------|---------------|-----------|---------------------------|--------------|---------------------|-------|
| SECONDARY R | RUR-MAJOR COLLECTOR | UNDIVIDED | NONE | 1.87 | R/R #CSX 831 800 F | 2 | 20I | 2,875 |
| | | | | 1.87 | STRUC | | | |
| | | | | 2.01 | CO 781 PEN MAR RD (AHEAD) | | | |

ROUTE NUMBER.....MD 615
INVENTORY DIRECTION....NORTH
NAME: MILLSTONE RD

| | | | | | | | | |
|----------------------------|---------------------|-----------|------|------|------------------------------------|---|-----|-----|
| SECONDARY R | RUR-MAJOR COLLECTOR | UNDIVIDED | NONE | 0.00 | CO 850 MILLSTONE RD (BACK) | 2 | 24I | 850 |
| | | | | 0.00 | RP 7007 RAMP 7 FR RAMP 2 TO MD 615 | | | |
| | | | | 0.03 | RP 7002 RAMP 2 FR IS 70 TO MD 615 | | | |
| | | | | 0.13 | SPEED LIMIT 50 MPH | 2 | 20I | |
| | | | | 0.39 | RP 7005 RAMP 5 FR MD 615 TO IS 70 | | | |
| | | | | 0.39 | CO 44 HOLLOW RD | | | |
| | | | | 1.06 | CO 42 MAPLE RIDGE | | | |
| | | | | 1.38 | GOLDEN FLEECE LA | | | |
| | | | | 1.44 | VANCE ST | | | |
| | RUR-LOCAL | | | 1.56 | CO 40 WHITE OAK RIDGE | | | |
| | | | | 1.80 | RP 7003 RAMP 3 FR IS 70 TO MD 615 | | | |
| | | | | 1.80 | EXIT #5 | | | |
| | | | | 1.83 | RP 7001 RAMP 1 FR MD 615 TO RAMP 8 | | | |
| | | | | 1.85 | RP 7008 RAMP 8 FR MD 615 TO IS 70 | | | |
| NAME: HEAVENLY ACRES RIDGE | | | | 1.85 | | | | |
| | | | | 1.92 | SPEED LIMIT 40 MPH | | | |
| | | | | 2.30 | | 2 | 18I | |
| | | | | 4.35 | CO 40 WHITE OAK RIDGE | | | |
| | | | | 4.35 | PENNSYLVANIA ST/L | | | |

ROUTE NUMBER.....MD 632
INVENTORY DIRECTION....NORTH
NAME: DOWNSVILLE PIKE

| | | | | | | | | |
|-------------|---------------------|-----------|------|------|---------------------------|---|-----|-------|
| SECONDARY R | RUR-MINOR COLLECTOR | UNDIVIDED | NONE | 0.00 | CO 518 DAM NO 4 RD (BACK) | 2 | 24I | 2,050 |
| | | | | 0.00 | MD 63 SPIELMAN RD | | | |
| | | | | 0.06 | SPEED LIMIT 30 MPH | | | |
| | | | | 0.10 | OP 350 WILLOUGHBY DR | | | |
| | | | | 0.30 | SPEED LIMIT 50 MPH | | | |
| | | | | 0.66 | OP 351 SABINE LA | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 632 CONTINUED
INVENTORY DIRECTION....NORTH
NAME: DOWNSVILLE PIKE

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|---------------------|-----------|---------------|-----------|------------------------------------|--------------|---------------------|-------|
| SECONDARY R | RUR-MINOR COLLECTOR | UNDIVIDED | NONE | 0.79 | HAWKS LANDING LA | 2 | 24I | 2,050 |
| | RUR-MAJOR COLLECTOR | | | 1.33 | OP 352 BOWERS FARM LA | | | |
| | | | | 2.24 | MD 68 LAPPANS RD | | | 5,250 |
| | | | | 3.23 | OP 287 DA WRONG LA | | | |
| | | | | 3.48 | CO 708 CLAYMONT DR | | | |
| | | | | 3.67 | CO 789 RENCH RD | | | |
| | | | | 4.12 | CO 468 STERLING RD | | | |
| | | DIVIDED | | 4.53 | | 4 | 48I | |
| | | | | 4.63 | | | | |
| | | | | 4.73 | RP 7006 RAMP 6 FR IS 70 TO MD 632 | | | |
| | | | | 4.73 | RP 7004 RAMP 4 FR MD 632 TO RAMP 5 | | | |
| | | | | 4.76 | SPEED LIMIT 40 MPH | | | |
| | | | | 4.78 | RP 7005 RAMP 5 FR MD 632 TO IS 70 | | | |
| | | | | 4.90 | STRUC #21116 ST JAMES RUN | | | |
| | URB-MINOR ARTERIAL | | | 4.92 | IS 70 EISENHOWER MEMORIAL HWY | 3 | 36I | |
| | | | | 4.92 | STRUC #21115 | | | |
| | | | | 5.05 | RP 7001 RAMP 1 FR MD 632 TO IS 70 | | | |
| | | | | 5.07 | CO 975 NO NAME | | | |
| | | | | 5.12 | CO 666 HALFWAY BLVD | 4 | 48I | 6,900 |
| | | | | 5.12 | RP 7008 RAMP 8 FR MD 632 TO RAMP 1 | | | |
| | | | | 5.12 | RP 7007 RAMP 7 FR IS 70 TO MD 632 | | | |
| | | | | 5.15 | RP 7002 RAMP 2 FR RAMP 7 TO MD 632 | | | |
| | | | | 5.18 | CO 896 LEONARD AVE | | | |
| | | UNDIVIDED | | 5.24 | | 3 | 36I | |
| | | DIVIDED | | 5.39 | | 2 | 24I | |
| | | | | 5.46 | SPUR FR WEST OAK RIDGE EXT | | | |
| | | | | 5.48 | CO 889 WEST OAK RIDGE EXT | | | |
| | | | | 5.48 | CO1019 FAIRWAY LA | | | |
| | | | | 5.49 | SPUR TO WEST OAK RIDGE EXT | | | |
| | | UNDIVIDED | | 5.56 | | | | |
| | | | | 5.66 | BEG BR | | | |
| | | | | 5.68 | R/R #NW 470 733 P | | | |
| | | | | 5.68 | STRUC #21145 | | | |
| | | | | 5.70 | END BR | | | |
| | | DIVIDED | | 5.84 | | | | |
| | | | | 5.89 | IN CORP LMTS HAGERSTOWN | | | |
| | | | | 5.89 | CO 400 W OAK RIDGE DR | | | |
| | | UNDIVIDED | | 5.96 | | | | |
| | | | | 6.01 | SPEED LIMIT 35 MPH | | | |
| | | | | 6.71 | MU 670 DOWNSVILLE RD | | | |
| | | | | 6.71 | MU1550 MARYLAND AVE (AHEAD) | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 735
INVENTORY DIRECTION....WEST
NAME: HIGH ST

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|------------------|-----------|---------------|--------------|-----------------------|--------------|---------------------|------|
| SECONDARY U | RUR-LOCAL | UNDIVIDED | NONE | 0.00 MU 170 | HIGH ST (BACK) | 2 | 20I | 199 |
| | | | | 0.06 MU 372 | VIRGINIA AVE #2 | | | |
| | | | | 0.06 US 522C | VIRGINIA ST/HIGH ST | | | |

ROUTE NUMBER.....MD 741
INVENTORY DIRECTION....SOUTH
NAME: NO NAME

| | | | | | | | | |
|-------------|-----------|-----------|------|--------------|----------------|---|-----|-----|
| SECONDARY R | RUR-LOCAL | UNDIVIDED | NONE | 0.00 US 40AL | BOONSBORO PIKE | 2 | 14F | 199 |
| | | | | 0.06 | ROAD END | | | |

ROUTE NUMBER.....MD 804B
INVENTORY DIRECTION....EAST
NAME: TRACK SIDE RD

| | | | | | | | | |
|-----------------------|-----------|-----------|------|-------------|--------------------|---|-----|-----|
| SECONDARY R | URB-LOCAL | UNDIVIDED | NONE | 0.00 MD 64 | JEFFERSON BLVD | 2 | 30I | 199 |
| | | | | 0.03 | SPUR FR MD 64 | 2 | 20I | |
| | | | | 0.18 MD 62 | TWIN SPRINGS DR | 2 | 29I | |
| NAME: TWIN SPRINGS DR | | | | 0.18 | | | | |
| | | | | 0.25 CO 315 | WHITEHALL RD | | | |
| | | | | 0.30 | SPEED LIMIT 30 MPH | | | |
| | | | | 0.46 | | 2 | 24I | |
| | | | | 0.57 | | 2 | 20I | |
| | | DIVIDED | | 0.75 CO 339 | WALTZ RD | | | |
| | | | | 0.78 | SPUR FR MD 64 | 2 | 32I | |
| | | | | 0.79 MD 64 | JEFFERSON BLVD | | | |

ROUTE NUMBER.....MD 805B
INVENTORY DIRECTION....NORTH
NAME: NO NAME

| | | | | | | | | |
|-------------|-----------|-----------|------|-------------|----------------|---|-----|-----|
| SECONDARY R | RUR-LOCAL | UNDIVIDED | NONE | 0.00 | ROAD END | 2 | 14H | 199 |
| | | | | 0.08 | | 2 | 18H | |
| | | | | 0.15 CO 232 | ROCKY FORGE RD | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 843B
INVENTORY DIRECTION...NORTH
NAME: CELESTE DR

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|------------------|-----------|---------------|-------------|-----------------------|--------------|---------------------|------|
| SECONDARY R | RUR-LOCAL | UNDIVIDED | NONE | 0.00 OP 104 | NO NAME | 2 | 20H | 299 |
| | | | | 0.12 CO1121 | CELESTE DR (AHEAD) | | | |

ROUTE NUMBER.....MD 843D
INVENTORY DIRECTION...NORTH
NAME: NO NAME

| | | | | | | | | |
|-------------|-----------|-----------|------|------------|-------------|---|-----|----|
| SECONDARY R | RUR-LOCAL | UNDIVIDED | NONE | 0.00 MD 63 | SPIELMAN RD | 2 | 18H | 99 |
| | | | | 0.03 | | 2 | 14H | |
| | | | | 0.10 | | 2 | 10H | |
| | | | | 0.16 | ROAD END | | | |

ROUTE NUMBER.....MD 843F
INVENTORY DIRECTION...NORTH
NAME: NO NAME

| | | | | | | | | |
|-------------|-----------|-----------|------|-------------|-------------------|---|-----|--|
| SECONDARY R | URB-LOCAL | UNDIVIDED | NONE | 0.00 | ROAD END | 2 | 16I | |
| | | | | 0.06 MD 63 | GREENCASTLE PIKE | | | |
| | | | | 0.06 CO 968 | FRENCH LA (AHEAD) | | | |

ROUTE NUMBER.....MD 843I
INVENTORY DIRECTION...EAST
NAME: NO NAME

| | | | | | | | | |
|-------------|-----------|-----------|------|-------------|------------------|---|-----|--|
| SECONDARY R | RUR-LOCAL | UNDIVIDED | NONE | 0.00 MD 63 | GREENCASTLE PIKE | 2 | 19H | |
| | | | | 0.04 CO 967 | HUYETT LA | | | |

ROUTE NUMBER.....MD 844
INVENTORY DIRECTION...EAST
NAME: CAVETOWN CHURCH RD

| | | | | | | | | |
|-------------|-----------|-----------|------|-------------|---------------------------|---|-----|-----|
| SECONDARY R | URB-LOCAL | UNDIVIDED | NONE | 0.00 CO 980 | CAVETOWN CHURCH RD (BACK) | 2 | 18I | 599 |
| | | | | 0.00 MD 64 | JEFFERSON BLVD | | | |
| | | | | 0.05 CO1080 | PIONEER DR | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 844 CONTINUED
INVENTORY DIRECTION...EAST
NAME: CAVETOWN CHURCH RD

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|------------------|-----------|---------------|-----------|---------------------------|--------------|---------------------|------|
| SECONDARY R | URB-LOCAL | UNDIVIDED | NONE | 0.09 | STRUC #21049 BEAVER CREEK | 2 | 18I | 599 |
| | RUR-LOCAL | | | 0.22 | CO 322 WOLFVILLE RD | 2 | 14F | |
| | | | | 0.25 | | 2 | 10F | |
| | | | | 0.29 | ROAD END | | | |

ROUTE NUMBER.....MD 845A
INVENTORY DIRECTION...NORTH
NAME: S MAIN ST

| | | | | | | | | |
|-------------|---------------------|-----------|------|------|------------------------------------|---|-----|-----|
| SECONDARY U | RUR-MINOR COLLECTOR | UNDIVIDED | NONE | 0.00 | CO 565 KEEDYSVILLE RD (BACK) | 2 | 24I | 599 |
| | | | | 0.00 | MD 34 SHEPHERDSTOWN PIKE | | | |
| | | | | 0.01 | SPEED LIMIT 25 MPH | | | |
| | | | | 0.05 | OP 317 WYAND DR | 2 | 32I | |
| | | | | 0.12 | | 2 | 27I | |
| | | | | 0.18 | | 2 | 22I | |
| | | | | 0.24 | | 2 | 24I | |
| | | | | 0.26 | MU8100 ALLEY #10 | | | |
| | | | | 0.35 | | 2 | 30I | |
| | | | | 0.41 | MU 50 DOG STREET RD | | | |
| | | | | 0.50 | MU 30 COFFMAN FARMS RD | 2 | 32I | |
| | | | | 0.55 | MU 10 ANTIETAM DR | | | |
| | | | | 0.56 | STRUC #21004 LITTLE ANTIETAM CREEK | 2 | 35I | |
| | | | | 0.61 | MU8090 ALLEY #9 | | | |
| | | | | 0.62 | MU8080 ALLEY #8 | | | |
| | | | | 0.65 | MU8050 ALLEY #5 | 2 | 42I | |
| | | | | 0.65 | MU8060 ALLEY #6 | | | |
| | | | | 0.66 | MU 120 TAYLOR DR | | | |
| | | | | 0.66 | MU8030 ALLEY #3 | | | |
| | | | | 0.69 | MU 20 BELL LA | 2 | 27I | |
| | | | | 0.72 | MU8020 ALLEY #2 | | | |
| | | | | 0.77 | | 2 | 32I | |
| | | | | 0.80 | MU8040 ALLEY #4 | | | |
| | | | | 0.82 | MU 22 BELL LA | | | |
| | | | | 0.85 | MU 60 MT HEBRON RD | | | |
| | | | | 0.87 | SPUR FR MT HEBRON RD | | | |
| | | | | 0.88 | MU8010 ALLEY #1 | | | |
| | | | | 0.92 | MU 130 TAYLOR DR | | | |
| | | | | 0.98 | MU 122 TAYLOR DR | | | |
| | | | | 0.99 | MU 90 FELFOOT DR | 2 | 20I | |
| | | | | 1.05 | | 2 | 22I | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 845A CONTINUED
INVENTORY DIRECTION....NORTH
NAME: KEEDY DR

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT | DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|---------------------|-----------|---------------|-------------|-----------|--------------------|--------------|---------------------|------|
| SECONDARY U | RUR-MINOR COLLECTOR | UNDIVIDED | NONE | 1.17 MD 34A | | N MAIN ST | 2 | 24I | 599 |
| | | | | 1.23 MD 34 | | SHEPHERDSTOWN PIKE | | | |

ROUTE NUMBER.....MD 846B
INVENTORY DIRECTION....EAST
NAME: NO NAME

| | | | | | | | | | |
|-------------|-----------|-----------|------|--------------|--|----------|---|-----|----|
| SECONDARY R | RUR-LOCAL | UNDIVIDED | NONE | 0.00 | | ROAD END | 2 | 16H | 99 |
| | | | | 0.04 MD 846D | | NO NAME | | | |
| | | | | 0.10 | | ROAD END | | | |

ROUTE NUMBER.....MD 846D
INVENTORY DIRECTION....NORTH
NAME: NO NAME

| | | | | | | | | | |
|-------------|-----------|-----------|------|--------------|--|---------------|---|-----|----|
| SECONDARY R | RUR-LOCAL | UNDIVIDED | NONE | 0.00 MD 846B | | NO NAME | 2 | 16G | 99 |
| | | | | 0.04 MD 418 | | RINGGOLD PIKE | | | |

ROUTE NUMBER.....MD 847D
INVENTORY DIRECTION....NORTH
NAME: FRITZ LA

| | | | | | | | | | |
|-------------|-----------|-----------|------|-------------|--|-----------------|---|-----|----|
| SECONDARY R | RUR-LOCAL | UNDIVIDED | NONE | 0.00 CO 243 | | WELTY CHURCH RD | 2 | 16G | 99 |
| | | | | 0.14 | | ROAD END | | | |

ROUTE NUMBER.....MD 858A
INVENTORY DIRECTION....NORTH
NAME: NO NAME

| | | | | | | | | | |
|-------------|-----------|-----------|------|--------------|--|----------------|---|-----|----|
| SECONDARY R | RUR-LOCAL | UNDIVIDED | NONE | 0.00 | | ROAD END | 2 | 22I | 99 |
| | | | | 0.02 US 40AL | | BOONSBORO PIKE | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 858E
INVENTORY DIRECTION...NORTH
NAME: WOODSTOCK LA

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|------------------|-----------|---------------|-----------|----------------------------|--------------|---------------------|------|
| SECONDARY R | RUR-LOCAL | UNDIVIDED | NONE | 0.00 | CO 990 WOODSTOCK LA (BACK) | 2 | 18H | 199 |
| | | | | 0.08 | CO 608 PARK HALL RD | | | |
| | | | | 0.12 | | 2 | 22F | |
| | | | | 0.16 | | 2 | 22H | |
| | | | | 0.22 | | 1 | 10F | |
| | | | | 0.37 | | 2 | 16F | |
| | | | | 0.48 | ROAD END | | | |

ROUTE NUMBER.....MD 858F
INVENTORY DIRECTION...NORTH
NAME: MAIN ST

| | | | | | | | | |
|-------------|-----------|-----------|------|------|------------------------------------|---|-----|-----|
| SECONDARY R | RUR-LOCAL | UNDIVIDED | NONE | 0.00 | MD 67 ROHRERSVILLE RD | 2 | 24I | 499 |
| | | | | 0.08 | SPEED LIMIT 25 MPH | | | |
| | | | | 0.13 | | 2 | 21I | |
| | | | | 0.38 | CO 613 ROHRERSVILLE SCHOOL RD | 2 | 34I | |
| | | | | 0.57 | | 2 | 24I | |
| | | | | 0.69 | CO 600 HOG MAW RD | | | |
| | | | | 0.73 | STRUC #21047 LITTLE ANTIETAM CREEK | | | |
| | | | | 0.74 | | 2 | 16I | |
| | | | | 0.80 | | 2 | 20I | |
| | | | | 0.95 | CO 598 MILLBROOK RD | 2 | 24I | |
| | | | | 0.97 | MD 67A NO NAME | 2 | 40I | |
| | | | | 1.00 | MD 67 ROHRERSVILLE RD | | | |

ROUTE NUMBER.....MD 858G
INVENTORY DIRECTION...NORTH
NAME: NO NAME

| | | | | | | | | |
|-------------|-----------|-----------|------|------|-----------------------|---|-----|----|
| SECONDARY R | RUR-LOCAL | UNDIVIDED | NONE | 0.22 | CO 991 NO NAME (BACK) | 2 | 16H | 99 |
| | | | | 0.29 | ROAD END | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 878
INVENTORY DIRECTION....EAST
NAME: NO NAME

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|------------------|-----------|---------------|-----------|------------------------|--------------|---------------------|------|
| SECONDARY U | URB-LOCAL | UNDIVIDED | NONE | 0.00 | ROAD END | 2 | 20I | 99 |
| | | | | 0.10 | MU 235 BROADFORDING RD | | | |

ROUTE NUMBER.....MD 894
INVENTORY DIRECTION....NORTH
NAME: LIMESTONE RD

| | | | | | | | | |
|-------------|-----------|-----------|------|------|------------------------------------|---|-----|-----|
| SECONDARY U | RUR-LOCAL | UNDIVIDED | NONE | 0.00 | MD 144WB WESTERN PIKE/MAIN ST | 2 | 24I | 299 |
| | | | | 0.04 | US 522 WARFORDSBURG RD | | | |
| | | | | 0.04 | STRUC #21124 | | | |
| | | | | 0.04 | SPEED LIMIT 25 MPH | | | |
| | | DIVIDED | | 0.06 | | 2 | 28I | |
| | | | | 0.10 | RP 7009 RAMP 9 FR US 522 TO MD 894 | | | |
| | | | | 0.10 | MU 210 LIMESTONE RD (AHEAD) | | | |

ROUTE NUMBER.....MD 903
INVENTORY DIRECTION....SOUTH
NAME: MOUNTAIN RD

| | | | | | | | | |
|-------------|-----------|-----------|------|------|------------------------------------|---|-----|-----|
| SECONDARY R | RUR-LOCAL | UNDIVIDED | NONE | 0.25 | CO 6 MOUNTAIN RD (BACK) | 2 | 22I | 199 |
| | | | | 0.29 | RP 6808 RAMP 8 FR MD 903 TO IS 68 | | | |
| | | | | 0.86 | CO 7 BOTTENFIELD RD | | | |
| | | | | 0.91 | IS 68 NATIONAL FREEWAY | | | |
| | | | | 0.91 | STRUC #21150 | | | |
| | | | | 0.91 | EXIT #74 | | | |
| | | | | 1.08 | RP 6803 RAMP 3 FR RAMP 6 TO MD 903 | | | |
| | | | | 1.14 | RP 6806 RAMP 6 FR IS 68 TO MD 903 | | | |
| | | | | 1.16 | CO1036 NATIONAL PIKE (AHEAD) | | | |

ROUTE NUMBER.....MD 910B
INVENTORY DIRECTION....NORTH
NAME: NO NAME

| | | | | | | | | |
|-------------|-----------|-----------|------|------|---------------------------|---|-----|-----|
| SECONDARY R | RUR-LOCAL | UNDIVIDED | NONE | 0.00 | ROAD END | 1 | 12E | 199 |
| | | | | 0.01 | SR 8 ENT TO FISH HATCHERY | 2 | 17G | |
| | | | | 0.14 | MD 66 MAPLEVILLE RD | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND
HIGHWAY INFORMATION SERVICES DIVISION
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 910C
INVENTORY DIRECTION...NORTH
NAME: WESTERN MARYLAND PKWY

COUNTY-WASHINGTON
SHA DISTRICT.....6
DATE.....12/31/2000

| SYSTEM | FUNCTIONAL CLASS | HWY TYPE | ACCESS CONTRL | MILEPOINT | MILEPOINT DESCRIPTION | MARKED LANES | SURFACE WIDTH/TYPE* | AADT |
|-------------|------------------|-----------|---------------|-----------|-------------------------------------|--------------|---------------------|------|
| SECONDARY R | URB-LOCAL | UNDIVIDED | NONE | 1.19 | CO 950 WESTERN MARYLAND PKWY (BACK) | 2 | 30I | |
| | | | | 1.19 | MD 144WA WASHINGTON ST | | | |
| | | | | 1.19 | CO1186 WASHINGTON ST | | | |
| | | | | 1.20 | SPUR FR WASHINGTON ST | 2 | 24I | |
| | | | | 1.20 | SPUR TO WASHINGTON ST | | | |
| | | | | 1.29 | SPEED LIMIT 35 MPH | | | |
| | | DIVIDED | | 1.65 | | 4 | 48I | |
| | | | | 1.74 | SPUR FR US 40 | 3 | 38I | |
| | | | | 1.75 | SPUR TO US 40 | | | |
| | | | | 1.78 | US 40 NATIONAL PIKE | | | |

* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

