

**2000**

**Calendar Year**

**HIGHWAY LOCATION REFERENCE**

**ALL INTERSECTIONS**

**Data as of December 31, 2000**

**WICOMICO**

**COUNTY**

**SHA DISTRICT #1**

**WI**


---

# WICOMICO COUNTY HIGHWAY LOCATION REFERENCE MAP

2000

PREPARED BY THE  
**Maryland Department of Transportation**  
STATE HIGHWAY ADMINISTRATION  
HIGHWAY INFORMATION SERVICES DIVISION

0 4 MILES




### LEGEND

- Multi Lane Divided Highway  
Access Fully Controlled
- Multi Lane Divided Highway
- Undivided Highway
- Local Highway

This map is intended for use as a reference only.  
For more detailed maps, please contact:  
Highway Information Services Division,  
Highway Mapping Team at:  
410-545-8747 or  
by email to [maps@sha.state.md.us](mailto:maps@sha.state.md.us)

### SALISBURY



ROUTE ALERT LIST

WICOMICO COUNTY

None

MARYLAND STATE HIGHWAY ADMINISTRATION  
HIGHWAY INFORMATION SERVICES DIVISION  
STATE MAINTAINED HIGHWAYS ON THE NATIONAL HIGHWAY SYSTEM  
AS OF DECEMBER 31, 2000

WICOMICO COUNTY

ROUTE	BEGIN MILEPOINT	BEGIN DESCRIPTION	END MILEPOINT	END DESCRIPTION
US 13	0.00	SOMERSET CO/L	15.89	DELAWARE ST/L
US 50	0.00	DORCHESTER CO/L	31.09	WORCESTER CO/L

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 12  
INVENTORY DIRECTION....NORTH  
NAME: SNOW HILL RD

COUNTY-WICOMICO  
SHA DISTRICT.....1  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	RUR-MINOR ARTERIAL	UNDIVIDED	NONE	0.00	WORCESTER CO/L	2	24I	4,025
				0.00	SPEED LIMIT 50 MPH			
				0.52	CO 218 NASSAWANGO CHURCH RD			3,950
				2.55	CO 245 AIRPORT RD			
				3.10		2	26I	
				3.19	SPEED LIMIT 40 MPH			
				4.17		2	42I	
		DIVIDED		4.24	RP101304 RAMP 4 FR MD 12 TO US 13	3	42I	
				4.30		4	48I	
				4.38	SPEED LIMIT 50 MPH			
				4.52	RP101306 RAMP 6 FR RAMP 3 TO MD 12			
				4.55	RP101305 RAMP 5 FR MD 12 TO US 13			
				4.57	RP101303 RAMP 3 FR US 13 TO MD 12			
	URB-OTHER PRIN ART			4.62	US 13 SALISBURY BYPASS			8,800
				4.62	STRUC #22040			
				4.70	RP101307 RAMP 7 FR RAMP 2 TO MD 12			
				4.70	RP101301 RAMP 1 FR MD 12 TO RAMP 8			
				4.80	RP101302 RAMP 2 FR US 13 TO MD 12			
				4.81	RP101308 RAMP 8 FR MD 12 TO US 13			
				4.86		3	37I	
		UNDIVIDED		4.88		2	24I	
		DIVIDED		5.63	SPEED LIMIT 40 MPH			
		CTL		5.71	IN CORP LMTS SALISBURY	3	60I	
				5.71	CO 243 JOHNSON RD			
		UNDIVIDED		5.88	CO 445 E COLLEGE AVE	3	36I	11,125
				5.88	CO 277 BEAGLIN PARK DR			
				6.02		2	24I	
				6.10	OUT CORP LMTS SALISBURY			
				6.43		2	26I	
				6.46	SPEED LIMIT 30 MPH			
				6.55	IN CORP LMTS SALISBURY			
				6.55	END STATE MAINTENANCE			
				6.55	BEGIN MUNICIPAL MAINTENANCE			
				6.60		2	42I	
				6.67	MU2830 E VINE ST			
				7.06	MU 410 E CARROLL ST			
				7.17		2	30I	
				7.22	STRUC #WIS003 WICOMICO RIVER BRANCH			
				7.26	MU1632 E MAIN ST			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 13  
INVENTORY DIRECTION...NORTH  
NAME: S FRUITLAND BLVD

COUNTY-WICOMICO  
SHA DISTRICT.....1  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
PRIMARY	R	RUR-OTHER PRIN ART	DIVIDED PART	0.00	SOMERSET CO/L	4	48I	25,349
				0.00	STRUC #19001 PASSERDYKE CREEK			
				0.41	MILE MARKER 27.0			
				0.45	SPEED LIMIT 45 MPH			
			FULL	0.55	US 13BU S FRUITLAND BLVD			12,975
NAME: SALISBURY BYPASS				0.55				
				0.83	US 13BU (SB/L)			
				1.02	US 13BU S FRUITLAND BLVD			
				1.02	STRUC #22043			
				1.38	SPEED LIMIT 65 MPH			
				2.21	CO 172 MEADOW BRIDGE RD			
				2.21	STRUC #22042			
				2.42	MILE MARKER 29.0			
				2.44	RP101306 RAMP 6 FR US 13 TO MD 513			
				2.44	RP101308 RAMP 8 FR MD 513 TO US 13			
				2.73	MD 513 ST LUKES RD			15,775
				2.73	STRUC #22041			
				3.01	RP101302 RAMP 2 FR US 13 TO MD 513			
				3.09	RP101304 RAMP 4 FR MD 513 TO US 13			
				3.44	MILE MARKER 30.0			
				4.14	CO 212 COULBOURN MILL RD			
				4.14	STRUC #22037			
				4.45	MILE MARKER 31.0			
				5.13	RP101308 RAMP 8 FR MD 12 TO US 13			
				5.30	RP101305 RAMP 5 FR MD 12 TO US 13			
				5.35	MD 12 SNOW HILL RD			17,575
				5.35	STRUC #22040			
				5.38	RP101303 RAMP 3 FR US 13 TO MD 12			
				5.58	RP101302 RAMP 2 FR US 13 TO MD 12			
				5.70	RP101304 RAMP 4 FR MD 12 TO US 13			
				6.45	MILE MARKER 33.0			
				6.61	CO 243 JOHNSON RD			
				6.61	STRUC #22035			
				7.45	STRUC #22036 PARKER POND			
				7.48	MILE MARKER 34.0			
				7.87	MD 350 MT HERMON RD			
				7.87	STRUC #22024			
				8.30	RP101306 RAMP 6 FR US 50 TO US 13			
				8.37	RP101304 RAMP 4 FR US 13 TO US 50			
				8.48	MILE MARKER 35.0			
				8.68	RP101305 RAMP 5 FR US 13 TO US 50			
				8.71	RP101303 RAMP 3 FR US 50 TO US 13			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 13 CONTINUED  
INVENTORY DIRECTION...NORTH  
NAME: SALISBURY BYPASS

COUNTY-WICOMICO  
SHA DISTRICT.....1  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
PRIMARY	RUR-OTHER PRIN ART	DIVIDED	FULL	8.74	US 50 OCEAN GATEWAY	4	48I	19,175
				8.74	STRUC #22033			
				8.79	RP101301 RAMP 1 FR US 13 TO US 50			
				8.79	RP101307 RAMP 7 FR US 50 TO US 13			
				8.96	RP101308 RAMP 8 FR US 13 TO US 50			
				9.10	RP101302 RAMP 2 FR US 50 TO US 13			
				9.11	MD 346 OLD OCEAN CITY RD			
				9.11	STRUC #22032			
				9.39	SPEED LIMIT 60 MPH			
				9.49	MILE MARKER 36.0			
				9.50	R/R #CR 530 466 F			
				9.50	STRUC #22031			
				10.48	MILE MARKER 37.0			
				11.08		3	36I	
				11.35		4	48I	
	URB-FRWY/EXPWY			11.41	CO 406 W ZION RD			
				11.41	STRUC #22034			
				11.47	RP101304 RAMP 4 FR US 13BU TO US 13	2	27I	
				11.48	MILE MARKER 38.0			
				11.57		2	30I	
				11.72		2	39I	
	U			11.76	IN CORP LMTS SALISBURY			
				11.78	RP101307 RAMP 7 FR US 13 TO US 13BU			
				11.85		2	36I	
				11.88	US 13BU N SALISBURY BLVD			
				11.88	STRUC #22021			
	URB-OTHER PRIN ART		NONE	11.92	US 13BU N SALISBURY BLVD	5	60I	36,141
NAME:	N SALISBURY BLVD			11.92				
				11.92	US 50UL PROPOSED			
				11.93	SPEED LIMIT 45 MPH			
				12.08		6	66I	
	R			12.13	OUT CORP LMTS SALISBURY	5	60I	
				12.27		5	72I	
				12.32		5	60I	
				12.38		5	72I	
	U			12.46	IN CORP LMTS SALISBURY			
				12.56	MILE MARKER 39.0			
				12.65	CO 416 NAYLOR MILL RD			
				12.66	SPEED LIMIT 55 MPH			
	R			12.72	OUT CORP LMTS SALISBURY			
				12.72	SPEED LIMIT 50 MPH			
	RUR-OTHER PRIN ART			13.01				

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 13 CONTINUED  
INVENTORY DIRECTION...NORTH  
NAME: N SALISBURY BLVD

COUNTY-WICOMICO  
SHA DISTRICT.....1  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
PRIMARY	R	RUR-OTHER PRIN ART	DIVIDED	NONE	13.43 CO 330	DAGSBORO RD	4 72I	36,141
					13.54	MILE MARKER 40.0	4 48I	
					13.61	STRUC #22002 LEONARD POND RUN		
					13.61			
					13.64	ATR STATION #0009		
					13.77	MARYLAND STATE POLICE WEIGH STATION		
	U				13.91	IN CORP LMTS DELMAR		25,275
					14.01 MD 675B	BI-STATE BLVD		
					14.14	SPEED LIMIT 55 MPH		
					14.55	MILE MARKER 41.0		
	R				14.72	OUT CORP LMTS DELMAR		
	U				15.15	IN CORP LMTS DELMAR		
	R				15.17	OUT CORP LMTS DELMAR		
					15.58	MILE MARKER 42.0		
	U				15.85	IN CORP LMTS DELMAR		
					15.89 MD 54	E STATE ST/E LINE RD		
					15.89	DELAWARE ST/L		

\*\*\*\*\*

ROUTE NUMBER.....US 13A  
INVENTORY DIRECTION...NORTH  
NAME: CAMDEN AVE

SECONDARY	U	URB-MINOR ARTERIAL	DIVIDED	NONE	0.00 US 13BU	S FRUITLAND BLVD	2 39I	1,475
					0.03 CO 728	DISHAROON RD		
					0.03 MU 38	S CAMDEN AVE		

\*\*\*\*\*

ROUTE NUMBER.....US 13BU  
INVENTORY DIRECTION...NORTH  
NAME: S FRUITLAND BLVD

SECONDARY	R	RUR-OTHER PRIN ART	DIVIDED	PART	0.00 US 13	S FRUITLAND BLVD/SALISBURY BYPASS	2 28I	12,675
					0.12		3 40I	
		URB-OTHER PRIN ART			0.43 US 13	SALISBURY BYPASS		
					0.43	STRUC #22043		
				NONE	0.67		4 48I	
	U				0.83	IN CORP LMTS FRUITLAND		
					0.87 US 13A	CAMDEN AVE		
					1.23	SPEED LIMIT 45 MPH		

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 13BU CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: S FRUITLAND BLVD

COUNTY-WICOMICO  
SHA DISTRICT.....1  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY U	URB-OTHER PRIN ART	DIVIDED	NONE	1.52 MU 110	SOUTH DIVISION ST	4	48I	12,675
				2.08 MU 190	MAIN ST E & W			20,375
NAME: N FRUITLAND BLVD								
				2.08				
				2.44 MU 100	CLYDE AVE			
				2.64 MU 55	CEDAR LA			22,975
				2.64 MD 513	CEDAR LA			
				2.99	OUT CORP LMTS FRUITLAND			
				3.02	STRUC #22005 TONYTANK POND			
				3.03	IN CORP LMTS SALISBURY			
				3.09	OUT CORP LMTS SALISBURY			
				3.31	SPEED LIMIT 35 MPH			
				3.45 CO 156	PINE BLUFF RD			
				3.49 MU1775	MILFORD ST			
				4.07	IN CORP LMTS SALISBURY			
		CTL		4.17 MU 630	W COLLEGE AVE	4	46I	
				4.53 MU2600	SOUTH BLVD			
		DIVIDED		4.90				
		UNDIVIDED		5.01		4	56I	
				5.06 MU 768	S DIVISION ST			
		CTL		5.11 MU2830	E VINE ST	4	46I	
				5.27 MU 410	E CARROLL ST			
				5.42	STRUC #22004 WICOMICO RIVER			
				5.46 MU1680	E MARKET ST			
				5.47 MU1632	E MAIN ST	4	48I	24,875
NAME: N SALISBURY BLVD								
				5.47				
				5.60 US 50	SALISBURY PKWY			27,875
				5.60	STRUC #22026			
				5.64 MU 520	E CHURCH ST			
				5.64 MU 270	BROAD ST			
				5.77 MU1330	E ISABELLA ST			
				5.90	R/R #CR 530 498 L			
				6.31 MU2730	UNION AVE			
				6.41 MU1790	MILLER PL			
		DIVIDED		6.47				
				6.60	R/R #CR 530 216 T			
				6.60	STRUC #22003			
				6.73 MU1483	LIBERTY ST			
		CTL		6.79		4	50I	
				6.86 MU1950	NORTHWOOD DR			
				6.97 MU2290	PRISCILLA ST			
				7.01	SPEED LIMIT 40 MPH			
				7.29	OUT CORP LMTS SALISBURY			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 13BU CONTINUED  
INVENTORY DIRECTION...NORTH  
NAME: N SALISBURY BLVD

COUNTY-WICOMICO  
SHA DISTRICT.....1  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	URB-OTHER PRIN ART	DIVIDED	NONE	7.76	CO 406 W ZION RD/ZION RD	4	48I	27,875
				7.78	SPEED LIMIT 45 MPH			
				7.83	RP101304 RAMP 4 FR US 13BU TO US 13			
				8.01	US 13 SALISBURY BYPASS			
				8.01	STRUC #22021			
				8.10		5	60I	
U				8.15	IN CORP LMTS SALISBURY			
				8.20	RP101307 RAMP 7 FR US 13 TO US 13BU			
				8.27	US 13 SALISBURY BYPASS/N SALISBURY BLVD			

\*\*\*\*\*

ROUTE NUMBER.....US 50  
INVENTORY DIRECTION...EAST  
NAME: OCEAN GATEWAY

PRIMARY R	RUR-OTHER PRIN ART	DIVIDED	NONE	0.00	DORCHESTER CO/L	4	48J	18,950
				0.00	STRUC #9022 NANTICOKE RIVER			
				0.74		4	48I	
				0.91	MILE MARKER 97.0			
				1.69	MD 731C OLD BRADLEY RD			
				1.86	SPEED LIMIT 55 MPH			
				1.93	MILE MARKER 98.0			
				2.06	MD 731A MARSH RD			
				2.93	MILE MARKER 99.0			
U				3.80	IN CORP LMTS MARDELA SPRINGS			
				3.96	MILE MARKER 100.0			
				4.53	MD 313 DELMAR RD			22,050
				4.53	CO 35 MAIN ST			
R				4.73	OUT CORP LMTS MARDELA SPRINGS			
				4.79	STRUC #22008 BARREN CREEK			
				4.99	MILE MARKER 101.0			
				5.96	MILE MARKER 102.0			
				6.98	MILE MARKER 103.0			
				7.59	CO 57 OLD RAILROAD RD			
				8.99	MILE MARKER 105.0			
				9.40	CO 537 MEMORY GARDENS LA			22,025
				9.40	MD 347 QUANTICO RD			
				10.01	MILE MARKER 106.0			
				10.54	MD 670 LILLIAN ST			
				11.03	MILE MARKER 107.0			
				12.02	MILE MARKER 108.0			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 50 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: OCEAN GATEWAY

COUNTY-WICOMICO  
SHA DISTRICT.....1  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	RUR-MINOR ARTERIAL	DIVIDED	NONE	12.42	US 50UL PROPOSED	4	48I	22,025
				12.80	CO 416 NAYLOR MILL RD			
NAME: W SALISBURY PKWY				12.80				
				13.02	MILE MARKER 109.0			
				13.77	SPEED LIMIT 50 MPH			
				14.01	MILE MARKER 110.0			
				14.23	SPEED LIMIT 40 MPH			
				14.52	CO 549 BOOTH ST			29,125
U				14.69	IN CORP LMTS SALISBURY			
				14.78	SPEED LIMIT 35 MPH			
				14.94		5	60I	
PRIMARY	URB-OTHER PRIN ART		PART	15.02	MU1330 W ISABELLA ST			42,825
NAME: SALISBURY PKWY				15.02				
				15.02	MD 349 NANTICOKE RD			
				15.13	MILE MARKER 111.0			
				15.14		6	72I	
				15.48	MU 730 CYPRESS ST			
				15.59	MU1430 LAKE ST			
				15.65	STRUC #22028 WICOMICO RIVER			
				15.69	MU1780 MILL ST			
				15.86	MU 771 N DIVISION ST			26,850
				16.03		4	54I	
				16.12	MILE MARKER 112.0			
				16.14	US 13BU N SALISBURY BLVD			30,225
				16.14	STRUC #22026			
				16.21	R/R #CR 530 221 P			
				16.21	STRUC #22027			
				16.40		5	60I	
				16.56	MU 740 DAVIS ST	6	72I	22,525
				16.83	MU2720 TRUITT ST			
				16.93	MU1632 E MAIN ST			22,000
				16.93	MD 346 E MAIN ST			
				17.06	MILE MARKER 113.0	4	48I	
				17.24	SPEED LIMIT 45 MPH			
R				17.25	OUT CORP LMTS SALISBURY			
				17.39	CO 286 CIVIC AVE			
				17.39	MU 545 CIVIC AVE			
U				17.50	IN CORP LMTS SALISBURY			
				17.57	SPEED LIMIT 55 MPH			
R				17.71	OUT CORP LMTS SALISBURY			
U				17.95	IN CORP LMTS SALISBURY			
				18.12	MILE MARKER 114.0			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 50 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: OCEAN GATEWAY

COUNTY-WICOMICO  
SHA DISTRICT.....1  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT	
PRIMARY	U	URB-OTHER PRIN ART	DIVIDED PART	18.41	MU2167	PHILLIP MORRIS DR	4	48I	22,000
				18.41	CO 774	PHILLIP MORRIS DR			
				19.08		MILE MARKER 115.0			
				19.19	RP101308	RAMP 8 FR US 13 TO US 50			
				19.19	RP101306	RAMP 6 FR US 50 TO US 13			
				19.36	RP101305	RAMP 5 FR US 13 TO US 50			
				19.36	RP101307	RAMP 7 FR US 50 TO US 13			
	R			19.39		OUT CORP LMTS SALISBURY			
		RUR-OTHER PRIN ART		19.44	US 13	SALISBURY BYPASS			26,875
				19.44		STRUC #22033			
				19.48	RP101303	RAMP 3 FR US 50 TO US 13			
				19.48	RP101301	RAMP 1 FR US 13 TO US 50			
				19.74	RP101302	RAMP 2 FR US 50 TO US 13			
				19.74	RP101304	RAMP 4 FR US 13 TO US 50			
				20.09		MILE MARKER 116.0			
				20.21		SPEED LIMIT 55 MPH			
				21.01		STRUC #22038P BEAVER DAM DITCH			
				21.09		MILE MARKER 117.0			
				21.33	CO 294	WALSTON SWITCH RD			24,000
				22.09		MILE MARKER 118.0			
				23.09		MILE MARKER 119.0			
				23.19	CO 297	FOREST GROVE RD			
				23.96	MD 992B	EASTSIDE RD			
				24.11		MILE MARKER 120.0			
				24.70		STRUC #22039 CAMPBELL DITCH			
				25.11		MILE MARKER 121.0			
				25.83	CO 733	SIXTY FOOT RD			23,072
				26.11		MILE MARKER 122.0			
				27.13		MILE MARKER 123.0			
				28.13		MILE MARKER 124.0			
				29.13		MILE MARKER 125.0			
				29.35		ATR STATION #0017			
	U			29.49		IN CORP LMTS WILLARDS			
				29.60	MD 354	POWELLVILLE RD			
				30.13		MILE MARKER 126.0			
	R			30.19		OUT CORP LMTS WILLARDS			
				30.59		STRUC #22030 MURRAY BRANCH			
				31.09		STRUC #22001 POCOMOKE RIVER			
				31.09		WORCESTER CO/L			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 50UL  
INVENTORY DIRECTION....EAST  
NAME: PROPOSED

COUNTY-WICOMICO  
SHA DISTRICT.....1  
DATE.....12/31/2000

SYSTEM	STATE	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
PRIMARY	R	RUR-OTHER PRIN ART	DIVIDED	PART	0.00 US 50	W SALISBURY PKWY	4	48I	23,072
					5.20 US 13	SALISBURY BYPASS			

\*\*\*\*\*

ROUTE NUMBER.....MD 54  
INVENTORY DIRECTION....EAST  
NAME: DELMAR RD

SECONDARY	R	RUR-MINOR COLLECTOR	UNDIVIDED	NONE	0.00 MD 313	DELMAR RD/SHARPTOWN RD	2	24I	1,550
					0.15		2	22I	
					0.24	SPEED LIMIT 50 MPH			
					0.71 CO 53	BARREN CREEK RD	2	24I	1,700
					2.23 CO 23	NORRIS TWILLEY RD			
					2.25		2	22I	
					2.31	STRUC #22022 MOCKINGBIRD CREEK			
					2.86 CO 57	OLD RAILROAD RD			
					3.25	END MARYLAND MAINTENANCE			
					3.25	DELAWARE ST/L			
					9.51	DELAWARE ST/L	2	32I	8,200
NAME:	W	STATE ST			9.51				
					9.51	BEGIN MARYLAND MAINTENANCE			
					9.51 CO 518	WALLER RD			
					9.56	SPEED LIMIT 25 MPH			
					9.60	IN CORP LMTS DELMAR			
NAME:	E	STATE ST			9.75	R/R #CR 530 210 C			
		RUR-MAJOR COLLECTOR			9.97 MD 675B	BI-STATE BLVD	2	27I	
					10.01	SPEED LIMIT 25 MPH			
					10.03		2	29I	
					10.39		2	32I	
					10.48	SPEED LIMIT 35 MPH			
					10.50		2	24I	
					10.72		2	34I	
					10.81		2	24I	
NAME:	E	LINE RD			10.84 US 13	OCEAN HWY			
					10.84	END MARYLAND MAINTENANCE			
					10.84	BEGIN DELAWARE MAINTENANCE			
					15.01	END DELAWARE MAINTENANCE	2	23I	3,050
					15.01	BEGIN MARYLAND MAINTENANCE			
					15.22 CO 391	MELSON CHURCH RD			
					15.28	SPEED LIMIT 50 MPH			
					17.85		2	22I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 54 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: E LINE RD

COUNTY-WICOMICO  
SHA DISTRICT.....1  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	RUR-MAJOR COLLECTOR	UNDIVIDED	NONE	19.79 MD 353	GUMBORO RD	2	22I	3,050

\*\*\*\*\*

ROUTE NUMBER.....MD 313  
INVENTORY DIRECTION....NORTH  
NAME: DELMAR RD

SECONDARY R	RUR-MAJOR COLLECTOR	DIVIDED	NONE	0.00 CO 35	MAIN ST (BACK)	2	33I	1,750
		UNDIVIDED		0.00 US 50	OCEAN GATEWAY	2	28I	
				0.06	SPEED LIMIT 30 MPH	2	24I	
				0.12 MD 54	DELMAR RD	2	37I	1,050
				0.18		2	24I	
				0.70	SPEED LIMIT 50 MPH			
				5.07	STRUC #22013 PLUM CREEK			
				5.57 MD 813F	TWIFORD RD			
U				5.72	IN CORP LMTS SHARPTOWN			
R				5.94	OUT CORP LMTS SHARPTOWN			
		DIVIDED		5.95		2	23I	
				6.12 MD 348	MAIN ST/LAUREL RD	2	24I	2,350
		UNDIVIDED		6.23	SPEED LIMIT 50 MPH			
				6.28				
				6.99		2	22I	
U				7.04	IN CORP LMTS SHARPTOWN			
				7.31	STRUC #22045 NANTICOKE RIVER			
				7.31	DORCHESTER CO/L			

\*\*\*\*\*

ROUTE NUMBER.....MD 346  
INVENTORY DIRECTION....EAST  
NAME: E MAIN ST

MUNICIPAL U	URB-MINOR ARTERIAL	DIVIDED	NONE	0.00 MU1632	E MAIN ST (BACK)	4	60J	4,950
		UNDIVIDED		0.00 US 50	SALISBURY PKWY	4	44J	
				0.04 MU2290	PRISCILLA ST	2	44I	
				0.11		2	44I	
				0.15	SPEED LIMIT 30 MPH			
				0.16		2	42I	
				0.42 MU 520	CHURCH ST			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 346 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: E MAIN ST

COUNTY-WICOMICO  
SHA DISTRICT.....1  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
MUNICIPAL U	URB-MINOR ARTERIAL	UNDIVIDED	NONE	0.44		2	31I	4,950
				0.57	MU 545 CIVIC AVE	2	42I	7,600
				0.66	SPEED LIMIT 40 MPH	2	30I	
SECONDARY R				0.67	END MUNICIPAL MAINTENANCE			
NAME: OLD OCEAN CITY RD				0.67	BEGIN STATE MAINTENANCE			
				0.67	OUT CORP LMTS SALISBURY			
				0.71		2	24I	
				1.56		3	34I	
				1.60	CO 774 PHILLIP MORRIS DR	2	24I	
	RUR-MAJOR COLLECTOR			2.47	US 13 SALISBURY BYPASS			
				2.47	STRUC #22032			
				3.22		2	22I	
				3.30	CO 408 ZION CHURCH RD			
				3.30	CO 356 HOBBS RD			
				3.33		2	24I	
				4.51	CO 294 WALSTON SWITCH RD			
				5.01	SPEED LIMIT 45 MPH			
				6.30	SPEED LIMIT 30 MPH			
				6.39	CO 297 FOREST GROVE RD			
				6.43	CO 327 BROAD ST			
				6.57	CO 852 PARSONSBURG RD			
				6.63	SPEED LIMIT 40 MPH			
				7.26	SPEED LIMIT 50 MPH			
				8.56	SPEED LIMIT 40 MPH			
U				8.86	IN CORP LMTS PITTSVILLE			
				9.37	CO 733 SIXTY FOOT RD			2,725
				9.37	MD 353 GUMBORO RD			
				10.42	SPEED LIMIT 50 MPH			
R				10.84	OUT CORP LMTS PITTSVILLE			
				12.64	SPEED LIMIT 35 MPH			
U				12.65	IN CORP LMTS WILLARDS			
				12.94	CO 781 MAIN ST			
				12.94	MD 354 POWELLVILLE RD			
R				13.60	OUT CORP LMTS WILLARDS			
				13.61	SPEED LIMIT 50 MPH			
				13.73	STRUC #22010 BURNT MILL BRANCH			
				14.46	STRUC #22011 POCOMOKE RIVER			
				14.46	WORCESTER CO/L			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 347  
INVENTORY DIRECTION....NORTH  
NAME: QUANTICO RD

COUNTY-WICOMICO  
SHA DISTRICT.....1  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	RUR-LOCAL	UNDIVIDED	NONE	0.00 MD 349	NANTICOKE RD	2	24I	1,100
				0.10	SPEED LIMIT 30 MPH			
	RUR-MAJOR COLLECTOR			0.78 CO 67	CATCHPENNY RD			
				1.02	STRUC #22014 QUANTICO CREEK			
				1.08		2	20I	
				1.25		2	22I	
				1.38		2	20I	
				1.52		2	24I	
				1.77	SPEED LIMIT 50 MPH			
				1.81 CO 38	ATHOL RD			2,375
				4.94	SPEED LIMIT 40 MPH			
				5.20	SPEED LIMIT 30 MPH			
				5.22		2	36I	
				5.32 CO 57	OLD RAILROAD RD	2	35I	
NAME: S MAIN ST				5.32				
U				5.33	IN CORP LMITS HEBRON			
				5.76	R/R #MDOT 530 512 E			
				5.77 CO 127	RAILROAD AVE NE&NW	2	31I	
NAME: N MAIN ST				5.77				
RUR-MINOR COLLECTOR				5.88 MD 670	E LILLIAN ST			1,675
				5.96		2	26I	
NAME: QUANTICO RD				6.12	SPEED LIMIT 40 MPH			
R				6.14	OUT CORP LMITS HEBRON			
				6.40		2	24I	
				6.65	STRUC #22044 REWASTICO CREEK			
				6.92 US 50	OCEAN GATEWAY			

\*\*\*\*\*

ROUTE NUMBER.....MD 348  
INVENTORY DIRECTION....EAST  
NAME: MAIN ST

SECONDARY R	RUR-MINOR COLLECTOR	UNDIVIDED	NONE	0.00 CO1124	MAIN ST (BACK)	2	24I	2,175
				0.00 CO 8	EAGLES AVE			
	RUR-MAJOR COLLECTOR			0.04 MD 313	SHARPTOWN RD			
NAME: LAUREL RD				0.04				
				0.04	SPEED LIMIT 40 MPH			
				0.08		2	22I	
				0.41	SPEED LIMIT 50 MPH			
				0.54		2	21I	
				0.83 CO 21	SAN DOMINGO RD	2	24I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 348 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: LAUREL RD

COUNTY-WICOMICO  
SHA DISTRICT.....1  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	RUR-MAJOR COLLECTOR	UNDIVIDED	NONE	1.39	DELAWARE ST/L	2	24I	2,175

\*\*\*\*\*

ROUTE NUMBER.....MD 349  
INVENTORY DIRECTION....EAST  
NAME: NANTICOKE RD

SECONDARY R	RUR-LOCAL	UNDIVIDED	NONE	0.00	CUL DE SAC	2	16I	1,550
				0.08	SPEED LIMIT 30 MPH			
				0.40		2	22I	
	RUR-MAJOR COLLECTOR			0.59	SPEED LIMIT 40 MPH			
				1.29				
				2.21	SPEED LIMIT 30 MPH			
				2.57	SPEED LIMIT 30 MPH			
				2.94	CO 86 JESTERVILLE RD			2,350
				3.12	SPEED LIMIT 50 MPH			
				3.16	STRUC #22015 WINDSOR CREEK			
				3.34	SPEED LIMIT 50 MPH			
				4.25	SPEED LIMIT 40 MPH			
				4.49	SPEED LIMIT 30 MPH			
				5.78	SPEED LIMIT 40 MPH			
				6.49	SPEED LIMIT 50 MPH			
	RUR-MINOR ARTERIAL			7.58	MD 352 CAPITOLA RD			4,050
				9.60	STRUC #22029 WETIPQUIN CREEK			
				15.14	MD 347 QUANTICO RD			
				15.77	MD 352 WHITEHAVEN RD			3,250
				15.91	CO 67 CATCHPENNY RD			
				17.09		2	24I	
				17.46	CO 113 NORTH UPPER FERRY RD			
				18.48		2	22I	
				19.81	CO 109 CROOKED OAK LA			10,650
				20.55		2	24I	
	URB-OTHER PRIN ART			21.36				
				21.45	MD 815 OLD QUANTICO RD			
				21.51	SPEED LIMIT 40 MPH			
				21.73	SPEED LIMIT 30 MPH			
				21.93		4	48I	
				22.04	CO 106 PARSONS RD			
				22.15	MD 815 OLD QUANTICO RD			16,200
MUNICIPAL U				22.21	IN CORP LMNTS SALISBURY	2	48I	
				22.21	END STATE MAINTENANCE			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 349 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: NANTICOKE RD

COUNTY-WICOMICO  
SHA DISTRICT.....1  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
MUNICIPAL U	URB-OTHER PRIN ART	UNDIVIDED	NONE	22.21	BEGIN MUNICIPAL MAINTENANCE	2	48I	16,200
				22.25		2	44I	
				22.29		2	46I	
				22.32 US 50	W SALISBURY PKWY/SALISBURY PKWY			
				22.32 MU1330	W ISABELLA ST (AHEAD)			

\*\*\*\*\*

ROUTE NUMBER.....MD 350  
INVENTORY DIRECTION....EAST  
NAME: MT HERMON RD

MUNICIPAL U	URB-MINOR ARTERIAL	UNDIVIDED	NONE	0.00 MU1632	E MAIN ST	3	42I	1,975
				0.00 MU1590	LONG AVE			
				0.00 MU2720	TRUITT ST			
				0.08	SPEED LIMIT 35 MPH	4	56I	
				0.14		4	48I	
SECONDARY R				0.18	END MUNICIPAL MAINTENANCE			
				0.18	BEGIN STATE MAINTENANCE			
				0.18	OUT CORP LMTS SALISBURY			
U				0.44	IN CORP LMTS SALISBURY			
				0.53 MU 545	CIVIC AVE			
				0.88		2	24I	
R				0.92 CO 277	BEAGLIN PARK DR	2	26I	
				0.92	OUT CORP LMTS SALISBURY			
		DIVIDED		1.01		2	28I	
				1.02	SPEED LIMIT 40 MPH			
		UNDIVIDED		1.10		2	24I	
U				1.48	IN CORP LMTS SALISBURY			
R				1.54	OUT CORP LMTS SALISBURY			
				1.56 MU2167	PHILLIP MORRIS DR			
				1.65 CO 266	GUNBY RD			
				2.37	SPEED LIMIT 50 MPH			
	RUR-MAJOR COLLECTOR			2.52 US 13	SALISBURY BYPASS			
				2.52	STRUC #22024			
				2.84		2	22I	
				3.34 CO 245	AIRPORT RD	2	24I	
				4.19 CO 294	WALSTON SWITCH RD			
				4.51	SPEED LIMIT 50 MPH			
				6.63 CO 297	FOREST GROVE RD			
				7.27	STRUC #22016 NASSAWANGO CREEK			
				8.15 CO 733	SIXTY FOOT RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 350 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: MT HERMON RD

COUNTY-WICOMICO  
SHA DISTRICT.....1  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	RUR-MAJOR COLLECTOR	UNDIVIDED	NONE	8.15	CO 248	LAWS RD	2	24I	1,975
				11.02		SPEED LIMIT 40 MPH			
				11.29		SPEED LIMIT 30 MPH			
				11.50			2	22I	
				11.80	MD 354	POWELLVILLE RD			

\*\*\*\*\*

ROUTE NUMBER.....MD 352  
INVENTORY DIRECTION....EAST  
NAME: CAPITOLA RD

SECONDARY R	RUR-MINOR COLLECTOR	UNDIVIDED	NONE	0.00	MD 349	NANTICOKE RD	2	22I	250
				0.06		SPEED LIMIT 50 MPH			
				3.44	CO 157	WHITEHAVEN RD	2	24I	450
NAME: WHITEHAVEN RD				3.44					
				5.69	CO 74	HEAD OF CREEK RD	2	21I	1,050
				5.83			2	24I	
				6.00			2	25I	
				6.21		STRUC #22017 GREENHILL RIVER			
				6.35			2	24I	
				10.03	MD 349	NANTICOKE RD			

\*\*\*\*\*

ROUTE NUMBER.....MD 353  
INVENTORY DIRECTION....NORTH  
NAME: GUMBORO RD

SECONDARY U	RUR-MAJOR COLLECTOR	UNDIVIDED	NONE	0.00	CO 733	SIXTY FOOT RD (BACK)	2	24I	4,200
				0.00	MD 346	OLD OCEAN CITY RD			
				0.04		SPEED LIMIT 40 MPH			
				0.25		SPEED LIMIT 30 MPH			
				0.65		SPEED LIMIT 40 MPH			
				0.77		STRUC #22025 AYDELOTTE BRANCH			
				0.98		SPEED LIMIT 50 MPH			
R				1.23		OUT CORP LMTS PITTSVILLE			
				1.90		STRUC #22018 BURNT MILL BRANCH			
				4.60	MD 54	E LINE RD			
				4.60		DELAWARE ST/L			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 354  
INVENTORY DIRECTION...NORTH  
NAME: POWELLVILLE RD

COUNTY-WICOMICO  
SHA DISTRICT.....1  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	RUR-MAJOR COLLECTOR	UNDIVIDED	NONE	0.00	WORCESTER CO/L	2	24I	1,450
				0.03		2	22I	
				0.11	SPEED LIMIT 50 MPH			
				1.58	CO 248 LAWS RD			2,800
				2.27	SPEED LIMIT 40 MPH			
				2.49	MD 374 BURBAGE CROSSING RD			
				2.58	SPEED LIMIT 30 MPH			
				2.85	MD 350 MT HERMON RD			1,900
				3.05	STRUC #22020 ADKINS MILL POND			
				3.08	STRUC #22019 ADKINS MILL POND			
				3.09		2	24I	
				3.18	SPEED LIMIT 40 MPH			
				3.41	SPEED LIMIT 50 MPH			
				4.24	CO 307 MT PLEASANT RD			
				4.99	CO 322 FRIENDSHIP RD			
				6.75	SPEED LIMIT 30 MPH			
U				7.07	IN CORP LMTS WILLARDS			
				7.10		2	22I	
				7.13		2	24I	
				7.15	US 50 OCEAN GATEWAY			
				7.17		2	30I	
				7.20		2	24I	
				7.34	MD 346 OLD OCEAN CITY RD			
				7.34	CO 781 MAIN ST (AHEAD)			

\*\*\*\*\*

ROUTE NUMBER.....MD 374  
INVENTORY DIRECTION...EAST  
NAME: BURBAGE CROSSING RD

SECONDARY R	RUR-MAJOR COLLECTOR	DIVIDED	NONE	0.00	MD 354 POWELLVILLE RD	2	41I	1,275
				0.03		2	30I	
		UNDIVIDED		0.07		2	26I	
				0.10	SPEED LIMIT 50 MPH			
				1.28	STRUC #23017 POCOMOKE RIVER			
				1.28	WORCESTER CO/L			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 513  
INVENTORY DIRECTION....SOUTH  
NAME: E CEDAR LA

COUNTY-WICOMICO  
SHA DISTRICT.....1  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY U	URB-MINOR ARTERIAL	UNDIVIDED	NONE	0.00 MU 55	CEDAR LA (BACK)	2	45I	3,875
				0.00 US 13BU	N FRUITLAND BLVD			
				0.03	R/R #CR 530 224 K			
				0.04		2	24I	
				0.08	SPEED LIMIT 40 MPH			
				0.59 MU 110	N DIVISION ST			
				0.65	SPEED LIMIT 45 MPH			
				1.20 MU 340	ST LUKES RD			
R				1.20				
NAME: ST LUKES RD				1.20	OUT CORP LMTS FRUITLAND			
				1.41 RP101306	RAMP 6 FR US 13 TO MD 513			
				1.46 RP101304	RAMP 4 FR MD 513 TO US 13			
				1.52 RP101303	RAMP 3 FROM RAMP 6 TO MD 513			
				1.52 RP101305	RAMP 5 FR MD 513 TO RAMP 4			
				1.54		2	36I	
	RUR-MAJOR COLLECTOR			1.57 US 13	SALISBURY BYPASS			
				1.57	STRUC #22041			
				1.63 RP101307	RAMP 7 FR RAMP 2 TO MD 513			
				1.63 RP101301	RAMP 1 FR MD 513 TO RAMP 8			
				1.69 RP101308	RAMP 8 FR MD 513 TO US 13	2	24I	
				1.71 RP101302	RAMP 2 FR US 13 TO MD 513			
				1.77 CO 220	JACKSON RD			
				1.77 CO 208	ST LUKES RD (AHEAD)			

\*\*\*\*\*

ROUTE NUMBER.....MD 670  
INVENTORY DIRECTION....EAST  
NAME: E LILLIAN ST

SECONDARY U	RUR-MAJOR COLLECTOR	UNDIVIDED	NONE	0.00 MD 347	N MAIN ST	2	28I	2,575
				0.05	SPEED LIMIT 30 MPH			
				0.38	OUT CORP LMTS HEBRON	2	30I	
R				0.44 CO 134	LILLIAN ST			
NAME: LILLIAN ST				0.45	IN CORP LMTS HEBRON			
U				0.49		2	24I	
				0.58	SPEED LIMIT 40 MPH			
				0.59	OUT CORP LMTS HEBRON			
				0.81	SPEED LIMIT 50 MPH			
				1.43		2	26I	
				1.48 US 50	OCEAN GATEWAY			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 675B  
INVENTORY DIRECTION...WEST  
NAME: BI-STATE BLVD

COUNTY-WICOMICO  
SHA DISTRICT.....1  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY U	RUR-MAJOR COLLECTOR	UNDIVIDED	NONE	0.00	US 13 OCEAN HWY	3	36I	6,275
R				0.07	OUT CORP LMTS DELMAR			
				0.08		2	24I	
				1.58	SPEED LIMIT 35 MPH			
U				1.75	IN CORP LMTS DELMAR			
				1.85	SPEED LIMIT 25 MPH			
				1.95		2	40I	
				2.09	MD 54 E STATE ST			
				2.09	DELAWARE ST/L			

\*\*\*\*\*

ROUTE NUMBER.....MD 731A  
INVENTORY DIRECTION...EAST  
NAME: MARSH RD

SECONDARY R	RUR-LOCAL	UNDIVIDED	NONE	0.00	ROAD END	2	10I	
				0.22	STRUC #22006 VIENNA SWAMP			
				0.31		2	24I	
				0.39	STRUC #22007 VIENNA SWAMP			
				1.45	MD 731C OLD BRADLEY RD			
				1.46		2	33I	
				1.57		2	32I	
				1.63		2	24I	
				1.67		1	12I	
				1.80	US 50 OCEAN GATEWAY			

\*\*\*\*\*

ROUTE NUMBER.....MD 731C  
INVENTORY DIRECTION...NORTH  
NAME: OLD BRADLEY RD

SECONDARY R	RUR-LOCAL	UNDIVIDED	NONE	0.00	MD 731A MARSH RD	2	22I	
				0.13	US 50 OCEAN GATEWAY			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 813F  
INVENTORY DIRECTION....SOUTH  
NAME: TWIFORD RD

COUNTY-WICOMICO  
SHA DISTRICT.....1  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	RUR-MINOR COLLECTOR	UNDIVID	NONE	0.00	CO1105 STATE ST	2	22I	999
	RUR-LOCAL			0.07	MD 313 SHARPTOWN RD			
				0.12	OP 9 TWIFORD RD (AHEAD)			

\*\*\*\*\*

ROUTE NUMBER.....MD 815  
INVENTORY DIRECTION....EAST  
NAME: OLD QUANTICO RD

SECONDARY R	URB-LOCAL	UNDIVID	NONE	0.00	MD 349 NANTICOKE RD	2	24I	999
				0.03		2	22I	
				0.08	SPEED LIMIT 30 MPH			
				0.60	CO 106 PARSONS RD			
				0.72	MD 349 NANTICOKE RD			

\*\*\*\*\*

ROUTE NUMBER.....MD 991  
INVENTORY DIRECTION....EAST  
NAME: W MAIN ST

SECONDARY U	URB-MINOR ARTERIAL	UNDIVID	NONE	0.70	MU1640 W MAIN ST (BACK)	2	26I	7,099
				0.71	STRUC #22009 WICOMICO RIVER			
				0.72	MU1640 W MAIN ST (AHEAD)			

\*\*\*\*\*

ROUTE NUMBER.....MD 992  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

SECONDARY R	URB-LOCAL	UNDIVID	NONE	0.00	CO 774 PHILLIP MORRIS DR	2	20H	
				0.06		2	40I	
				0.13		2	20I	
				0.15		2	20F	
				0.22	ROAD END			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
HIGHWAY INFORMATION SERVICES DIVISION  
DATA SUPPORT GROUP

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 992A  
INVENTORY DIRECTION....EAST  
NAME: JOHN DEERE DR

COUNTY-WICOMICO  
SHA DISTRICT.....1  
DATE.....12/31/2000

SYSTEM	FUNCTIONAL CLASS	HWY TYPE	ACCESS CONTRL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY R	URB-LOCAL	UNDIVIDED	NONE	0.00	CO 356 HOBBS RD	2	26I	
				0.74	ROAD END			

ROUTE NUMBER.....MD 992B  
INVENTORY DIRECTION....NORTH  
NAME: EASTSIDE RD

SECONDARY R	RUR-LOCAL	UNDIVIDED	NONE	0.00	ROAD END	2	12F	
				0.12		2	20I	
				0.16		2	35I	
				0.22	US 50 OCEAN GATEWAY			

ROUTE NUMBER.....MD 992C  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

SECONDARY R	RUR-LOCAL	UNDIVIDED	NONE	0.00	CO 733 SIXTY FOOT RD	2	16I	
				0.07	ROAD END			

ROUTE NUMBER.....MD 992D  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

SECONDARY R	RUR-LOCAL	UNDIVIDED	NONE	0.00	CO 322 FRIENDSHIP RD	2	16G	
				0.21	ROAD END			

ROUTE NUMBER.....MD 992E  
INVENTORY DIRECTION....EAST  
NAME: TANKARD RD

SECONDARY R	RUR-LOCAL	UNDIVIDED	NONE	0.00	CO 321 WHITE RICHARDSON RD	2	16I	
				0.37	ROAD END			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINOUS;  
H,I = HIGH TYPE BITUMINOUS; J = CONCRETE; K = BRICK; L = BLOCK