MARYLAND DEPARTMENT OF TRANSPORTATION


Data Services Division

TRUCK VOLUME MAPS BY COUNTY
2016 - 2018


COUNTY

- ALLEGANY
- ANNE ARUNDEL
- BALTIMORE COUNTY
- BALTIMORE CITY
- CALVERT
- CAROLINE
- CARROLL
- CECIL
- CHARLES
- DORCHESTER
- FREDERICK
- GARRETT
- HARFORD
- HOWARD
- KENT
- MONTGOMERY
- PRINCE GEORGE'S
- QUEEN ANNE'S
- ST. MARY'S
- SOMERSET
- TALBOT
- WASHINGTON
- WICOMICO
- WORCESTER

Single Units



Combination Units



These maps are also available on SHA's Internet site at http://www.roads.maryland.gov/Index.aspx?PageId=793

Truck Volume Maps
Introduction

The Data Services Division's Traffic Monitoring System (TMS) Team administers the Maryland State Highway Administration's (SHA) Traffic Monitoring Program. The program is responsible for the collection, processing, analysis, summarization and dissemination of Maryland highway traffic data and is supported by a comprehensive, user friendly, management information system.

Traffic monitoring data is a strategic resource for SHA and Maryland's Department of Transportation. The data is essential in the planning, design and operation of the statewide road system and the development an implementation of state highway improvement and safety programs. TMS is a product of the ISTEA Act of 1991, which required a traffic data program to effectively and efficiently meet SHA's long-tem traffic data a monitoring and reporting requirements. The quality control feature of the system allow data edit checks and validation for data from the 91 permanent, continuous automatic traffic recorders (ATR's) and short-term (Program) traffic data.








The Maryland Truck Volume Maps depict the average percentages of trucks at various locations on Maryland's roadways by county. Classification data is collected from a percentage of the 8700 program count stations and 91 ATRs throughout the state of Maryland. Program count data is collected (both directions) at regular locations on either a three (3) year or six (6) year cycle depending on type of roadway. Growth Factors are applied to counts which were not taken during the current year and the counts are factored based on the past yearly growth of an associated ATR. Counters are placed for 48 hours on a Monday or Tuesday and are picked up that Thursday or Friday, respectively. The ATR and toll count data is collected on a continuous basis.

The Truck Volume maps have the data represented as percentages of the total traffic volume for the classification counts taken during the years 2016-2018. The truck data is split into two categories according to Federal Highway Administration (FHWA) guidelines, Single Units (classes 4-7) and Combination Units (classes 8-13). In case of multiple counts at the same locations and ATR data, the percentages are averaged over the entire data set for that station. The maps show two set of percentages, one next to the other. The first is the percentages of Single Units and the second is the percentage of Combination Units. A description of the two classes is given on "Description of Classes". Starting this year, the current Annual Average Daily Traffic (AADT) is shown above the percentages.


All route, traffic and travel data being made available by SHA in these maps are developed to support internal uses, primarily transportation planning. Any and all data are provided "**as is**" with the understanding that no warranty of any kind, implied, expressed or statutory, is given with respects to the contents of these maps. Any and all conclusions or products derived from the data are the sole responsibility of the user.

The information presented in these maps is considered public information and may be copied or distributed, but must be free of charge.

Description of Classes

Single Units		Combination Units	
	***Buses*** -- All vehicles manufactured as traditional passenger-carrying buses with two axles and six tires or three or more axles. This category includes only traditional buses (including school buses) functioning as passenger-carrying vehicles. Modified buses should be considered to be a truck and should be appropriately classified.		***Four or Fewer Axle Single-Trailer Trucks*** -- All vehicles with four or fewer axles consisting of two units, one of which is a tractor or straight truck power unit.
			***Five-Axle Single-Trailer Trucks*** -- All five-axle vehicles consisting of two units, one of which is a tractor or straight truck power unit.
	***Two-Axle, Six-Tire, Single-Unit Trucks*** -- All vehicles on a single frame including trucks, camping and recreational vehicles, motor homes, etc., with two axles and dual rear wheels.		***Six or More Axle Single-Trailer Trucks*** -- All vehicles with six or more axles consisting of two units, one of which is a tractor or straight truck power unit.
			***Five or fewer Axle Multi-Trailer Trucks*** -- All vehicles with five or fewer axles consisting of three or more units, one of which is a tractor or straight truck power unit.
	***Three-Axle Single-Unit Trucks*** -- All vehicles on a single frame including trucks, camping and recreational vehicles, motor homes, etc., with three axles.		***Six-Axle Multi-Trailer Trucks*** -- All six-axle vehicles consisting of three or more units, one of which is a tractor or straight truck power unit.
	***Four or More Axle Single-Unit Trucks*** -- All trucks on a single frame with four or more axles.		***Seven or More Axle Multi-Trailer Trucks*** -- All vehicles with seven or more axles consisting of three or more units, one of which is a tractor or straight truck power unit.

- The descriptions are taken from the Traffic Monitoring Guide, from the FHWA's website



LEGEND

- Interstate Highway
- US Highway
- State Highway
- 9972 Annual Average Daily Traffic (AADT)
- 7.6 / 2.2 Percent Single Units Class 4-7/ Percent Combination Units Class 8-13

The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).

NOTICE

Traffic count figures are estimates. They are derived by taking 48 hour machine count data and applying factors from permanent count stations.

Restriction of Liability:

MDOT SHA makes no claims, promises or guarantees about the accuracy, completeness, or adequacy of the contents of these maps and expressly disclaims liability for any errors and omissions in the contents of these documents.

MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

KEY MAP



TRUCK VOLUME MAP
2016-2018
ANNUAL AVERAGE DAILY TRAFFIC

ALLEGANY COUNTY
MARYLAND

POPULATION 75087

PREPARED BY THE
MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

IN COOPERATION WITH THE
UNITED STATES DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

MAP SCALE
1:100,000

1 0 1 2 3 4 MILES
1 0 1 2 3 4 5 6 KILOMETERS

PUBLISHED: 2019

LAMBERT CONFORMAL CONIC PROJECTION

THE CULTURAL FEATURES SHOWN ON THIS MAP ARE FOR LOCATING PURPOSES ONLY AND MAY NOT REFLECT ACTUAL CONDITIONS.


THIS MAP WAS CREATED USING MARYLAND STATE PLANE COORDINATE 50,000 FOOT GRID VALUES BASED ON THE 1983 NORTH AMERICAN DATUM (NAD) TICKS.

DIGITAL COPIES OF THIS MAP ARE AVAILABLE FOR PUBLIC USE FROM MDOT SHA BY VISITING OUR WEB SITE AT WWW.ROADS.MARYLAND.GOV

DISCLAIMER: THE DATA AND RELATED MATERIALS CONTAINED HEREIN ARE PROVIDED 'AS IS' AND WERE CREATED TO MEET A SPECIFIC BUSINESS NEED OF THE MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION (MDOT SHA). ANY OTHER USE, WHILE NOT PROHIBITED, IS THE SOLE RESPONSIBILITY OF THE USER WHO SHALL ASSUME ALL LIABILITY REGARDING THE FITNESS OF USE OF THE INFORMATION.

©2019

© 2019



TRUCK VOLUME MAP
2016-2018
ANNUAL AVERAGE DAILY TRAFFIC

ANNE ARUNDEL COUNTY
MARYLAND

POPULATION 537,656 (2010)

PREPARED BY THE
MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

IN COOPERATION WITH THE
UNITED STATES DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

MAP SCALE
1:100,000

1 0 1 2 3 4 MILES
1 0 1 2 3 4 5 6 KILOMETERS

PUBLISHED: 2019

LAMBERT CONFORMAL CONIC PROJECTION

THE CULTURAL FEATURES SHOWN ON THIS MAP ARE FOR LOCATING PURPOSES ONLY AND MAY NOT REFLECT ACTUAL CONDITIONS.

THIS MAP WAS CREATED USING MARYLAND STATE PLANE COORDINATE 50,000 FOOT GRID VALUES BASED ON THE 1983 NORTH AMERICAN DATUM (NAD) TICKS.

DIGITAL COPIES OF THIS MAP ARE AVAILABLE FOR PUBLIC USE FROM MDOT SHA BY VISITING OUR WEB SITE AT WWW.ROADS.MARYLAND.GOV

DISCLAIMER: THE DATA AND RELATED MATERIALS CONTAINED HEREIN ARE PROVIDED 'AS IS' AND WERE CREATED TO MEET A SPECIFIC BUSINESS NEED OF THE MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION (MDOT SHA). ANY OTHER USE, WHILE NOT PROHIBITED, IS THE SOLE RESPONSIBILITY OF THE USER WHO SHALL ASSUME ALL LIABILITY REGARDING THE FITNESS OF USE OF THE INFORMATION.

LEGEND

- 95 — Interstate Highway
- 1 — US Highway
- 8 — State Highway
- 9972 — Annual Average Daily Traffic (AADT)
- 7.6 / 2.2 — Percent Single Units Class 4-7/ Percent Combination Units Class 8-13

MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

KEY MAP



The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).

NOTICE

Traffic count figures are estimates.
They are derived by taking 48 hour machine count data and applying factors from permanent count stations.
Restriction of Liability:
MDOT SHA makes no claims, promises or guarantees about the accuracy, completeness, or adequacy of the contents of these maps and expressly disclaims liability for any errors and omissions in the contents of these documents.

©2019

TRUCK VOLUME MAP
2016-2018
ANNUAL AVERAGE DAILY TRAFFIC
BALTIMORE COUNTY
MARYLAND

POPULATION 805,029 (2010)

PREPARED BY THE
MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

IN COOPERATION WITH THE
UNITED STATES DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

MAP SCALE
1:100,000

1 0 1 2 3 4 MILES

1 0 1 2 3 4 5 6 KILOMETERS

PUBLISHED: 2019


LAMBERT CONFORMAL CONIC PROJECTION

THE CULTURAL FEATURES SHOWN ON THIS MAP ARE FOR LOCATING PURPOSES ONLY AND MAY NOT REFLECT ACTUAL CONDITIONS.

THIS MAP WAS CREATED USING MARYLAND STATE PLANE COORDINATE 50,000 FOOT GRID VALUES BASED ON THE 1983 NORTH AMERICAN DATUM (NAD) TICKS.

DIGITAL COPIES OF THIS MAP ARE AVAILABLE FOR PUBLIC USE FROM MDOT SHA BY VISITING OUR WEB SITE AT WWW.ROADS.MARYLAND.GOV

DISCLAIMER: THE DATA AND RELATED MATERIALS CONTAINED HEREIN ARE PROVIDED 'AS IS' AND WERE CREATED TO MEET A SPECIFIC BUSINESS NEED OF THE MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION (MDOT SHA). ANY OTHER USE, WHILE NOT PROHIBITED, IS THE SOLE RESPONSIBILITY OF THE USER WHO SHALL ASSUME ALL LIABILITY REGARDING THE FITNESS OF USE OF THE INFORMATION.



LEGEND

- 95 — Interstate Highway
- 1 — US Highway
- 8 — State Highway
- 9972 — Annual Average Daily Traffic (AADT)
- 7.6 / 2.2 — Percent Single Units Class 4-7/ Percent Combination Units Class 8-13


The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).

NOTICE


Traffic count figures are estimates. They are derived by taking 48 hour machine count data and applying factors from permanent count stations.
Restriction of Liability:
MDOT SHA makes no claims, promises or guarantees about the accuracy, completeness, or adequacy of the contents of these maps and expressly disclaims liability for any errors and omissions in the contents of these documents.

MDOT MARYLAND DEPARTMENT OF TRANSPORTATION™
STATE HIGHWAY ADMINISTRATION

KEY MAP



©2019



TRUCK VOLUME MAP
2016-2018
ANNUAL AVERAGE DAILY TRAFFIC

BALTIMORE CITY
MARYLAND

POPULATION 622,000

PREPARED BY THE
MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

IN COOPERATION WITH THE
UNITED STATES DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

MAP SCALE
1:35,000

1 0 1 MILES

1 0 1 2 KILOMETERS

PUBLISHED: 2019

LAMBERT CONFORMAL CONIC PROJECTION

THE CULTURAL FEATURES SHOWN ON THIS MAP ARE FOR LOCATING PURPOSES ONLY AND MAY NOT REFLECT ACTUAL CONDITIONS.

THIS MAP WAS CREATED USING MARYLAND STATE PLANE COORDINATE 50,000 FOOT GRID VALUES BASED ON THE 1983 NORTH AMERICAN DATUM (NAD) TICKS.

DIGITAL COPIES OF THIS MAP ARE AVAILABLE FOR PUBLIC USE FROM MDOT SHA BY VISITING OUR WEB SITE AT WWW.ROADS.MARYLAND.GOV

DISCLAIMER: THE DATA AND RELATED MATERIALS CONTAINED HEREIN ARE PROVIDED 'AS IS' AND WERE CREATED TO MEET A SPECIFIC BUSINESS NEED OF THE MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION (MDOT SHA). ANY OTHER USE, WHILE NOT PROHIBITED, IS THE SOLE RESPONSIBILITY OF THE USER WHO SHALL ASSUME ALL LIABILITY REGARDING THE FITNESS OF USE OF THE INFORMATION.

The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).

NOTICE

Traffic count figures are estimates. They are derived by taking 48 hour machine count data and applying factors from permanent count stations.


Restriction of Liability:
MDOT SHA makes no claims, promises or guarantees about the accuracy, completeness, or adequacy of the contents of these maps and expressly disclaims liability for any errors and omissions in the contents of these documents.


LEGEND

- 95 — Interstate Highway
- 1 — US Highway
- 8 — State Highway
- 9972 — Annual Average Daily Traffic (AADT)
- 7.6 / 2.2 — Percent Single Units Class 4-7/ Percent Combination Units Class 8-13

MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

KEY MAP





LEGEND

- Interstate Highway
- US Highway
- State Highway
- 9972 — Annual Average Daily Traffic (AADT)
- 7.6 / 2.2 — Percent Single Units Class 4-7/ Percent Combination Units Class 8-13

The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).

NOTICE

Traffic count figures are estimates. They are derived by taking 48 hour machine count data and applying factors from permanent count stations.

Restriction of Liability:
MDOT SHA makes no claims, promises or guarantees about the accuracy, completeness, or adequacy of the contents of these maps and expressly disclaims liability for any errors and omissions in the contents of these documents.

TRAFFIC VOLUME MAP
2016-2018
ANNUAL AVERAGE DAILY TRAFFIC

CALVERT COUNTY
MARYLAND

POPULATION 88,737 (2010)

PREPARED BY THE
MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

IN COOPERATION WITH THE
UNITED STATES DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

MAP SCALE
1:100,000

1 0 1 2 3 4 MILES

1 0 1 2 3 4 5 6 KILOMETERS

PUBLISHED: 2019

LAMBERT CONFORMAL CONIC PROJECTION

THE CULTURAL FEATURES SHOWN ON THIS MAP ARE FOR LOCATING PURPOSES ONLY AND MAY NOT REFLECT ACTUAL CONDITIONS.

THIS MAP WAS CREATED USING MARYLAND STATE PLANE COORDINATE 50,000 FOOT GRID VALUES BASED ON THE 1983 NORTH AMERICAN DATUM (NAD) TICKS.

DIGITAL COPIES OF THIS MAP ARE AVAILABLE FOR PUBLIC USE FROM MDOT SHA BY VISITING OUR WEB SITE AT WWW.ROADS.MARYLAND.GOV

DISCLAIMER: THE DATA AND RELATED MATERIALS CONTAINED HEREIN ARE PROVIDED 'AS IS' AND WERE CREATED TO MEET A SPECIFIC BUSINESS NEED OF THE MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION (MDOT SHA). ANY OTHER USE, WHILE NOT PROHIBITED, IS THE SOLE RESPONSIBILITY OF THE USER WHO SHALL ASSUME ALL LIABILITY REGARDING THE FITNESS OF USE OF THE INFORMATION.


MARYLAND DEPARTMENT OF TRANSPORTATION™
STATE HIGHWAY ADMINISTRATION

KEY MAP



© 2019

©2019



LEGEND

- Interstate Highway
- US Highway
- State Highway
- 9972 — Annual Average Daily Traffic (AADT)
- 7.6 / 2.2 — Percent Single Units Class 4-7/ Percent Combination Units Class 8-13

The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).

NOTICE

Traffic count figures are estimates. They are derived by taking 48 hour machine count data and applying factors from permanent count stations.
Restriction of Liability:
MDOT SHA makes no claims, promises or guarantees about the accuracy, completeness, or adequacy of the contents of these maps and expressly disclaims liability for any errors and omissions in the contents of these documents.

TRUCK VOLUME MAP
2016-2018
ANNUAL AVERAGE DAILY TRAFFIC

CAROLINE COUNTY
MARYLAND

POPULATION 33,066 (2010)

PREPARED BY THE
MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

IN COOPERATION WITH THE
UNITED STATES DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

MAP SCALE
1:100,000

1 0 1 2 3 4 MILES

1 0 1 2 3 4 5 6 KILOMETERS

PUBLISHED: 2019

LAMBERT CONFORMAL CONIC PROJECTION

THE CULTURAL FEATURES SHOWN ON THIS MAP ARE FOR LOCATING PURPOSES ONLY AND MAY NOT REFLECT ACTUAL CONDITIONS.

THIS MAP WAS CREATED USING MARYLAND STATE PLANE COORDINATE 50,000 FOOT GRID VALUES BASED ON THE 1983 NORTH AMERICAN DATUM (NAD) TICKS.


DIGITAL COPIES OF THIS MAP ARE AVAILABLE FOR PUBLIC USE FROM MDOT SHA BY VISITING OUR WEB SITE AT WWW.ROADS.MARYLAND.GOV

DISCLAIMER: THE DATA AND RELATED MATERIALS CONTAINED HEREIN ARE PROVIDED 'AS IS' AND WERE CREATED TO MEET A SPECIFIC BUSINESS NEED OF THE MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION (MDOT SHA). ANY OTHER USE, WHILE NOT PROHIBITED, IS THE SOLE RESPONSIBILITY OF THE USER WHO SHALL ASSUME ALL LIABILITY REGARDING THE FITNESS OF USE OF THE INFORMATION.

MARYLAND DEPARTMENT OF TRANSPORTATION™
STATE HIGHWAY ADMINISTRATION

KEY MAP





LEGEND

- Interstate Highway
- US Highway
- State Highway
- 9972 Annual Average Daily Traffic (AADT)
- 7.6 / 2.2 Percent Single Units Class 4-7/ Percent Combination Units Class 8-13

The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).

NOTICE

Traffic count figures are estimates. They are derived by taking 48 hour machine count data and applying factors from permanent count stations.
Restriction of Liability:
MDOT SHA makes no claims, promises or guarantees about the accuracy, completeness, or adequacy of the contents of these maps and expressly disclaims liability for any errors and omissions in the contents of these documents.

TRUCK VOLUME MAP
2016-2018
ANNUAL AVERAGE DAILY TRAFFIC

CARROLL COUNTY
MARYLAND

POPULATION 167,134 (2010)

PREPARED BY THE
MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

IN COOPERATION WITH THE
UNITED STATES DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

MAP SCALE
1:100,000

1 0 1 2 3 4 MILES
1 0 1 2 3 4 5 6 KILOMETERS

PUBLISHED: 2019

LAMBERT CONFORMAL CONIC PROJECTION

THE CULTURAL FEATURES SHOWN ON THIS MAP ARE FOR LOCATING PURPOSES ONLY AND MAY NOT REFLECT ACTUAL CONDITIONS.

THIS MAP WAS CREATED USING MARYLAND STATE PLANE COORDINATE 50,000 FOOT GRID VALUES BASED ON THE 1983 NORTH AMERICAN DATUM (NAD) TICKS.


DIGITAL COPIES OF THIS MAP ARE AVAILABLE FOR PUBLIC USE FROM MDOT SHA BY VISITING OUR WEB SITE AT WWW.ROADS.MARYLAND.GOV

DISCLAIMER: THE DATA AND RELATED MATERIALS CONTAINED HEREIN ARE PROVIDED 'AS IS' AND WERE CREATED TO MEET A SPECIFIC BUSINESS NEED OF THE MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION (MDOT SHA). ANY OTHER USE, WHILE NOT PROHIBITED, IS THE SOLE RESPONSIBILITY OF THE USER WHO SHALL ASSUME ALL LIABILITY REGARDING THE FITNESS OF USE OF THE INFORMATION.

MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

KEY MAP

©2011



LEGEND

- Interstate Highway
- US Highway
- State Highway
- 9972 Annual Average Daily Traffic (AADT)
- 7.6 / 2.2 Percent Single Units Class 4-7/ Percent Combination Units Class 8-13

The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).

NOTICE

Traffic count figures are estimates. They are derived by taking 48 hour machine count data and applying factors from permanent count stations.
Restriction of Liability:
MDOT SHA makes no claims, promises or guarantees about the accuracy, completeness, or adequacy of the contents of these maps and expressly disclaims liability for any errors and omissions in the contents of these documents.

TRUCK VOLUME MAP
2016-2018
ANNUAL AVERAGE DAILY TRAFFIC

CECIL COUNTY
MARYLAND

POPULATION 101,108 (2010)

PREPARED BY THE
MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

IN COOPERATION WITH THE
UNITED STATES DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

MAP SCALE
1:100,000

1 0 1 2 3 4 MILES
1 0 1 2 3 4 5 6 KILOMETERS

PUBLISHED: 2019

LAMBERT CONFORMAL CONIC PROJECTION

THE CULTURAL FEATURES SHOWN ON THIS MAP ARE FOR LOCATING PURPOSES ONLY AND MAY NOT REFLECT ACTUAL CONDITIONS.

THIS MAP WAS CREATED USING MARYLAND STATE PLANE COORDINATE 50,000 FOOT GRID VALUES BASED ON THE 1983 NORTH AMERICAN DATUM (NAD) TICKS.

DIGITAL COPIES OF THIS MAP ARE AVAILABLE FOR PUBLIC USE FROM MDOT SHA BY VISITING OUR WEB SITE AT WWW.ROADS.MARYLAND.GOV

DISCLAIMER: THE DATA AND RELATED MATERIALS CONTAINED HEREIN ARE PROVIDED 'AS IS' AND WERE CREATED TO MEET A SPECIFIC BUSINESS NEED OF THE MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION (MDOT SHA). ANY OTHER USE, WHILE NOT PROHIBITED, IS THE SOLE RESPONSIBILITY OF THE USER WHO SHALL ASSUME ALL LIABILITY REGARDING THE FITNESS OF USE OF THE INFORMATION.

MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

KEY MAP

©2011



LEGEND

- Interstate Highway
- US Highway
- State Highway
- 9972 — Annual Average Daily Traffic (AADT)
- 7.6 / 2.2 — Percent Single Units Class 4-7/ Percent Combination Units Class 8-13

The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).

NOTICE

Traffic count figures are estimates. They are derived by taking 48 hour machine count data and applying factors from permanent count stations.
Restriction of Liability:
MDOT SHA makes no claims, promises or guarantees about the accuracy, completeness, or adequacy of the contents of these maps and expressly disclaims liability for any errors and omissions in the contents of these documents.

TRUCK VOLUME MAP 2016-2018 ANNUAL AVERAGE DAILY TRAFFIC

CHARLES COUNTY

MARYLAND

POPULATION 146,541 (2010)

PREPARED BY THE
MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

IN COOPERATION WITH THE
UNITED STATES DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

MAP SCALE
1:100,000

1 0 1 2 3 4 MILES
1 0 1 2 3 4 5 6 KILOMETERS

PUBLISHED: 2019

LAMBERT CONFORMAL CONIC PROJECTION

THE CULTURAL FEATURES SHOWN ON THIS MAP ARE FOR LOCATING PURPOSES ONLY AND MAY NOT REFLECT ACTUAL CONDITIONS.

THIS MAP WAS CREATED USING MARYLAND STATE PLANE COORDINATE 50,000 FOOT GRID VALUES BASED ON THE 1983 NORTH AMERICAN DATUM (NAD) TICKS.

DIGITAL COPIES OF THIS MAP ARE AVAILABLE FOR PUBLIC USE FROM MDOT SHA BY VISITING OUR WEB SITE AT WWW.ROADS.MARYLAND.GOV

DISCLAIMER: THE DATA AND RELATED MATERIALS CONTAINED HEREIN ARE PROVIDED 'AS IS' AND WERE CREATED TO MEET A SPECIFIC BUSINESS NEED OF THE MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION (MDOT SHA). ANY OTHER USE, WHILE NOT PROHIBITED, IS THE SOLE RESPONSIBILITY OF THE USER WHO SHALL ASSUME ALL LIABILITY REGARDING THE FITNESS OF USE OF THE INFORMATION.

MDOT MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

KEY MAP

© 2011

©2011

TRUCK VOLUME MAP
2016-2018
ANNUAL AVERAGE DAILY TRAFFIC
DORCHESTER COUNTY
MARYLAND

POPULATION 32,618 (2010)

PREPARED BY THE
MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

IN COOPERATION WITH THE
UNITED STATES DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

MAP SCALE
1:100,000

1 0 1 2 3 4 MILES

1 0 1 2 3 4 5 6 KILOMETERS

PUBLISHED: 2019

LAMBERT CONFORMAL CONIC PROJECTION

THE CULTURAL FEATURES SHOWN ON THIS MAP ARE FOR LOCATING PURPOSES ONLY AND MAY NOT REFLECT ACTUAL CONDITIONS.

THIS MAP WAS CREATED USING MARYLAND STATE PLANE COORDINATE 50,000 FOOT GRID VALUES BASED ON THE 1983 NORTH AMERICAN DATUM (NAD) TICKS.

DIGITAL COPIES OF THIS MAP ARE AVAILABLE FOR PUBLIC USE FROM MDOT SHA BY VISITING OUR WEB SITE AT WWW.ROADS.MARYLAND.GOV

DISCLAIMER: THE DATA AND RELATED MATERIALS CONTAINED HEREIN ARE PROVIDED 'AS IS' AND WERE CREATED TO MEET A SPECIFIC BUSINESS NEED OF THE MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION (MDOT SHA). ANY OTHER USE, WHILE NOT PROHIBITED, IS THE SOLE RESPONSIBILITY OF THE USER WHO SHALL ASSUME ALL LIABILITY REGARDING THE FITNESS OF USE OF THE INFORMATION.

MARYLAND DEPARTMENT OF TRANSPORTATION™
STATE HIGHWAY ADMINISTRATION

KEY MAP



LEGEND

- Interstate Highway
- US Highway
- State Highway
- 9972 Annual Average Daily Traffic (AADT)
- 7.6 / 2.2 Percent Single Units Class 4-7/ Percent Combination Units Class 8-13

The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).

NOTICE

Traffic count figures are estimates. They are derived by taking 48 hour machine count data and applying factors from permanent count stations.
Restriction of Liability:
MDOT SHA makes no claims, promises or gurantees about the accuracy, completeness, or adequacy of the contents of these maps and expressly disclaims liability for any errors and omissions in the contents of these documents.

© 2019

PENNSYLVANIA

WASHINGTON COUNTY

CARROLL COUNTY

FREDERICK

MONTGOMERY COUNTY

VIRGINIA

TRUCK VOLUME MAP
2016-2018
ANNUAL AVERAGE DAILY TRAFFIC

FREDERICK COUNTY
MARYLAND

POPULATION 233,385 (2010)

PREPARED BY THE
MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

IN COOPERATION WITH THE
UNITED STATES DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

MAP SCALE
1:100,000

1 0 1 2 3 4 MILES

1 0 1 2 3 4 5 6 KILOMETERS

PUBLISHED: 2019

LAMBERT CONFORMAL CONIC PROJECTION

THE CULTURAL FEATURES SHOWN ON THIS MAP ARE FOR LOCATING PURPOSES ONLY AND MAY NOT REFLECT ACTUAL CONDITIONS.

THIS MAP WAS CREATED USING MARYLAND STATE PLANE COORDINATE 50,000 FOOT GRID VALUES BASED ON THE 1983 NORTH AMERICAN DATUM (NAD) TICKS.

DIGITAL COPIES OF THIS MAP ARE AVAILABLE FOR PUBLIC USE FROM MDOT SHA BY VISITING OUR WEB SITE AT WWW.ROADS.MARYLAND.GOV

DISCLAIMER: THE DATA AND RELATED MATERIALS CONTAINED HEREIN ARE PROVIDED 'AS IS' AND WERE CREATED TO MEET A SPECIFIC BUSINESS NEED OF THE MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION (MDOT SHA). ANY OTHER USE, WHILE NOT PROHIBITED, IS THE SOLE RESPONSIBILITY OF THE USER WHO SHALL ASSUME ALL LIABILITY REGARDING THE FITNESS OF USE OF THE INFORMATION.

KEY MAP



LEGEND

- Interstate Highway
- US Highway
- State Highway
- 9972 — Annual Average Daily Traffic (AADT)
- 7.6 / 2.2 — Percent Single Units Class 4-7/ Percent Combination Units Class 8-13

The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).

NOTICE

Traffic count figures are estimates. They are derived by taking 48 hour machine count data and applying factors from permanent count stations.
Restriction of Liability:
MDOT SHA makes no claims, promises or gurantees about the accuracy, completeness, or adequacy of the contents of these maps and expressly disclaims liability for any errors and omissions in the contents of these documents.

MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

©2019

PENNSYLVANIA

WEST VIRGINIA

WEST VIRGINIA

ALLEGANY COUNTY

MARYLAND

Youghiogheny Overlook Welcome Center

OAKLAND

NATIONAL FREEWAY

NATIONAL PIKE

ALT 40 PIKE

FRIENDSVILLE RD

GARRETT HWY

BITTINGER RD

SPRINGS RD

FINZEL RD

SAND FLAT RD

SWANTON RD

KITZMILLER RD

GORMAN RD

THIRD ST

HUTTON RD

GEORGE WASHINGTON HWY

MARYLAND HWY

821 7.55 / 1.58
15590 2.77 / 16.11
2530 7.39 / 1.7
4412 9.27 / 3.4
3982 8.39 / 7.33
13260 6.61 / 18.79
3742 8.82 / 3.58
18190 3.35 / 16.11
4582 8.51 / 7.44
1731 8.09 / 0.98
19800 10.2 / 9.71
2985 12.36 / 2.41
4172 10.5 / 3.95
21430 7.32 / 12.59
19700 6.2 / 13.76
1694 7.44 / 0.94
22361 5.39 / 11.54
11560 4.83 / 2.04
6852 5.09 / 1.66
8732 6.41 / 2.08
3554 4.22 / 1.32
11582 3.51 / 1.04
14051 3.89 / 0.65
921 0.98 / 0.22
5151 5.11 / 1.13
5652 4.9 / 2.11
3334 4.92 / 2.22
1651 10.3 / 2.42
3945 6.72 / 3.42
2242 11.2 / 2.72
794 6.68 / 0.76
651 7.37 / 1.08
2362 7.11 / 2.24
1325 7.7 / 4.83
1642 6.88 / 2.62

TRUCK VOLUME MAP
2016-2018
ANNUAL AVERAGE DAILY TRAFFIC

GARRETT COUNTY
MARYLAND

POPULATION 30,097 (2010)

PREPARED BY THE
MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

IN COOPERATION WITH THE
UNITED STATES DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

MAP SCALE
1:100,000

1 0 1 2 3 4 MILES
1 0 1 2 3 4 5 6 KILOMETERS

PUBLISHED: 2019

LAMBERT CONFORMAL CONIC PROJECTION

THE CULTURAL FEATURES SHOWN ON THIS MAP ARE FOR LOCATING PURPOSES ONLY AND MAY NOT REFLECT ACTUAL CONDITIONS.

THIS MAP WAS CREATED USING MARYLAND STATE PLANE COORDINATE 50,000 FOOT GRID VALUES BASED ON THE 1983 NORTH AMERICAN DATUM (NAD) TICKS.

DIGITAL COPIES OF THIS MAP ARE AVAILABLE FOR PUBLIC USE FROM MDOT SHA BY VISITING OUR WEB SITE AT WWW.ROADS.MARYLAND.GOV

DISCLAIMER: THE DATA AND RELATED MATERIALS CONTAINED HEREIN ARE PROVIDED 'AS IS' AND WERE CREATED TO MEET A SPECIFIC BUSINESS NEED OF THE MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION (MDOT SHA). ANY OTHER USE, WHILE NOT PROHIBITED, IS THE SOLE RESPONSIBILITY OF THE USER WHO SHALL ASSUME ALL LIABILITY REGARDING THE FITNESS OF USE OF THE INFORMATION.

LEGEND

- Interstate Highway
- US Highway
- State Highway
- 9972 Annual Average Daily Traffic (AADT)
- 7.6 / 2.2 Percent Single Units Class 4-7/ Percent Combination Units Class 8-13


The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).

NOTICE

Traffic count figures are estimates. They are derived by taking 48 hour machine count data and applying factors from permanent count stations.
Restriction of Liability:
MDOT SHA makes no claims, promises or guarantees about the accuracy, completeness, or adequacy of the contents of these maps and expressly disclaims liability for any errors and omissions in the contents of these documents.

MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

KEY MAP



LEGEND

- Interstate Highway
- US Highway
- State Highway
- 9972 — Annual Average Daily Traffic (AADT)
- 7.6 / 2.2 — Percent Single Units Class 4-7/ Percent Combination Units Class 8-13

The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).

NOTICE

Traffic count figures are estimates.
They are derived by taking 48 hour machine count data and applying factors from permanent count stations.
Restriction of Liability:
MDOT SHA makes no claims, promises or guarantees about the accuracy, completeness, or adequacy of the contents of these maps and expressly disclaims liability for any errors and omissions in the contents of these documents.

TRUCK VOLUME MAP
2016-2018
ANNUAL AVERAGE DAILY TRAFFIC

HARFORD COUNTY
MARYLAND

POPULATION 244,826 (2010)

PREPARED BY THE
DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

MAP SCALE
1:100,000

1 0 1 2 3 4 MILES
1 0 1 2 3 4 5 6 KILOMETERS

PUBLISHED: 2019

LAMBERT CONFORMAL CONIC PROJECTION

THE CULTURAL FEATURES SHOWN ON THIS MAP ARE FOR LOCATING PURPOSES ONLY AND MAY NOT REFLECT ACTUAL CONDITIONS.

THIS MAP WAS CREATED USING MARYLAND STATE PLANE COORDINATE 50,000 FOOT GRID VALUES BASED ON THE 1983 NORTH AMERICAN DATUM (NAD) TICKS.

DIGITAL COPIES OF THIS MAP ARE AVAILABLE FOR PUBLIC USE FROM MDOT SHA BY VISITING OUR WEB SITE AT WWW.ROADS.MARYLAND.GOV


DISCLAIMER: THE DATA AND RELATED MATERIALS CONTAINED HEREIN ARE PROVIDED AS IS' AND WERE CREATED TO MEET A SPECIFIC BUSINESS NEED OF THE MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION (MDOT SHA). ANY OTHER USE, WHILE NOT PROHIBITED, IS THE SOLE RESPONSIBILITY OF THE USER WHO SHALL ASSUME ALL LIABILITY REGARDING THE FITNESS OF USE OF THE INFORMATION.

MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

KEY MAP

© 2011

©2019



LEGEND

- Interstate Highway
- US Highway
- State Highway
- 9972 Annual Average Daily Traffic (AADT)
- 7.6 / 2.2 Percent Single Units Class 4-7/ Percent Combination Units Class 8-13

The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).

NOTICE

Traffic count figures are estimates. They are derived by taking 48 hour machine count data and applying factors from permanent count stations.
Restriction of Liability:
MDOT SHA makes no claims, promises or guarantees about the accuracy, completeness, or adequacy of the contents of these maps and expressly disclaims liability for any errors and omissions in the contents of these documents.

MARYLAND DEPARTMENT OF TRANSPORTATION™
STATE HIGHWAY ADMINISTRATION

KEY MAP

TRUCK VOLUME MAP
2016-2018
ANNUAL AVERAGE DAILY TRAFFIC

HOWARD COUNTY
MARYLAND

POPULATION 287,085 (2010)

PREPARED BY THE
MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

IN COOPERATION WITH THE
UNITED STATES DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

MAP SCALE
1:100,000

1 0 1 2 3 4 MILES

1 0 1 2 3 4 5 6 KILOMETERS

PUBLISHED: 2019


LAMBERT CONFORMAL CONIC PROJECTION

THE CULTURAL FEATURES SHOWN ON THIS MAP ARE FOR LOCATING PURPOSES ONLY AND MAY NOT REFLECT ACTUAL CONDITIONS.

THIS MAP WAS CREATED USING MARYLAND STATE PLANE COORDINATE 50,000 FOOT GRID VALUES BASED ON THE 1983 NORTH AMERICAN DATUM (NAD) TICKS.

DIGITAL COPIES OF THIS MAP ARE AVAILABLE FOR PUBLIC USE FROM MDOT SHA BY VISITING OUR WEB SITE AT WWW.ROADS.MARYLAND.GOV

DISCLAIMER: THE DATA AND RELATED MATERIALS CONTAINED HEREIN ARE PROVIDED 'AS IS' AND WERE CREATED TO MEET A SPECIFIC BUSINESS NEED OF THE MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION (MDOT SHA). ANY OTHER USE, WHILE NOT PROHIBITED, IS THE SOLE RESPONSIBILITY OF THE USER WHO SHALL ASSUME ALL LIABILITY REGARDING THE FITNESS OF USE OF THE INFORMATION.



LEGEND

- Interstate Highway
- US Highway
- State Highway
- 9972 Annual Average Daily Traffic (AADT)
- 7.6 / 2.2 Percent Single Units Class 4-7/ Percent Combination Units Class 8-13

MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

KEY MAP

The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).

NOTICE

Traffic count figures are estimates. They are derived by taking 48 hour machine count data and applying factors from permanent count stations.
Restriction of Liability:
MDOT SHA makes no claims, promises or guarantees about the accuracy, completeness, or adequacy of the contents of these maps and expressly disclaims liability for any errors and omissions in the contents of these documents.

TRUCK VOLUME MAP
2016-2018
ANNUAL AVERAGE DAILY TRAFFIC
KENT COUNTY
MARYLAND

POPULATION 20,197(2010)

PREPARED BY THE
MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

IN COOPERATION WITH THE
UNITED STATES DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

MAP SCALE
1:100,000

1 0 1 2 3 4 MILES
1 0 1 2 3 4 5 6 KILOMETERS

PUBLISHED: 2019

LAMBERT CONFORMAL CONIC PROJECTION


THE CULTURAL FEATURES SHOWN ON THIS MAP ARE FOR LOCATING PURPOSES ONLY AND MAY NOT REFLECT ACTUAL CONDITIONS.

THIS MAP WAS CREATED USING MARYLAND STATE PLANE COORDINATE 50,000 FOOT GRID VALUES BASED ON THE 1983 NORTH AMERICAN DATUM (NAD) TICKS.

DIGITAL COPIES OF THIS MAP ARE AVAILABLE FOR PUBLIC USE FROM MDOT SHA BY VISITING OUR WEB SITE AT WWW.ROADS.MARYLAND.GOV

DISCLAIMER: THE DATA AND RELATED MATERIALS CONTAINED HEREIN ARE PROVIDED AS IS AND WERE CREATED TO MEET A SPECIFIC BUSINESS NEED OF THE MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION (MDOT SHA). ANY OTHER USE, WHILE NOT PROHIBITED, IS THE SOLE RESPONSIBILITY OF THE USER WHO SHALL ASSUME ALL LIABILITY REGARDING THE FITNESS OF USE OF THE INFORMATION.

©2019



LEGEND

- Interstate Highway
- US Highway
- State Highway
- 9972 Annual Average Daily Traffic (AADT)
- 7.6 / 2.2 Percent Single Units Class 4-7/ Percent Combination Units Class 8-13

The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).

NOTICE

Traffic count figures are estimates. They are derived by taking 48 hour machine count data and applying factors from permanent count stations.
Restriction of Liability:
MDOT SHA makes no claims, promises or guarantees about the accuracy, completeness, or adequacy of the contents of these maps and expressly disclaims liability for any errors and omissions in the contents of these documents.

TRUCK VOLUME MAP
2016-2018
ANNUAL AVERAGE DAILY TRAFFIC

MONTGOMERY COUNTY

MARYLAND

POPULATION 971,777 (2010)

PREPARED BY THE
DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

MAP SCALE
1:100,000

1 0 1 2 3 4 MILES
1 0 1 2 3 4 6 KILOMETERS

PUBLISHED: 2019

LAMBERT CONFORMAL CONIC PROJECTION

THE CULTURAL FEATURES SHOWN ON THIS MAP ARE FOR LOCATING PURPOSES ONLY AND MAY NOT REFLECT ACTUAL CONDITIONS.

THIS MAP WAS CREATED USING MARYLAND STATE PLANE COORDINATE 50,000 FOOT GRID VALUES BASED ON THE 1983 NORTH AMERICAN DATUM (NAD) TICKS.

DIGITAL COPIES OF THIS MAP ARE AVAILABLE FOR PUBLIC USE FROM MDOT SHA BY VISITING OUR WEB SITE AT WWW.ROADS.MARYLAND.GOV

DISCLAIMER: THE DATA AND RELATED MATERIALS CONTAINED HEREIN ARE PROVIDED AS IS AND WERE CREATED TO MEET A SPECIFIC BUSINESS NEED OF THE MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION (MDOT SHA). ANY OTHER USE, WHILE NOT PROHIBITED, IS THE SOLE RESPONSIBILITY OF THE USER WHO SHALL ASSUME ALL LIABILITY REGARDING THE FITNESS OF USE OF THE INFORMATION.

MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

KEY MAP



© 2019

©2019

TRUCK VOLUME MAP
2016-2018
ANNUAL AVERAGE DAILY TRAFFIC

PRINCE GEORGE'S COUNTY
MARYLAND

POPULATION 863,420 (2010)

PREPARED BY THE
MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

IN COOPERATION WITH THE
UNITED STATES DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

MAP SCALE
1:100,000

1 0 1 2 3 4 MILES

1 0 1 2 3 4 5 6 KILOMETERS

PUBLISHED: 2019

LAMBERT CONFORMAL CONIC PROJECTION

THE CULTURAL FEATURES SHOWN ON THIS MAP ARE FOR LOCATING PURPOSES ONLY AND MAY NOT REFLECT ACTUAL CONDITIONS.

THIS MAP WAS CREATED USING MARYLAND STATE PLANE COORDINATE 50,000 FOOT GRID VALUES BASED ON THE 1983 NORTH AMERICAN DATUM (NAD) TICKS.

DIGITAL COPIES OF THIS MAP ARE AVAILABLE FOR PUBLIC USE FROM MDOT SHA BY VISITING OUR WEB SITE AT WWW.ROADS.MARYLAND.GOV

DISCLAIMER: THE DATA AND RELATED MATERIALS CONTAINED HEREIN ARE PROVIDED 'AS IS' AND WERE CREATED TO MEET A SPECIFIC BUSINESS NEED OF THE MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION (MDOT SHA). ANY OTHER USE, WHILE NOT PROHIBITED, IS THE SOLE RESPONSIBILITY OF THE USER WHO SHALL ASSUME ALL LIABILITY REGARDING THE FITNESS OF USE OF THE INFORMATION.

LEGEND

- Interstate Highway
- US Highway
- State Highway
- 9972 Annual Average Daily Traffic (AADT)
- 7.6 / 2.2 Percent Single Units Class 4-7/ Percent Combination Units Class 8-13

The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).

NOTICE

Traffic count figures are estimates.
They are derived by taking 48 hour machine count data and applying factors from permanent count stations.
Restriction of Liability:
MDOT SHA makes no claims, promises or guarantees about the accuracy, completeness, or adequacy of the contents of these maps and expressly disclaims liability for any errors and omissions in the contents of these documents.

MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

KEY MAP



LEGEND

- 95 — Interstate Highway
- 1 — US Highway
- 8 — State Highway
- 9972 — Annual Average Daily Traffic (AADT)
- 7.6 / 2.2 — Percent Single Units Class 4-7/ Percent Combination Units Class 8-13


The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).

NOTICE

Traffic count figures are estimates. They are derived by taking 48 hour machine count data and applying factors from permanent count stations.

Restriction of Liability:

MDOT SHA makes no claims, promises or guarantees about the accuracy, completeness, or adequacy of the contents of these maps and expressly disclaims liability for any errors and omissions in the contents of these documents.



TRUCK VOLUME MAP
2016-2018
ANNUAL AVERAGE DAILY TRAFFIC
QUEEN ANNE'S COUNTY
MARYLAND

POPULATION 47,798 (2010)

PREPARED BY THE

MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

IN COOPERATION WITH THE

UNITED STATES DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

MAP SCALE
1:100,000

1 0 1 2 3 4 MILES

1 0 1 2 3 4 5 KILOMETERS

PUBLISHED: 2019

LAMBERT CONFORMAL CONIC PROJECTION

THE CULTURAL FEATURES SHOWN ON THIS MAP ARE FOR LOCATING PURPOSES ONLY AND MAY NOT REFLECT ACTUAL CONDITIONS.

THIS MAP WAS CREATED USING MARYLAND STATE PLANE COORDINATE 50,000 FOOT GRID VALUES BASED ON THE 1983 NORTH AMERICAN DATUM (NAD) TICKS.


DIGITAL COPIES OF THIS MAP ARE AVAILABLE FOR PUBLIC USE FROM MDOT SHA BY VISITING OUR WEB SITE AT WWW.ROADS.MARYLAND.GOV

DISCLAIMER THE DATA AND RELATED MATERIALS CONTAINED HEREIN ARE PROVIDED AS IS AND WERE CREATED TO MEET A SPECIFIC BUSINESS NEED OF THE MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION (MDOT SHA). ANY OTHER USE, WHILE NOT PROHIBITED, IS THE SOLE RESPONSIBILITY OF THE USER WHO SHALL ASSUME ALL LIABILITY REGARDING THE FITNESS OF USE OF THE INFORMATION.

MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

KEY MAP

©2019



LEGEND

- Interstate Highway
- US Highway
- State Highway
- 9972 Annual Average Daily Traffic (AADT)
- 7.6 / 2.2 Percent Single Units Class 4-7/ Percent Combination Units Class 8-13

The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).

NOTICE

Traffic count figures are estimates. They are derived by taking 48 hour machine count data and applying factors from permanent count stations.

Restriction of Liability:
MDOT SHA makes no claims, promises or guarantees about the accuracy, completeness, or adequacy of the contents of these maps and expressly disclaims liability for any errors and omissions in the contents of these documents.

TRUCK VOLUME MAP
2016-2018
ANNUAL AVERAGE DAILY TRAFFIC

ST. MARY'S COUNTY
MARYLAND

POPULATION 105,151 (2010)

PREPARED BY THE
MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

IN COOPERATION WITH THE
UNITED STATES DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

MAP SCALE
1:100,000

1 0 1 2 3 4 MILES
1 0 1 2 3 4 5 6 KILOMETERS

PUBLISHED: 2019

LAMBERT CONFORMAL CONIC PROJECTION

THE CULTURAL FEATURES SHOWN ON THIS MAP ARE FOR LOCATING PURPOSES ONLY AND MAY NOT REFLECT ACTUAL CONDITIONS.

THIS MAP WAS CREATED USING MARYLAND STATE PLANE COORDINATE 50,000 FOOT GRID VALUES BASED ON THE 1983 NORTH AMERICAN DATUM (NAD) TICKS.

DIGITAL COPIES OF THIS MAP ARE AVAILABLE FOR PUBLIC USE FROM MDOT SHA BY VISITING OUR WEB SITE AT WWW.ROADS.MARYLAND.GOV


DISCLAIMER: THE DATA AND RELATED MATERIALS CONTAINED HEREIN ARE PROVIDED AS IS AND WERE CREATED TO MEET A SPECIFIC BUSINESS NEED OF THE MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION (MDOT SHA). ANY OTHER USE, WHILE NOT PROHIBITED, IS THE SOLE RESPONSIBILITY OF THE USER WHO SHALL ASSUME ALL LIABILITY REGARDING THE FITNESS OF USE OF THE INFORMATION.

MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

KEY MAP



©2019



LEGEND

- Interstate Highway
- US Highway
- State Highway
- 9972 — Annual Average Daily Traffic (AADT)
- 7.6 / 2.2 — Percent Single Units Class 4-7/ Percent Combination Units Class 8-13

The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).

NOTICE

Traffic count figures are estimates. They are derived by taking 48 hour machine count data and applying factors from permanent count stations.
Restriction of Liability:
MDOT SHA makes no claims, promises or guarantees about the accuracy, completeness, or adequacy of the contents of these maps and expressly disclaims liability for any errors and omissions in the contents of these documents.

TRUCK VOLUME MAP
2016-2018
ANNUAL AVERAGE DAILY TRAFFIC

SOMERSET COUNTY
MARYLAND

POPULATION 26,470 (2010)

PREPARED BY THE
MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

IN COOPERATION WITH THE
UNITED STATES DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

MAP SCALE
1:100,000

1 0 1 2 3 4 MILES
1 0 1 2 3 4 5 6 KILOMETERS

PUBLISHED: 2019

LAMBERT CONFORMAL CONIC PROJECTION

THE CULTURAL FEATURES SHOWN ON THIS MAP ARE FOR LOCATING PURPOSES ONLY AND MAY NOT REFLECT ACTUAL CONDITIONS.

THIS MAP WAS CREATED USING MARYLAND STATE PLANE COORDINATE 50,000 FOOT GRID VALUES BASED ON THE 1983 NORTH AMERICAN DATUM (NAD) TICKS.


DIGITAL COPIES OF THIS MAP ARE AVAILABLE FOR PUBLIC USE FROM MDOT SHA BY VISITING OUR WEB SITE AT WWW.ROADS.MARYLAND.GOV

DISCLAIMER: THE DATA AND RELATED MATERIALS CONTAINED HEREIN ARE PROVIDED 'AS IS' AND WERE CREATED TO MEET A SPECIFIC BUSINESS NEED OF THE MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION (MDOT SHA). ANY OTHER USE, WHILE NOT PROHIBITED, IS THE SOLE RESPONSIBILITY OF THE USER WHO SHALL ASSUME ALL LIABILITY REGARDING THE FITNESS OF USE OF THE INFORMATION.

MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

KEY MAP

©2019



LEGEND

- Interstate Highway
- US Highway
- State Highway
- 9972 Annual Average Daily Traffic (AADT)
- 7.6 / 2.2 Percent Single Units Class 4-7/ Percent Combination Units Class 8-13

The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).

NOTICE

Traffic count figures are estimates. They are derived by taking 48 hour machine count data and applying factors from permanent count stations.
Restriction of Liability:
MDOT SHA makes no claims, promises or guarantees about the accuracy, completeness, or adequacy of the contents of these maps and expressly disclaims liability for any errors and omissions in the contents of these documents.

TRUCK VOLUME MAP
2016-2018
ANNUAL AVERAGE DAILY TRAFFIC
TALBOT COUNTY
MARYLAND

POPULATION 37,782 (2010)

PREPARED BY THE
MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

IN COOPERATION WITH THE
UNITED STATES DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

MAP SCALE
1:100,000

1 0 1 2 3 4 MILES
1 0 1 2 3 4 5 KILOMETERS

PUBLISHED: 2019

LAMBERT CONFORMAL CONIC PROJECTION

THE CULTURAL FEATURES SHOWN ON THIS MAP ARE FOR LOCATING PURPOSES ONLY AND MAY NOT REFLECT ACTUAL CONDITIONS.

THIS MAP WAS CREATED USING MARYLAND STATE PLANE COORDINATE 50,000 FOOT GRID VALUES BASED ON THE 1983 NORTH AMERICAN DATUM (NAD) TICKS.

DIGITAL COPIES OF THIS MAP ARE AVAILABLE FOR PUBLIC USE FROM MDOT SHA BY VISITING OUR WEB SITE AT WWW.ROADS.MARYLAND.GOV


DISCLAIMER: THE DATA AND RELATED MATERIALS CONTAINED HEREIN, ARE PROVIDED 'AS IS' AND WERE CREATED TO MEET A SPECIFIC BUSINESS NEED OF THE MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION (MDOT SHA). ANY OTHER USE, WHILE NOT PROHIBITED, IS THE SOLE RESPONSIBILITY OF THE USER WHO SHALL ASSUME ALL LIABILITY REGARDING THE FITNESS OF USE OF THE INFORMATION.

MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

KEY MAP



©2019



LEGEND

- Interstate Highway
- US Highway
- State Highway
- 9972 Annual Average Daily Traffic (AADT)
- 7.6 / 2.2 Percent Single Units Class 4-7/ Percent Combination Units Class 8-13

The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).

NOTICE

Traffic count figures are estimates. They are derived by taking 48 hour machine count data and applying factors from permanent count stations.
Restriction of Liability:
MDOT SHA makes no claims, promises or guarantees about the accuracy, completeness, or adequacy of the contents of these maps and expressly disclaims liability for any errors and omissions in the contents of these documents.

©2019

MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

KEY MAP

TRUCK VOLUME MAP
2016-2018
ANNUAL AVERAGE DAILY TRAFFIC
WASHINGTON COUNTY
MARYLAND

POPULATION 147,430 (2010)

PREPARED BY THE
MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

IN COOPERATION WITH THE
UNITED STATES DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

MAP SCALE
1:100,000

1 0 1 2 3 4 MILES
1 0 1 2 3 4 5 6 KILOMETERS

PUBLISHED: 2019


LAMBERT CONFORMAL CONIC PROJECTION

THE CULTURAL FEATURES SHOWN ON THIS MAP ARE FOR LOCATING PURPOSES ONLY AND MAY NOT REFLECT ACTUAL CONDITIONS.

THIS MAP WAS CREATED USING MARYLAND STATE PLANE COORDINATE 50,000 FOOT GRID VALUES BASED ON THE 1983 NORTH AMERICAN DATUM (NAD) TICKS.

DIGITAL COPIES OF THIS MAP ARE AVAILABLE FOR PUBLIC USE FROM MDOT SHA BY VISITING OUR WEB SITE AT WWW.ROADS.MARYLAND.GOV

DISCLAIMER: THE DATA AND RELATED MATERIALS CONTAINED HEREIN ARE PROVIDED AS IS' AND WERE CREATED TO MEET A SPECIFIC BUSINESS NEED OF THE MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION (MDOT SHA). ANY OTHER USE, WHILE NOT PROHIBITED, IS THE SOLE RESPONSIBILITY OF THE USER WHO SHALL ASSUME ALL LIABILITY REGARDING THE FITNESS OF USE OF THE INFORMATION.



LEGEND

- Interstate Highway
- US Highway
- State Highway
- 9972 Annual Average Daily Traffic (AADT)
- 7.6 / 2.2 Percent Single Units Class 4-7/ Percent Combination Units Class 8-13

The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).

NOTICE

Traffic count figures are estimates. They are derived by taking 48 hour machine count data and applying factors from permanent count stations.

Restriction of Liability:
MDOT SHA makes no claims, promises or guarantees about the accuracy, completeness, or adequacy of the contents of these maps and expressly disclaims liability for any errors and omissions in the contents of these documents.

TRUCK VOLUME MAP
2016-2018
ANNUAL AVERAGE DAILY TRAFFIC

WICOMICO COUNTY
MARYLAND

POPULATION 98,733 (2010)

PREPARED BY THE
MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

IN COOPERATION WITH THE
UNITED STATES DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

MAP SCALE
1:100,000

1 0 1 2 3 4 MILES

1 0 1 2 3 4 5 6 KILOMETERS

PUBLISHED: 2019

LAMBERT CONFORMAL CONIC PROJECTION

THE CULTURAL FEATURES SHOWN ON THIS MAP ARE FOR LOCATING PURPOSES ONLY AND MAY NOT REFLECT ACTUAL CONDITIONS.

THIS MAP WAS CREATED USING MARYLAND STATE PLANE COORDINATE 50,000 FOOT GRID VALUES BASED ON THE 1983 NORTH AMERICAN DATUM (NAD) TICKS.

DIGITAL COPIES OF THIS MAP ARE AVAILABLE FOR PUBLIC USE FROM MDOT SHA BY VISITING OUR WEB SITE AT WWW.ROADS.MARYLAND.GOV


DISCLAIMER: THE DATA AND RELATED MATERIALS CONTAINED HEREIN ARE PROVIDED 'AS IS' AND WERE CREATED TO MEET A SPECIFIC BUSINESS NEED OF THE MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION (MDOT SHA). ANY OTHER USE, WHILE NOT PROHIBITED, IS THE SOLE RESPONSIBILITY OF THE USER WHO SHALL ASSUME ALL LIABILITY REGARDING THE FITNESS OF USE OF THE INFORMATION.

MDOT MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

KEY MAP



©2019


DELAWARE
DELAWARE
WICOMICO COUNTY
SOMERSET COUNTY
VIRGINIA
SNOW HILL
U.S. 13 Welcome Center
N
75°40'
1700
75°30'
1750
75°20'
1800
75°10'
1850
75°00'
38° 20'
38° 10'
38° 00'
250
200
150
OCEAN CITY
OCEAN CITY EXPWY
OCEAN GATEWAY
GATEWAY
COASTAL HWY
ROUTE 90
ROUTE 50
ROUTE 113
ROUTE 346
ROUTE 707
ROUTE 528
ROUTE 589
ROUTE 452
ROUTE 374
ROUTE 377
ROUTE 818
ROUTE 611
ROUTE 376
ROUTE 568
ROUTE 367
ROUTE 575
ROUTE 610
ROUTE 354
ROUTE 12
ROUTE 365
ROUTE 366
ROUTE 364
ROUTE 371
ROUTE 13
ROUTE 756
WORCESTER HWY
STOCKTON RD
GEORGE ISLAND LANDING RD
PUBLIC LANDING RD
SNOW HILL RD
WHITTINGTON RD
WHITESVILLE RD
BERLIN NASSAWANGO RD
SHERMANS CORNER RD
SNOW HILL RD
MORRIS MILL RD
MILLER MILL RD
OLD OCEAN CITY BLVD
OCEAN GATEWAY
FRANKFORD AVE
BRIDGE ST
MARKET ST
CEDAR HILL RD
HOLLOWAY RD
ELEVATOR RD
CAMPGROUND RD
FRUITLAND RD
DUBLIN RD
BUNTING RD
CAMP ARROWHEAD RD
BAY VIEW RD
SHORE RD
HOOPER ISLAND RD
RIDGE RD
WHITE HALL RD
CEDAR HILL RD
MASON RD
DIVIDING CREEK RD
WHITE HALL RD
SNOW HILL RD
MORRIS MILL RD
WHITESVILLE RD
BERLIN NASSAWANGO RD
SHERMANS CORNER