

Truck Volume Maps

Introduction

The Data Services Division's Traffic Monitoring System (TMS) Team administers the Maryland State Highway Administration's (SHA) Traffic Monitoring Program. The program is responsible for the collection, processing, analysis, summarization and dissemination of Maryland highway traffic data and is supported by a comprehensive, user friendly, management information system.

Traffic monitoring data is a strategic resource for SHA and Maryland's Department of Transportation. The data is essential in the planning, design and operation of the statewide road system and the development an implementation of state highway improvement and safety programs. TMS is a product of the ISTEA Act of 1991, which required a traffic data program to effectively and efficiently meet SHA's long-term traffic data a monitoring and reporting requirements. The quality control feature of the system allow data edit checks and validation for data from the 91 permanent, continuous automatic traffic recorders (ATR's) and short-term (Program) traffic data.








The Maryland Truck Volume Maps depict the average percentages of trucks at various locations on Maryland's roadways by county. Classification data is collected from a percentage of the 8700 program count stations and 91 ATRs throughout the state of Maryland. Program count data is collected (both directions) at regular locations on either a three (3) year or six (6) year cycle depending on type of roadway. Growth Factors are applied to counts which were not taken during the current year and the counts are factored based on the past yearly growth of an associated ATR. Counters are placed for 48 hours on a Monday or Tuesday and are picked up that Thursday or Friday, respectively. The ATR and toll count data is collected on a continuous basis.

The Truck Volume maps have the data represented as percentages of the total traffic volume for the classification counts taken during the years 2017-2019. The truck data is split into two categories according to Federal Highway Administration (FHWA) guidelines, Single Units (classes 4-7) and Combination Units (classes 8-13). In case of multiple counts at the same locations and ATR data, the percentages are averaged over the entire data set for that station. The maps show two set of percentages, one next to the other. The first is the percentages of Single Units and the second is the percentage of Combination Units. A description of the two classes is given on "Description of Classes". Starting this year, the current Annual Average Daily Traffic (AADT) is shown above the percentages.


All route, traffic and travel data being made available by SHA in these maps are developed to support internal uses, primarily transportation planning. Any and all data are provided "**as is**" with the understanding that no warranty of any kind, implied, expressed or statutory, is given with respects to the contents of these maps. Any and all conclusions or products derived from the data are the sole responsibility of the user.


The information presented in these maps is considered public information and may be copied or distributed, but must be free of charge.

Description of Classes

Single Units		Combination Units	
	<p>Buses -- All vehicles manufactured as traditional passenger-carrying buses with two axles and six tires or three or more axles. This category includes only traditional buses (including school buses) functioning as passenger-carrying vehicles. Modified buses should be considered to be a truck and should be appropriately classified.</p>		<p>Four or Fewer Axle Single-Trailer Trucks -- All vehicles with four or fewer axles consisting of two units, one of which is a tractor or straight truck power unit.</p>
	<p>Two-Axle, Six-Tire, Single-Unit Trucks -- All vehicles on a single frame including trucks, camping and recreational vehicles, motor homes, etc., with two axles and dual rear wheels.</p>		<p>Five-Axle Single-Trailer Trucks -- All five-axle vehicles consisting of two units, one of which is a tractor or straight truck power unit.</p>
	<p>Three-Axle Single-Unit Trucks -- All vehicles on a single frame including trucks, camping and recreational vehicles, motor homes, etc., with three axles.</p>		<p>Six or More Axle Single-Trailer Trucks -- All vehicles with six or more axles consisting of two units, one of which is a tractor or straight truck power unit.</p>
	<p>Four or More Axle Single-Unit Trucks -- All trucks on a single frame with four or more axles.</p>		<p>Five or fewer Axle Multi-Trailer Trucks -- All vehicles with five or fewer axles consisting of three or more units, one of which is a tractor or straight truck power unit.</p>
			<p>Six-Axle Multi-Trailer Trucks -- All six-axle vehicles consisting of three or more units, one of which is a tractor or straight truck power unit.</p>
			<p>Seven or More Axle Multi-Trailer Trucks -- All vehicles with seven or more axles consisting of three or more units, one of which is a tractor or straight truck power unit.</p>

- The descriptions are taken from the Traffic Monitoring Guide, from the FHWA's website






LEGEND

- Interstate Highway
- US Highway
- State Highway
- 9972 Annual Average Daily Traffic (AADT)
- 7.6 / 2.2 Percent Single Units Class 4-7/
Percent Combination Units Class 8-13


MDOT
MARYLAND DEPARTMENT
OF TRANSPORTATION
**STATE HIGHWAY
ADMINISTRATION**



The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).

NOTICE

Traffic count figures are estimates.
They are derived by taking 48 hour machine count data and applying factors from permanent count stations.
Restriction of Liability:
MDOT SHA makes no claims, promises or guarantees about the accuracy, completeness, or adequacy of the contents of these maps and expressly disclaims liability for any errors and omissions in the contents of these documents.



LEGEND

-  Interstate Highway
 -  US Highway
 -  State Highway
 - 9972 Annual Average Daily Traffic (AADT)
 - 7.6 / 2.2 Percent Single Units Class 4-7/
Percent Combination Units Class 8-10

The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).

Transportation Statistics


NOTICE


count data and applying factors from permanent count stations
Restriction of Liability:
MDOT SHA makes no claims, promises or guarantees about
the accuracy, completeness, or adequacy of the contents
of these maps and expressly disclaims liability for any errors
and omissions in the contents of these documents.




**MARYLAND DEPARTMENT
OF TRANSPORTATION**


STATE HIGHWAY ADMINISTRATION









MDOT
MARYLAND DEPARTMENT
OF TRANSPORTATION
STATE HIGHWAY
ADMINISTRATION














MDOT
 MARYLAND DEPARTMENT
 OF TRANSPORTATION™
 STATE HIGHWAY
 ADMINISTRATION







TRUCK VOLUME MAP 2017-2019

ANNUAL AVERAGE DAILY TRAFFIC

DORCHESTER COUNTY

MARYLAND

POPULATION 32,618 (2010)


PREPARED BY THE

MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

IN COOPERATION WITH THE

UNITED STATES DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

MAP SCALE
1:100,000



PUBLISHED: 2020

LAMBERT CONFORMAL CONIC PROJECTION


THE CULTURAL FEATURES SHOWN ON THIS MAP ARE FOR LOCATING PURPOSES ONLY AND MAY NOT REFLECT ACTUAL CONDITIONS.

THIS MAP WAS CREATED USING MARYLAND STATE PLANE COORDINATE 50,000 FOOT GRID VALUES BASED ON THE 1963 NAD 1983 NORTH AMERICAN DATUM (NAD 83).

DIGITAL COPIES OF THE MAP ARE AVAILABLE FOR PUBLIC USE FROM MDOT SHA BY VISITING OUR WEB SITE AT WWW.ROADS.MARYLAND.GOV



STATE HIGHWAY
ADMINISTRATION



LEGEND

Interstate Highway

US Highway

State Highway


9972 Annual Average Daily Traffic (AADT)


7.6 / 2.2 Percent Single Units Class 4-7/
Percent Combination Units Class 8-13

The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).

NOTICE

Traffic count figures are estimates. They are derived by taking 48-hour machine count data and applying it to permanent count stations. MDOT SHA makes no claims, promises or guarantees about the accuracy of the data or the quality of the contents of these maps and expressly disclaims liability for any errors and omissions in the contents of these documents.





LEGEND

- Interstate Highway
- US Highway
- State Highway
- 9972 Annual Average Daily Traffic (AADT)
- 7.6 / 2.2 Percent Single Units Class 4-7/
Percent Combination Units Class 8-13


The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).


NOTICE


Traffic count figures are estimates.
They are derived by taking 48 hour machine
count data and applying factors from permanent count stations.
Restriction of Liability:
MDOT SHA makes no claims, promises or guarantees about
the accuracy, completeness, or adequacy of the contents
of these maps and expressly disclaims liability for any errors
and omissions in the contents of these documents.



STATE HIGHWAY
ADMINISTRATION







**TRUCK VOLUME MAP
2017-2019
ANNUAL AVERAGE DAILY TRAFFIC**

**HOWARD
COUNTY
MARYLAND**

POPULATION 287,085 (2010)

PREPARED BY THE
MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

IN COOPERATION WITH THE
UNITED STATES DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION



MAP SCALE
1:100,000

0 1 2 3 4 MILES
0 1 2 3 4 KILOMETERS

PUBLISHED: 2020

LAMBERT CONFORMAL CONIC PROJECTION

THE CULTURAL FEATURES SHOWN ON THIS MAP ARE FOR LOCATING PURPOSES ONLY AND MAY NOT REFLECT ACTUAL CONDITIONS.

THIS MAP WAS CREATED USING MARYLAND STATE PLANE COORDINATE 50,000 FOOT GRID VALUES BASED ON THE 1983 NORTH AMERICAN DATUM (NAD 83).

DIGITAL COPIES OF THIS MAP ARE AVAILABLE FOR PUBLIC USE FROM MDOT SHA BY VISITING OUR WEB SITE AT WWW.ROADS.MARYLAND.GOV

DISCLAIMER: THE DATA AND RELATED MATERIALS CONTAINED HEREIN ARE PROVIDED AS IS AND WITHOUT WARRANTY TO MEET A SPECIFIC BUSINESS NEED OF THE MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION (MDOT SHA). ANY OTHER USE, WHILE NOT PROHIBITED, IS THE SOLE RESPONSIBILITY OF THE USER WHO SHALL ASSUME ALL LIABILITY REGARDING THE FITNESS OF USE OF THE INFORMATION.

LEGEND

- Interstate Highway
- US Highway
- State Highway
- 9972 Annual Average Daily Traffic (AADT)
- 7.6 / 2.2 Percent Single Units Class 4-7/
Percent Combination Units Class 8-13

The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).


NOTICE


Traffic count figures are estimates.

They are derived by taking 48 hour machine count data and applying factors from permanent count stations.

Restriction of Liability:

MDOT SHA makes no claims, promises or guarantees about the accuracy, completeness, or adequacy of the contents of these maps and expressly disclaims liability for any errors and omissions in the contents of these documents.







**TRUCK VOLUME MAP
2017-2019
ANNUAL AVERAGE DAILY TRAFFIC
MONTGOMERY
COUNTY
MARYLAND**
POPULATION 971,777 (2010)

PREPARED BY THE
DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

MAP SCALE
1:100,000

1 0 1 2 3 4 MILES
1 0 1 2 3 4 5 KILOMETERS

PUBLISHED: 2020


LAMBERT CONFORMAL CONIC PROJECTION

THE CULTURAL FEATURES SHOWN ON THIS MAP ARE FOR LOCATING PURPOSES ONLY AND MAY NOT REFLECT ACTUAL CONDITIONS.

THIS MAP WAS CREATED USING MARYLAND STATE PLANE COORDINATE 50,000 FOOT GRID VALUES BASED ON THE 1983 NAD 1983 NORTH AMERICAN DATUM (NAD 83) TICKS.

DIGITAL COPIES OF THIS MAP ARE AVAILABLE FOR PUBLIC USE FROM MDOT SHA BY VISITING OUR WEB SITE AT WWW.ROADS.MARYLAND.GOV

MDOT
MARYLAND DEPARTMENT
OF TRANSPORTATION™
STATE HIGHWAY
ADMINISTRATION



© 2017-2019
TRUCK VOLUME MAP
2017-2019
ANNUAL AVERAGE DAILY TRAFFIC
PRINCE GEORGE'S
COUNTY
MARYLAND

POPULATION 863,420 (2010)

PREPARED BY THE
MARYLAND DEPARTMENT OF TRANSPORTATION
 STATE HIGHWAY ADMINISTRATION

IN COOPERATION WITH THE
UNITED STATES DEPARTMENT OF TRANSPORTATION
 FEDERAL HIGHWAY ADMINISTRATION

MAP SCALE
 1:100,000

PUBLISHED: 2020

LAMBERT CONFORMAL CONIC PROJECTION

THE CULTURAL FEATURES SHOWN ON THIS MAP ARE FOR LOCATING PURPOSES ONLY AND MAY NOT REFLECT ACTUAL CONDITIONS.
 THIS MAP WAS CREATED USING MARYLAND STATE PLANE COORDINATE 50,000 FOOT GRID VALUES BASED ON THE 1983 NORTH AMERICAN DATUM (NAD 83).

DIGITAL COPIES OF THIS MAP ARE AVAILABLE FOR PUBLIC USE FROM MDOT SHA'S WEBSITE.

DISCLAIMER: THE DATA AND RELATED MATERIALS CONTAINED HEREIN ARE PROVIDED AS IS AND ARE MADE AVAILABLE FOR THE SPECIFIC BUSINESS NEED OF THE MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION (MDOT SHA). MDOT SHA MAKES NO CLAIMS, PROMISES OR GUARANTEES ABOUT THE ACCURACY, COMPLETENESS, OR ADEQUACY OF THE CONTENTS OF THIS MAP AND EXPRESSLY DISCLAIMS LIABILITY FOR ANY ERRORS AND OMISSIONS IN THE CONTENTS OF THESE DOCUMENTS.

LEGEND

- Interstate Highway
- US Highway
- State Highway
- 9972 Annual Average Daily Traffic (AADT)
- 7.6 / 2.2 Percent Single Units Class 4-7/
Percent Combination Units Class 8-13

The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).

NOTICE

Traffic count figures are estimates.



They are derived by taking 48 hour machine count data and applying factors from permanent count stations.


Restriction of Liability:


MDOT SHA makes no claims, promises or guarantees about the accuracy, completeness, or adequacy of the contents of these maps and expressly disclaims liability for any errors and omissions in the contents of these documents.





MEDT
 MARYLAND DEPARTMENT
 OF TRANSPORTATION™
 STATE HIGHWAY
 ADMINISTRATION














LEGEND

Interstate Highway

US Highway

State Highway

9972 Annual Average Daily Traffic (AADT)

7.6 / 2.2 Percent Single Units Class 4-7/
Percent Combination Units Class 8-13

The information in these maps is provided as a public service by the Maryland Department of Transportation State Highway Administration (MDOT SHA).

NOTICE

Traffic count figures are estimates.
They are derived by taking 48 hour machine
count data and applying factors to permanent count stations.

Disclaimer of Liability:
MDOT SHA makes no claims, promises or guarantees about
the accuracy, completeness, or adequacy of the contents
of these maps and expressly disclaims liability for any errors
and omissions in the contents of these documents.


TRUCK VOLUME MAP 2017-2019 ANNUAL AVERAGE DAILY TRAFFIC

WICOMICO COUNTY MARYLAND

POPULATION 98,733 (2010)

PREPARED BY THE
MARYLAND DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

IN COOPERATION WITH THE
UNITED STATES DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION



PUBLISHED: 2020

LAMBERT CONFORMAL CONIC PROJECTION

THE CULTURAL FEATURES SHOWN ON THIS MAP ARE FOR LOCATING
PURPOSES ONLY AND MAY NOT REFLECT ACTUAL CONDITIONS.

THIS MAP WAS CREATED USING MARYLAND STATE PLANE COORDINATE 50,000 FOOT GRID VALUES BASED ON THE 1983 NORTH AMERICAN DATUM (NAD 83).
DIGITAL COPIES OF THIS MAP ARE AVAILABLE FOR PUBLIC USE FROM MDOT SHA BY VISITING OUR WEB SITE AT WWW.ROADS.MARYLAND.GOV.

DISCLAIMER: THE DATA AND RELATED MATERIALS CONTAINED HEREIN ARE PROVIDED AS IS AND WERE CREATED TO MEET A SPECIFIC BUSINESS NEED OF THE MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION (MDOT SHA). ANY OTHER USE, WHILE NOT PROHIBITED, IS THE SOLE RESPONSIBILITY OF THE USER WHO SHALL ASSUME ALL LIABILITY REGARDING THE FITNESS OF USE OF THE INFORMATION.

MDOT
MARYLAND DEPARTMENT
OF TRANSPORTATION
**STATE HIGHWAY
ADMINISTRATION**

